

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.





All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

A

B

				1 2						3		4	
PRODUCT NO.	ROWS	SIGNAL					POWER						
		E2	5	4	3	2	1	P4	P3	P2	P1	E1	
51771-008-- NOTE ③	D C B A		H	H	H	X	H	PA	PA	PA	PA		
		G	G	G	X	G							
		F	F	F	X	F							
		E	E	E	X	E							
													



A

B

CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	.042 [1.07]	POWER
H	N/A [N/A]	SIGNAL
G	N/A [N/A]	SIGNAL
F	N/A [N/A]	SIGNAL
E	N/A [N/A]	SIGNAL
HA	N/A [N/A]	HOLD-DOWN
X	OMITTED	OMITTED

mol'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				FCI				www.fciconnect.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
lir		ecn no.		dr		date		linear		.XX±.01/0.X±0.3		.XXX±.005/0.XX±0.13		.XXXX±.0020/0.XXX±0.051		angles		0°±2°		dr		JM GUO		04/07/06		enrg		STEVEN WANG		04/07/06		chr		BEER FU		04/07/06		appd		JOSEPH HSIA		04/07/06																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
A		DG06-0145		JMG		04/07/06																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

1 | 2

Pro/E


PDM: Rev: A

STAT US: Released


Printed: Dec 20, 2010




PRODUCT NUMBER
51771-008--
NOTE ③




BROKEN-OUT SECTION A-A
SCALE 2:1



SECTION C-C



BROKEN-OUT SECTION B-B
SCALE 2:1



SECTION E-E

mot'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI	
lir	ecn no.	dr	date			linear		COPY		www.fciconnect.com	
A						.XX±.01/0.X±0.3		projection		title	
						.XXX±.005/0.XX±0.13		INCH/MM		4P + 20S	
						.XXXX±.0020/0.XXX±0.051		scale		R/A STB RECEPTACLE	
						0°±2°		1:1		product family PwrBlade	
				dr	JM GUO	04/07/06				size	
				enr	STEVEN WANG	04/07/06				dwg no	
				chr	BEER FU	04/07/06				A 51771-008	
				appd	JOSEPH HSIA	04/07/06				code	
sheet index		revision sheet								213	
										sheet 2 of 4	



1 | 2

3 |

4

PRODUCT NUMBER

51771-008--
NOTE ③

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- ② HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. PLATING:
51771-008, 51771-008LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.
- ④ MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.

PCB NOTES:

- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- ⑧ MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- ⑨ $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.
- ⑩ "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- ⑪ CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				FCI			
lfr		ecn no.		dr		date		linear		projection		COPY		title		www.fciconnect.com			
A								.XX $\pm$.01/0.X $\pm$ 0.3		INCH/MM		A		4P + 20S					
								.XXX $\pm$.005/0.XX $\pm$ 0.13		INCH/MM		A		R/A STB RECEPTACLE					
								.XXXX $\pm$.0020/0.XXX $\pm$ 0.051		INCH/MM		A		product family		PwrBlade			
								0° $\pm$ 2°		INCH/MM		A		size		213			
								dr JM GUO 04/07/06		INCH/MM		A		dwg no		sheet			
								enrg STEVEN WANG 04/07/06		INCH/MM		A		51771-008		4 of 4			
								chr BEER FU 04/07/06		INCH/MM		A							
								appd JOSEPH HSIA 04/07/06		INCH/MM		A							
sheet index		revision sheet								scale		1:1							

1 | 2

Pro/E

PDM: Rev: A

STAT US: Released

Printed: Dec 20, 2010

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9