




- CONNECTOR DIMENSIONS ARE PER ARINC 600 SPECIFICATION
- KEYING SHOWN IN POSITION "01" FOR REFERENCE ONLY. CONNECTOR SHIPPED WITH KEYING PER ORDERING INSTRUCTIONS. FOR POSITION "00" KEYING SHIPPED UNASSEMBLED.
- FOR SHIPMENT CONTACTS (IF ORDERED) ARE INCLUDED IN A CONTAINER WITHIN THE CONNECTOR PACKAGE. COAX CONTACTS ARE NOT SUPPLIED AND MUST BE ORDERED SEPARATELY.
- SPECIAL WITH INSERTS 150/71C1/34 STANDARD MOUNTING. ALL CONTACTS ORDERED SEPARATELY. KEYED TO POSITION 01
- PRELIMINARY PART NUMBER, NOT RELEASED FOR PRODUCTION
- SEE SHEET 2 FOR INSERT ARRANGEMENTS
- CHEMICAL CONVERSION COATING PER MIL-C-5541, CLASS 1A
- ELECTROLESS NICKEL PER MIL-C-26074, CLASS 3 OR 4, GRADE B

| COMPONENT                          | MATERIAL                           | FINISH                                                    |
|------------------------------------|------------------------------------|-----------------------------------------------------------|
| SHELL                              | DIE CAST ALUMINUM<br>PER ASTM-B-85 | <div>78</div> SEE PART NUMBER TABLE                       |
| RETENTION PLATES                   | ALUMINUM ALLOY<br>PER ASTM-B-209   | <div>78</div> SEE PART NUMBER TABLE                       |
| SCREWS<br>AND LOCKWASHERS          | STEEL<br>OR<br>STAINLESS STEEL     | CHROMATE OVER ZINC<br>OR<br>PASSIVATED                    |
| POLARIZING POSTS                   | ZINC ALLOY<br>PER ASTM-B-86        | ELECTROLESS NICKEL<br>PER MIL-C-26074<br>CLASS 4, GRADE B |
| INSERTS                            | THERMOSET                          | -                                                         |
| FILLER PLUG                        | TEFLON                             | -                                                         |
| POLARIZING POST<br>RETAINING PLATE | ALUMINUM ALLOY<br>PER ASTM-B-209   | BLUE ANODIZED<br>PER MIL-A-8625                           |

|                                           |                     |                                |
|-------------------------------------------|---------------------|--------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.    |                     | DWN<br>C.C.THOMAS<br>11-27-95  |
| DIMENSIONS:<br>INCHES                     |                     | CHK<br>R. GROSS<br>4-11-96     |
| <div><div></div></div>                    |                     | APVD<br>R. GROSS<br>4-11-96    |
| TOLERANCES UNLESS<br>OTHERWISE SPECIFIED: |                     | NAME                           |
| 0 PLC ± -                                 |                     | PRODUCT SPEC                   |
| 1 PLC ± -                                 |                     | APPLICATION SPEC               |
| 2 PLC ± -                                 |                     |                                |
| 3 PLC ± -                                 |                     |                                |
| 4 PLC ± -                                 |                     |                                |
| ANGLES ± -                                |                     |                                |
| MATERIAL<br>SEE TABLE                     | FINISH<br>SEE TABLE | WEIGHT<br>-                    |
| CUSTOMER DRAWING                          |                     | SCALE 1:1 SHEET 1 OF 2 REV AG1 |

|                    |  |              |             |
|--------------------|--|--------------|-------------|
| DESCRIPTIVE NUMBER |  | FINISH       | PART NUMBER |
| NIC66H26A02AA0     |  | <div>7</div> | 4-208972-1  |
| NIC66H20A08AA1     |  | <div>7</div> | 4-208972-0  |
| NIC66H52A03AA0     |  | <div>7</div> | 3-208972-9  |
| <div>77</div>      |  | <div>7</div> | 3-208972-8  |
| NIC66H21A06AA0     |  | <div>7</div> | 3-208972-7  |
| NIC66H21A03AA0     |  | <div>7</div> | 3-208972-6  |
| NIC66H20A00AA0     |  | <div>7</div> | 3-208972-5  |
| NIC66H26A00AA1     |  | <div>7</div> | 3-208972-4  |
| -                  |  |              | 3-208972-3  |
| NIC66H23A00CB1     |  | <div>7</div> | 3-208972-2  |
| NIC66HN20A00AA0    |  | <div>8</div> | 3-208972-1  |
| NIC66H52A00AA0     |  | <div>7</div> | 3-208972-0  |
| NIC66H54A01AA1     |  | <div>7</div> | 2-208972-9  |
| NIC66H20A AA0      |  | <div>7</div> | 2-208972-8  |
| -                  |  |              | 2-208972-7  |
| -                  |  |              | 2-208972-6  |
| NIC66H53A01AA0     |  | <div>7</div> | 2-208972-5  |
| NIC66H51A00AA0     |  | <div>7</div> | 2-208972-4  |
| NIC66H23A02AA0     |  | <div>7</div> | 2-208972-3  |
| NIC66H26A01SA1     |  | <div>7</div> | 2-208972-2  |
| NIC66H23A05AA0     |  | <div>7</div> | 2-208972-1  |
| NIC66H22A13AA0     |  | <div>7</div> | 2-208972-0  |
| -                  |  |              | 1-208972-9  |
| NIC66H23A01CB1     |  | <div>7</div> | 1-208972-8  |
| -                  |  |              | 1-208972-7  |
| NIC66H21A00AA0     |  | <div>7</div> | 1-208972-6  |
| NIC66H26A01AA0     |  | <div>7</div> | 1-208972-5  |
| NIC66H21A02AA0     |  | <div>7</div> | 1-208972-4  |
| NIC66H26A01AA1     |  | <div>7</div> | 1-208972-3  |
| NIC66H21A02AA1     |  | <div>7</div> | 1-208972-2  |
| NIC66H21A14AA0     |  | <div>7</div> | 1-208972-1  |
| NIC66H25A01AA1     |  | <div>7</div> | 1-208972-0  |
| NIC66H25A01AA0     |  | <div>7</div> | 208972-9    |
| NIC66H22A01AA1     |  | <div>7</div> | 208972-8    |
| NIC66H23A01AA1     |  | <div>7</div> | 208972-7    |
| -                  |  |              | 208972-6    |
| NIC66H23A01AA0     |  | <div>7</div> | 208972-5    |
| -                  |  |              | 208972-4    |
| -                  |  |              | 208972-3    |
| NIC66H21A01AA1     |  | <div>7</div> | 208972-2    |
| NIC66H21A01AA0     |  | <div>7</div> | 208972-1    |

|                  |           |                                                    |                      |
|------------------|-----------|----------------------------------------------------|----------------------|
| C.C.THOMAS       |           | TE Connectivity                                    |                      |
| R. GROSS         |           | CONNECTOR ASSY, SIZE 2,<br>CLASS A, PLUG/ARINC 600 |                      |
| R. GROSS         |           | -                                                  |                      |
| SIZE             | CAGE CODE | DRAWING NO                                         | RESTRICTED TO        |
| A1               | 00779     | 208972                                             | -                    |
| CUSTOMER DRAWING |           | SCALE 1:1                                          | SHEET 1 OF 2 REV AG1 |



## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9