






LOC DS	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	JWN	APVD
			□	RELEASED ECN(KFC00-0078-00)	14/JUN/00	JW	BM
			A	RELEASED ECN(KFC00-0110-01)	15/OCT/01	JW	CS
			B	RELEASED ECN(KFC00-0160-04)	15/JUL/04	JG	CS
			C	RELEASED ECN(KFC00-0031-05)	25/JAN/05	BH	CS



(EXPLODE VIEW)



VIEW A

NOTE

1. APPLICABLE TAB CONTACT P/N;

PART NO.	DESCRIPTION	WIRE SIZE(mm ²)
928999-1	MICRO QUADLOK SYSTEM REC TML (SOCKET CONTACT)	0.2 - 0.5
963715-1	MICRO QUADLOK SYSTEM REC TML (SOCKET CONTACT)	0.75

-. MQS CONTACT(AVX-F: 0.5mm² / AVSS-X: 0.75mm²)

2. APPLICABLE COVER HSG P/N; 368441-1

3. APPLICABLE RETAINER HSG(MQS) P/N; 368440-1
(P/N -1 AS SHOWN)

ASS'Y P/N	GRAPHICAL REPRESENTATION MATING SIDE -- KEY CODE I & M	ASS'Y P/N	GRAPHICAL REPRESENTATION MATING SIDE -- KEY CODE S & K
0-368434-1	BLACK CAV. 64 CAV. 49 CAV. 16 CAV. 1	1-368434-1	GRAY CAV. 64 CAV. 49 CAV. 16 CAV. 1
0-368434-2	BLUE CAV. 64 CAV. 49 CAV. 16 CAV. 1	1-368434-2	BROWN CAV. 64 CAV. 49 CAV. 16 CAV. 1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 <XX<10 ± 0.2	
10<XX<30 ± 0.25	
30<XX ± 0.3	
ANGLES ± 3°	
3rd ANGLE PROJECTION	
MATERIAL SEE TABLE	FINISH SEE TABLE


JWN BH JIN	tyco Electronics		AMP KOREA. kyungsan, korea	
CHK : BM JANG	NAME		64 POSITION FEMALE CONNECTOR ASS'y	
APVD: CS LEE	SIZE		CAGE CODE	DRAWING NO
PRODUCT SPEC	A300779C		368434	
APPLICATION SPEC	WEIGHT		SCALE 1 : 1	SHEET 1 OF 2
			REV C	

SEE SHEET(1 of 2)



					ASS'Y P/N			
					1-368434-2	1-368434-1	0-368434-2	0-368434-1
© REFER TO SHEET 1								
13	INNER SEAL FOR 64Pos.	0-368937-1	SILICON	ORANGE	1	1	1	1
12	GEL GROMMET RETAINER HSG FOR 64Pos.	1-368439-2	PBT - GF15	BROWN	1			
11	GEL GROMMET RETAINER HSG FOR 64Pos.	1-368439-1	PBT - GF15	GRAY		1		
10	GEL GROMMET RETAINER HSG FOR 64Pos.	0-368439-2	PBT - GF15	BLUE			1	
9	GEL GROMMET RETAINER HSG FOR 64Pos.	0-368439-1	PBT - GF15	BLACK				1
8	GEL GROMMET SEAL FOR 64Pos.	0-368936-1	GEL	BLUE	1	1	1	1
7	SLIDE HSG FOR 64Pos.	0-368438-1	PBT - GF35	GRAY	2	2	2	2
6	LEVER HSG FOR 64Pos.	0-368437-1	PBT - GF35	BLACK	1	1	1	1
5	MQS LOWER FOR 64Pos. (MQS Rec HSG) (KEY CODE, NO.8 & K)	1-368436-2	PBT - GF20	BROWN	1			
4	MQS LOWER FOR 64Pos. (MQS Rec HSG) (KEY CODE, NO.8 & K)	1-368436-1	PBT - GF20	GRAY		1		
3	MQS LOWER FOR 64Pos. (MQS Rec HSG) (KEY CODE, NO.1 & M)	0-368436-2	PBT - GF20	BLUE			1	
2	MQS LOWER FOR 64Pos. (MQS Rec HSG) (KEY CODE, NO.1 & M)	0-368436-1	PBT - GF20	BLACK				1
1	MQS BODY UPPER FOR 64Pos. (UPPER HALF)	0-368435-1	PBT - GF15	BLACK	1	1	1	1
ITEM	DESCRIPTION	PART NO.	MATERIAL	COLOR	ASS'Y FOR Q'TY			

ITEM	DESCRIPTION	PART NO.	MATERIAL	COLOR	ASS'Y FOR Q'TY
PROPERTY OF TYCO ELECTRONICS CORPORATION THE CONTROLLING ENGINEERING ORGANIZATION SEE FOR THE LATEST REVISION.	DWN	tyco Electronics		AMP KOREA. kyungsan, korea	
	CHK				
	APVD	NAME			
	PRODUCT SPEC	64 POSITION FEMALE CONNECTOR ASS'y			
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	WEIGHT	A3	00779	C- 3 6 8 4 3 4	
FINISH				SCALE 1 : 1	SHEET 2 OF 2
SEE TABLE					REV C



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9