


LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			D	REV PER ECR-11-023806	25NOV2011	CZ	SZ
			D2	ADD NEW DASH NUMBER 2-1	19AUG2014	CZ	SZ



1 OPTIONAL CENTER MODULE WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE

2 AMP, PART NUMBER, AND DATE CODE TO BE MARKED IN AREA AS SHOWN
PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES

3 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY

4 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA
OF POWER AND SIGNAL CONTACTS

5 MECHANICAL CONNECTOR KEEP OUT ZONE





6 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER

7 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES

8 PCB - .0453 +/- .0010 DRILLED HOLES PLATED WITH .0003 MIN Sn
OVER .001 TO .003 PLATING TO ACHIEVE A .040 HOLE

9 NOT RELEASED FOR PRODUCTION



10 VARIABLE DIMENSION SHOW ON TABLE OR PART VIEW.




1.700	.250	1.375	1.750	-	2.050	.450	4P + 16S	2-6450142-1
2.825	10	2.300	2.875	-	3.175	.475	3ACP + 4P + 24S	2-6450142-0
2.900	.250	2.875	2.950	-	3.250	.450	10P + 4S	1-6450142-9
1.600	.250	1.375	1.650	-	1.950	.450	4P + 12S	1-6450142-8
3.875	10	3.550	3.925	-	4.225	.475	3ACP + 9P + 16S	1-6450142-7
2.700	.250	.875	2.750	-	3.050	.450	2P + 76S	1-6450142-4
2.300	.250	1.875	2.350	-	2.650	.450	6P + 20S	1-6450142-3
2.950	.200	2.425	3.000	-	3.300	.450	10HDP+24S	1-6450142-1
1.000	.250	.875	1.050	-	1.350	.450	2P + 8S	1-6450142-0
2.900	.250	2.375	2.950	-	3.250	.450	8P + 24S	6450142-9
1.100	-	.575	1.150	-	1.450	.425	1P + 24S	6450142-6
3.800	-	3.550	3.850	-	4.150	.475	11P + 12S	6450142-4
3.000	.250	2.375	3.050	-	3.350	.450	8P + 28S	6450142-3
1.675	.250	1.425	1.725	-	2.025	.475	4P + 12S	6450142-2
1.675	.250	1.425	1.725	-	2.025	.475	4P + 12S	6450142-1
DIM U	DIM S	DIM W	DIM D	DIM M	DIM L	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN R.GRZYBOWSKI	15FEB05	 TE Connectivity			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				CHK M.PERCHEKKE	15FEB05				
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M.PERCHEKKE	-	NAME			
		0 PLC ±.01		PRODUCT SPEC		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL			
		1 PLC ±.01		108-1973					
		2 PLC ±.005		APPLICATION SPEC					
		3 PLC ±.005		114-13038					
		4 PLC ±.0020		ANGLES ±.2°					
MATERIAL		FINISH		WEIGHT		SIZE			
3		4		-		CAGE CODE DRAWING NO			
CUSTOMER DRAWING				-		A100779C=6450142			
						RESTRICTED TO			
						SCALE 4:1			
						SHEET 1 OF 8			
						REV D2			


PART NUMBER	ROWS		SIGNAL			POWER							
			3	2	1	P4	P3	P2	P1				
6450142-2	D C B A	HD	E	E	E	VA	VA	VA	VA	HD			
			E	E	E								
			E	E	E								
			E	E	E								
4P + 12S													




PART NUMBER	ROWS		SIGNAL			POWER																								
			3	2	1	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1														
6450142-4	D C B A		E	E	E	VA	VA		VA	VA		VA	VA		VA	VA														
			E	E	E																									
			E	E	E																									
			E	E	E																									
IIP + 12S																														




		VN	.090	STD
		VB	.090	MFBL
J	.090	VM	.135	STD
E	.135	VA	.135	MFBL
CODE	TAIL LENGTH	CODE	TAIL LENGTH	DESCRIPTION
SIGNAL CONTACT		POWER CONTACT		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. R. GRZYBOWSKI 15FEB05 CHK. M. PERCHERKE 15FEB05		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.01 2 PLC ±.005 3 PLC ±.0020 ANGLES ±2°		NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
		PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038		SIZE A1	
MATERIAL -		WEIGHT -		CASE CODE 100779	
FINISH -		CUSTOMER DRAWING		DRAWING NO. C=6450142	
				SCALE 4:1	
				SHEET 2 of 8	
				REV D2	

PART NUMBER	ROWS		SIGNAL		POWER		
			2	1	P2	P1	
1-6450142-0	D C B A		E	E	VA	VA	
			E	E			
			E	E			
			E	E			
2P + 8S							





THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: GRZYBOWSKI 15FEB05		 TE Connectivity	
		CHK: M. PERCHERKE 15FEB05			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
		FIN: M. PERCHERKE PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038			
MATERIAL: - FINISH: -		WEIGHT: - CUSTOMER DRAWING: -		SIZE: CAGE CODE: DRAWING NO: A100779C6450142 RESTRICTED TO: -	
				SCALE: 4:1 SHEET: 3 of 8 REV: D	



LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

PART NUMBER	HOUSING P/N	ROWS		S I G N A L						P O W E R										
				6	5	4	3	2	1	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	
1-6450142-1	1-1450182-8	D C B A	HD	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	
				E	E	E	E	E	E											
				E	E	E	E	E	E											
				E	E	E	E	E	E											
10HDP + 24S																			HD	


PART NUMBER	ROWS		SIGNAL					POWER						
			5	4	3	2	1	P6	P5	P4	P3	P2	P1	
1-6450142-3	D C B A		E	E	E	E	E	VM	VM	VM	VM	VM	VM	
			E	E	E	E	E							
			E	E	E	E	E							
			E	E	E	E	E							
6P + 20S			HD										HD	





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI CHK M. PERCHERKE APVD M. PERCHERKE	15FEB05 15FEB05 -
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	NAME
	0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2° FINISH	108-1973 APPLICATION SPEC	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
MATERIAL		114-13038 WEIGHT	SIZE CAGE CODE DRAWING NO
		CUSTOMER DRAWING	A100779C=6450142
		SCALE 4:1	SHEET 4 OF 8
		REV D2	

[illegible]4805 (3/11)

PART NUMBER	ROWS		SIGNAL			POWER				
			3	2	1	P4	P3	P2	P1	
I-6450142-8	D C B A		E	E	E	VA	VA	VA	VA	
			E	E	E					
			E	E	E					
			E	E	E					
			E	E	E					
		HD								HD
4P + 12S										


4805 (3/11)

PART NUMBER	ROWS		SIGNAL							POWER							
			6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1		
2-6450142-0	D C B A		E	E	E	E	E	E	VM	VM	VM	VM	VM	VM	VM		
			E	E	E	E	E	E									
			E	E	E	E	E	E									
			E	E	E	E	E	E									
3ACP + 4P + 24S																	

4805 (3/11)

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL				POWER				
			4	3	2	1	P4	P3	P2	P1	
2-6450142-1	D C B A		E	E	E	E	VA	VA	VA	VA	
			E	E	E	E					
			E	E	E	E					
			E	E	E	E					
		4P + 16S		HD							



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI	15FEB05		
		CHK M.PERCHERKE	15FEB05		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC	±	PRODUCT SPEC	
		1 PLC	±	108-1973	
		2 PLC	± .01	APPLICATION SPEC	
		3 PLC	± .005	114-13038	
		4 PLC	± .0020	WEIGHT	
		ANGLES	± 2°	CUSTOMER DRAWING	
		FINISH	-	SCALE 4:1	
MATERIAL				SHEET 8 OF 8	
				REV D2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9