

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

2002141110

Status:


Active

Overview:

Application Tooling

Description:

Insertion Tool for Small Form-Factor Pluggable zQSFP+ 1-by-1 Cages with Press-Fit PC Tails



Documents:

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	zQSFP Plus, zQSFP+
Tool Type	Press-Fit Insertion Tool
UPC	191128134088
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info	
Reference - Drawing Numbers	
Application Tooling Documents	2002141110-000
Sales Drawing	1000141200-ASY

EU ELV	
Not Reviewed	
EU RoHS	China RoHS
Not Reviewed	
REACH SVHC	
Not Reviewed	
Halogen-Free	
Status	
Not Reviewed	
For more information, please visit Contact US	
China ROHS	Not Reviewed
ELV	Not Reviewed
RoHS Phthalates	Not Reviewed

Search Parts in this Series	
207123 Series	
Application Tooling Description	FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	2061101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	2061103
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze	2061104

Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2061118</u> Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with Tin (Sn) Plated Brass Contact, Without Locking Tabs, 18-24 AWG, Reel Packaged 1.57mm Diameter, <u>2061131</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2061132</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2061141</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Without Locking Tabs, Reel Packaged 1.57mm Diameter, <u>2061143</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel Packaged with Interleaf Paper 1.57mm Diameter, <u>2062101</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2062103</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, <u>2062131</u> Standard .062" Pin
--

	and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2062132 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065100 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2065101 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2065102 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065103 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065104 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged 1.57mm Diameter, 2065105 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Reel 1.57mm Diameter, 2065108 Standard .062" Pin
--	---

	and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2065109 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065130 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2065135 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065138 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2065139 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065147 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2065148 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold
--	---

	(Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066100</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2066101</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged 1.57mm Diameter, <u>2066102</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 1.57mm Diameter, <u>2066103</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, <u>2066104</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 1.57mm Diameter, <u>2066118</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel 1.57mm Diameter, <u>2066119</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass
--	--

	Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag 1.57mm Diameter, <u>2066122</u> Standard .062"
	Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag 1.57mm Diameter, <u>2066130</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2066135</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066138</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2066139</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066143</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel 1.57mm Diameter, <u>2066144</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag

	1.57mm Diameter, 2067103 Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged
	1.57mm Diameter, 2067104 Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged
	1.57mm Diameter, 2068103 Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag MLX Female Crimp 2081001 Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) Plating Claspcon Crimp 2081101 Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel MLX Male Crimp 2082003 Terminal 42023, 14-20 AWG, Reel, Brass, Tin (Sn) Plating MLX Crimp Terminal 2082008 42023, 14-20 AWG, Bag Selective Gold (Au)
	2.36mm Diameter, 2091102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel
	2.36mm Diameter, 2091104 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag
	2.36mm Diameter, 2091117 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with

	Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, <u>2091119</u> Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, <u>2091122</u> Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel 2.36mm Diameter, <u>2091123</u> Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, <u>2091134</u> Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag 2.36mm Diameter, <u>2091155</u> Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain 2.36mm Diameter, <u>2091205</u> Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel 2.36mm Diameter, <u>2091206</u> Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag 2.36mm Diameter, <u>2091615</u> Standard .093"	
--	--	--

	Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter, 2092101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2092103 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag Vertical Solder Relief 2092105 (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin (Sn) Plated Brass Contact, 16-18 AWG, 11.20mm Terminal Progression 2.36mm Diameter, 2092116 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2092117 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, without Dents, 18-22 AWG, Reel 2.36mm Diameter, 2092118 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2092133 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/ Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged
--	--

	2.36mm Diameter, 2092134 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged
	2.36mm Diameter, 2092166 Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel Packaged
	2.36mm Diameter, 2092167 Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag Packaged
	2.36mm Diameter, 2092170 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Reel
	2.36mm Diameter, 2092171 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Bag
	2.36mm Diameter, 2092611 Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel
	2.36mm Diameter, 2095100 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel
	2.36mm Diameter, 2095101 Standard .093" Pin and Socket Crimp Terminal, Series

	1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Chain 2.36mm Diameter, 2095102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2095106 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2095111 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2095130 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2095132 Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag 2.36mm Diameter, 2095133 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095142 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095143 Standard .093" Pin
--	---

	and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2095169 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel 2.36mm Diameter, 2095170 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Bag 2.36mm Diameter, 2096100 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2096101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2096102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2096106 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2096110 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass
--	--

	Contact, 14-20 AWG, Bag 2.36mm Diameter, 2096122 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2096123 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2096125 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2096126 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2096132 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged 2.36mm Diameter, 2098103 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2098104 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2098108 Standard .093" Pin and Socket Crimp Grounding Terminal,	
--	---	--

Series 1973, Male,
with Tin (Sn) Plated
Brass Contact, 14-18
AWG, Reel
2.36mm Diameter, 2098109
Standard .093" Pin
and Socket Crimp
Grounding Terminal,
Series 1973, Male,
with Tin (Sn) Plated
Brass Contact, 14-18
AWG, Bag
Mini-Fit Jr. 3044052
Receptacle Housing,
Single Row, 5
Circuits, UL 94V-2,
Natural
1.57mm Diameter 3061011
Standard .062"
Pin and Socket
Receptacle Housing,
1 Circuits, Natural
1.57mm Diameter 3061022
Standard .062"
Pin and Socket
Receptacle Housing,
2 Circuits, with Pre-
bent Mounting Ears,
Natural
1.57mm Diameter 3061023
Standard .062"
Pin and Socket
Receptacle Housing,
2 Circuits, without
Mounting Ears,
Natural
1.57mm Diameter 3061031
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, with
Standard Mounting
Ears
1.57mm Diameter 3061032
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, without
Mounting Ears,
Natural
1.57mm Diameter 3061038
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, with Pre-
bent Mounting Ears,
Natural
1.57mm Diameter 3061041
Standard .062"
Pin and Socket
Receptacle Housing,
4 Circuits, with
Standard Mounting
Ears

1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, without Mounting Ears, Natural	<u>3061042</u>
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	<u>3061044</u>
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural	<u>3061062</u>
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 9 Circuits, without Mounting Ears, Natural	<u>3061092</u>
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural	<u>3061121</u>
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural	<u>3061122</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural	<u>3062011</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	<u>3062023</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre- bent Mounting Ears, Natural	<u>3062024</u>
1.57mm Diameter Standard .062" Pin and Socket Plug	<u>3062031</u>

Housing, 3 Circuits, with Standard Mounting Ears, Natural	
1.57mm Diameter	<u>3062032</u>
Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3062033</u>
Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural	
1.57mm Diameter	<u>3062041</u>
Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears	
1.57mm Diameter	<u>3062042</u>
Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3062044</u>
Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	
1.57mm Diameter	<u>3062061</u>
Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3062092</u>
Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3062121</u>
Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre- bent Mounting Ears, Natural	
1.57mm Diameter	<u>3062122</u>
Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3066023</u>
Standard .062" Pin and Socket	

Receptacle Housing, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter Standard .062"	<u>3066062</u>
Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black 1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black 1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black 2.36mm Diameter Standard .093"	<u>3067023</u>
Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural 2.36mm Diameter Standard .093"	<u>3067044</u>
Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural 2.36mm Diameter Standard .093"	<u>3067061</u>
Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural 2.36mm Diameter Standard .093"	<u>3091011</u>
Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural 2.36mm Diameter Standard .093"	<u>3091022</u>
Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural 2.36mm Diameter Standard .093"	<u>3091027</u>
Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural 2.36mm Diameter Standard .093"	<u>3091030</u>
Standard Receptacle Housing, 3 Circuit, Natural 2.36mm Diameter Standard .093"	<u>3091031</u>
Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter Standard .093"	<u>3091032</u>
Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	

	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging, without Passive Lock Ramps, Natural	<u>3091033</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	<u>3091041</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	<u>3091042</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	<u>3091049</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091061</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091062</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp	<u>3091063</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091064</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	<u>3091081</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	<u>3091091</u>

	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel Mount Ears, without Passive Lock Ramp	<u>3091092</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp	<u>3091093</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	<u>3091094</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps	<u>3091121</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	<u>3091125</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	<u>3091126</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps	<u>3091151</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps	<u>3091152</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent	<u>3091153</u>

	Mounting Ears, with Lock Ramps 2.36mm Diameter <u>3091157</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps 2.36mm Diameter <u>3091161</u> Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits 2.36mm Diameter <u>3092011</u> Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural 2.36mm Diameter <u>3092021</u> Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard Mounting Ears, Natural 2.36mm Diameter <u>3092022</u> Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 2.36mm Diameter <u>3092031</u> Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter <u>3092032</u> Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter <u>3092041</u> Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row 2.36mm Diameter <u>3092042</u> Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row 2.36mm Diameter <u>3092049</u> Standard .093" Pin and Socket Plug Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural 2.36mm Diameter <u>3092061</u> Standard .093" Pin and Socket Plug	
--	---	--

Housing, 6 Circuits, Dual Row	
2.36mm Diameter	<u>3092062</u>
Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	
2.36mm Diameter	<u>3092092</u>
Standard .093" Pin and Socket Plug Housings, 9 Circuits, 3 Rows	
2.36mm Diameter	<u>3092121</u>
Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	
2.36mm Diameter	<u>3092122</u>
Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	
2.36mm Diameter	<u>3092151</u>
Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows	
2.36mm Diameter	<u>3092159</u>
Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre- Bent Mounting Ears, without Pull Tabs, with Lock Windows	
2.36mm Diameter	<u>3092161</u>
Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits	
2.36mm Diameter	<u>3096021</u>
Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Black	
2.36mm Diameter	<u>3097022</u>
Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black	
2.36mm Diameter	<u>3097024</u>
Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red	

	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black	<u>3097032</u>
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	<u>3121022</u>
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent)	<u>3121026</u>
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	<u>3121036</u>
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent)	<u>3121046</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	<u>3122022</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent)	<u>3122025</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent)	<u>3122026</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	<u>3122035</u>
	3.18mm Diameter, HCS125, Pin	<u>3122036</u>

and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter,	<u>3122045</u>
HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent) 3.18mm Diameter,	<u>3122046</u>
HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent) Crimp Terminal	<u>5121004</u>
2482, 10-16 AWG, Reel Crimp Terminal	<u>5121005</u>
2482, 10-16 AWG, Bag Crimp Terminal	<u>5121006</u>
2482, 10-16 AWG, Reel Crimp Terminal	<u>5121008</u>
2482, 10-16 AWG, Reel Crimp Terminal	<u>5121104</u>
6482, 14-18 AWG, Reel Flat Blade Appliance	<u>6021103</u>
Motor Switch Crimp Housing, 10 Circuits Flat Blade Appliance	<u>6022030</u>
Water Valve Crimp Housing, 3 Circuit, Natural Flat Blade Appliance	<u>6023042</u>
Defrost Timer Crimp Housing, 4 Circuit, 4 Circuits Flat Blade Appliance	<u>6023103</u>
Motor Switch Crimp Housing, 10 Circuit, 10 Circuits Flat Blade Appliance	<u>6023104</u>
Dryer Motor Crimp Housing, 10 Circuit KK 396 Crimp	<u>8500008</u>
Terminal 8818, 18-22 AWG, Reel, Brass Tin (Sn) KK 156 TERMINAL	<u>8500015</u>
CRIMP 18-24 AWG TIN KK 396 Crimp	<u>8500023</u>
Terminal 8818, 18-22	

AWG, Bag, Brass Tin (Sn)	
KK 156 TERM	<u>8500024</u>
CRP 18-20 AWG TRIFURCON TIN	
KK 254 Cat Ear	<u>8500030</u>
Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, 2.20mm Insulation Crimp, Reel	
KK 254 Cat Ear	<u>8500031</u>
Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	
KK 254 Cat Ear	<u>8500032</u>
Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag	
KK 396 Crimp	<u>8500105</u>
Terminal 2478, 18-24 AWG, Reel, Brass Tin (Sn)	
KK 396 Crimp	<u>8500106</u>
Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn)	
KK 396 Crimp	<u>8500107</u>
Terminal 2578, 22-26 AWG, Reel, Brass, 2.540µm Tin (Sn)	
KK 396 Crimp	<u>8500108</u>
Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn)	
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	<u>8500109</u>
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose	
KK 396 Crimp	<u>8500111</u>
Terminal 2578, 22-26 AWG, Reel, Brass, 7.6µm Tin (Sn)	
KK 156 TERMINAL CRIMP 22-26 AWG TIN	<u>8500112</u>
KK 254 Crimp	<u>8500113</u>
Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating	
KK 254 Crimp	<u>8500114</u>
Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating	
KK 396 Crimp	<u>8500119</u>
Terminal 2478, 18-24	

AWG, Reel, Brass, 3.8µm Tin (Sn) KK 396 Crimp	<u>8500120</u>
Terminal 2478, 18-24 AWG, Bag, Brass, 3.8µm Tin (Sn) KK 396 Crimp	<u>8500133</u>
Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 2.540µm Tin (Sn) KK 396 Crimp	<u>8500134</u>
Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 2.540µm Tin(Sn) KK 254 Crimp	<u>8500135</u>
Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel KK 254 Crimp	<u>8500136</u>
Terminal 4809, 22-30 AWG, Tin, Bag KK 254 Crimp	<u>8500159</u>
Terminal, 22-30 AWG, Reel, Tin (Sn) Plating, Nickel (Ni) Under Plating KK 254 Crimp	<u>8500160</u>
Terminal, 22-30 AWG, Bag, Tin (Sn) Plating, Nickel (Ni) Under Plating KK Trifurcon Crimp	<u>8500183</u>
Terminal 7258, 22-26 AWG, Reel, Brass Tin (Sn) KK Trifurcon Crimp	<u>8500185</u>
Terminal 7258, 22-26 AWG, Bag, Brass Tin (Sn) KK Trifurcon Crimp	<u>8500187</u>
Terminal 6838, 18-20 AWG, Reel, Brass Tin (Sn) KK Trifurcon Crimp	<u>8500189</u>
Terminal 6838, 18-20 AWG, Bag, Brass Tin (Sn) KK 156 TERM	<u>8500251</u>
CRP 18-20 AWG TRIFURCON TIN KK 396 Crimp	<u>8500281</u>
Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 3.87µm Tin (Sn) KK 156 TERM	<u>8500283</u>
CRP 22-26 AWG TRIFURCON TIN KK 100 Crp Term	<u>8510101</u>
Std 22-30 Awg Unplt KK 254 Crimp	<u>8510108</u>
Terminal, 22-30 AWG, Reel, Tin (Sn),	

Nickel (Ni) Under Plating	
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, Tin (Sn)	<u>8520071</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, Tin (Sn)	<u>8520072</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Tin (Sn)	<u>8520101</u>
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Reel, Phosphor Bronze Tin(Sn)	<u>8520112</u>
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520113</u>
KK .100 CRIMP TERMINAL 100MI MATTE TIN	<u>8520118</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520123</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Tin(Sn)	<u>8520124</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520125</u>
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, Tin (Sn), Bifurcated	<u>8520127</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Tin (Sn)	<u>8520131</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520132</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel,	<u>8520811</u>

Phosphor Bronze, 5.0µm Tin (Sn)	
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 5.0µm Tin (Sn)	<u>8520812</u>
KK 156 TERMINAL CRIMP 18-24 AWG	<u>8530811</u>
KK 156 TERMINAL CRIMP 1820 AWG	<u>8530814</u>
KK 156 TERM CRP 18-20 AWG TRIFURCON	<u>8531101</u>
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550101</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550102</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	<u>8550103</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.38µm Selective Gold (Au)	<u>8550104</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	<u>8550105</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.38µm Selective Gold(Au)	<u>8550106</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	<u>8550110</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	<u>8550111</u>
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Selective Gold, Reel	<u>8550112</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	<u>8550123</u>
KK High Pressure Crimp Terminal 7879, 22-30 AWG,	<u>8550124</u>

Reel Selective Gold (Au)	
KK High Pressure Crimp Terminal	<u>8550129</u>
7879, 22-30 AWG, Bag Selective Gold (Au)	
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550130</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550131</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.76µm Gold (Au)	<u>8550133</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.76µm Gold (Au)	<u>8550134</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Left Payoff Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	<u>8550137</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.51µm Selective Gold (Au)	<u>8560105</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.51µm Selective Gold (Au)	<u>8560106</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.51µm Select Gold (Au) over Gold Flash	<u>8560107</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.51µm Select Gold (Au) over Gold Flash	<u>8560108</u>
KK 254 Crimp Terminal, 22-30 AWG, Reel, Gold (Au), Nickel (Ni) Under Plating	<u>8560109</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) Under Plating	<u>8560110</u>
KK Crimp Terminal, Series 2477, Humpback, with	<u>8560113</u>

Overall Gold (Au) Plated Brass Contact, 18-24 AWG, Reel KK Crimp Terminal, <u>8560114</u> Series 2477, Humpback, with Overall Gold (Au) Plated Brass Contact, 18-24 AWG, Loose KK 254 Crimp <u>8560115</u> Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag KK 254 Crimp <u>8560120</u> Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel KK Trifurcon Crimp <u>8560123</u> Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Gold (Au) KK Trifurcon Crimp <u>8560124</u> Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Gold(Au) KK 156 TERMINAL <u>8580103</u> CRIMP 18-24 AWG GOLD KK 156 TERMINAL <u>8580104</u> CRIMP 18-24 AWG GOLD KK 156 TERM <u>8580105</u> CRP 18-20 AWG TRIFURCON GOLD KK 156 TERM <u>8580106</u> CRP 18-20 AWG TRIFURCON GOLD KK Trifurcon Crimp <u>8580110</u> Terminal 6438, 18-20 AWG, Reel, Phosphor Bronze Selective Gold (Au) KK Trifurcon Crimp <u>8580111</u> Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Selective Gold (Au) KK 396 Crimp <u>8580114</u> Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.76µm Gold (Au) KK 396 Crimp <u>8580115</u> Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.76µm Gold (Au) KK 156 TERM <u>8580118</u> CRP 18-20 AWG TRIFURCON GOLD
--

	KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580121</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580122</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580125</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580126</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8580135</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8580136</u>
	KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Reel, Phosphor Bronze Gold (Au)	<u>8580187</u>
	KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Gold(Au)	<u>8580189</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 3.810µm Tin (Sn)	<u>8600003</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 3.810µm Tin (Sn)	<u>8600004</u>
	KK 254 Crimp Terminal 8088, 22-30 AWG, Gold/Nickel, Reel	<u>8650105</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.76µm Select Gold (Au) over Gold Flash	<u>8650110</u>

	KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650114</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650115</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650116</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650117</u>
	KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650121</u>
	KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650122</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650128</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650129</u>
	KK 100 Crp Term Std 22-30 Awg SGold	<u>8650801</u>
	KK 254 Cat Ear Crimp Terminal 41572, Reel Tin (Sn)	<u>8650804</u>
	KK 254 Cat Ear Crimp Terminal 41572, Bag Tin (Sn)	<u>8650805</u>
	KK 100 Crp Term Std 22-30 Awg SGold	<u>8650811</u>
	KK 100 Crp Term Std 22-30 Awg SGold	<u>8650812</u>
	KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)	<u>8650813</u>

	KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)	<u>8650814</u>
	KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650815</u>
	KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650816</u>
	KK 100 Crp Term Std 22-30 Awg SGold	<u>8650817</u>
	3.96 and 5.08mm Pitch KK Cat Ear Crimp Terminal, Female, 18-24 AWG, Reel	<u>8700012</u>
	.062DIA CRIMP REC.	<u>8701011</u>
	SPOX Crimp Terminal, 18-24 AWG, Brass, Bag	<u>8701030</u>
	3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	<u>9011036</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	<u>9481024</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	<u>9481044</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	<u>9481054</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	<u>9481064</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	<u>9481074</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	<u>9481084</u>

KK 396 PC Board	<u>9481094</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 9 Circuits	
KK 396 PC Board	<u>9481104</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 10 Circuits	
KK 396 PC Board	<u>9481105</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9481124</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 12 Circuits	
KK 396 PC Board	<u>9481154</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 396 PC Board	<u>9483024</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483025</u>
Connector, Right	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483026</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483034</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483035</u>
Connector, Right	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483036</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483044</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	
KK 396 PC Board	<u>9483045</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	

KK 396 PC Board	<u>9483054</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	
KK 396 PC Board	<u>9483056</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	
KK 396 PC Board	<u>9483064</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483065</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483066</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483074</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483075</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483076</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483084</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483085</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483086</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483095</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 9 Circuits	
KK 396 PC Board	<u>9483104</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	

KK 396 PC Board	<u>9483105</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9483106</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9483114</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483115</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483116</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483124</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483126</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483134</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483135</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483154</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 15 Circuits	
KK 396 PC Board	<u>9483155</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 15 Circuits	
KK 396 PC Board	<u>9483156</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 15 Circuits	
KK 396 PC Board	<u>9484028</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 2 Circuits	

	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	<u>9484029</u>
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	<u>9484038</u>
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	<u>9484039</u>
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	<u>9484048</u>
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	<u>9484049</u>
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	<u>9484058</u>
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	<u>9484069</u>
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	<u>9484078</u>
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	<u>9484079</u>
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	<u>9484089</u>
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	<u>9484099</u>
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	<u>9484108</u>
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	<u>9484109</u>

KK 396 PC Board	<u>9484118</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 11 Circuits	
KK 396 PC Board	<u>9484119</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 11 Circuits	
KK 396 PC Board	<u>9484128</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 12 Circuits	
KK 396 PC Board	<u>9484129</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 12 Circuits	
KK 396 PC Board	<u>9484138</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 13 Circuits	
KK 396 PC Board	<u>9484139</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 13 Circuits	
KK 396 PC Board	<u>9484148</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9484149</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9484158</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 396 PC Board	<u>9484159</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
3.96mm Pitch SPOX	<u>9501021</u>
Crimp Housing,	
Female, with Friction	
Ramp, 2 Circuits,	
Natural	
3.96mm Pitch SPOX	<u>9501023</u>
Crimp Housing,	
Female, with Friction	
Ramp and Void, 2	
Circuits, Natural	
3.96mm Pitch SPOX	<u>9501031</u>
Crimp Housing,	
Female, with Friction	
Ramp, 3 Circuits,	
Natural	

3.96mm Pitch SPOX [9501033](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 3
Circuits, Natural
3.96mm Pitch SPOX [9501041](#)
Crimp Housing,
Female, with Friction
Ramp, 4 Circuits,
Natural
3.96mm Pitch SPOX [9501043](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 4
Circuits, Natural
3.96mm Pitch SPOX [9501051](#)
Crimp Housing,
Female, with Friction
Ramp, 5 Circuits,
Natural
3.96mm Pitch SPOX [9501053](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural
3.96mm Pitch SPOX [9501061](#)
Crimp Housing,
Female, with Friction
Ramp, 6 Circuits,
Natural
3.96mm Pitch SPOX [9501063](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural
3.96mm Pitch SPOX [9501071](#)
Crimp Housing,
Female, with Friction
Ramp, 7 Circuits,
Natural
3.96mm Pitch SPOX [9501073](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 7
Circuits, Natural
3.96mm Pitch SPOX [9501081](#)
Crimp Housing,
Female, with Friction
Ramp, 8 Circuits,
Natural
3.96mm Pitch SPOX [9501083](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 8
Circuits, Natural
3.96mm Pitch SPOX [9501091](#)
Crimp Housing,
Female, with Friction
Ramp, 9 Circuits,
Natural
3.96mm Pitch SPOX [9501101](#)
Crimp Housing,
Female, with Friction
Ramp, 10 Circuits,
Natural

	3.96mm Pitch SPOX 9501103 Crimp Housing, Female, with Friction Ramp and Void, 10 Circuits, Natural	
	3.96mm Pitch SPOX 9501111 Crimp Housing, Female, with Friction Ramp, 11 Circuits, Natural	
	3.96mm Pitch SPOX 9501113 Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural	
	3.96mm Pitch SPOX 9501121 Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural	
	KK 3.96mm Crimp 9503021 Terminal Housing, Friction Ramp, 2 Circuits, Natural	
	KK 3.96mm Crimp 9503031 Terminal Housing, Friction Ramp, 3 Circuits, Natural	
	KK 3.96mm Crimp 9503041 Terminal Housing, Friction Ramp, 4 Circuits, Natural	
	KK 3.96mm Crimp 9503051 Terminal Housing, Friction Ramp, 5 Circuits, Natural	
	KK 3.96mm Crimp 9503061 Terminal Housing, Friction Ramp, 6 Circuits, Natural	
	KK 3.96mm Crimp 9503071 Terminal Housing, Friction Ramp, 7 Circuits, Natural	
	KK 3.96mm Crimp 9503081 Terminal Housing, Friction Ramp, 8 Circuits, Natural	
	KK 3.96mm Crimp 9503091 Terminal Housing, Friction Ramp, 9 Circuits, Natural	
	KK 3.96mm Crimp 9503101 Terminal Housing, Friction Ramp, 10 Circuits, Natural	
	KK 3.96mm Crimp 9503111 Terminal Housing, Friction Ramp, 11 Circuits, Natural	
	KK 3.96mm Crimp 9503121 Terminal Housing, Friction Ramp, 12 Circuits, Natural	

	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural	<u>9503131</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural	<u>9503141</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Natural	<u>9503151</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 16 Circuits, Natural	<u>9503161</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 17 Circuits, Natural	<u>9503171</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 18 Circuits, Natural	<u>9503181</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 19 Circuits, Natural	<u>9503191</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 20 Circuits, Natural	<u>9503201</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 21 Circuits, Natural	<u>9503211</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 22 Circuits, Natural	<u>9503221</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 23 Circuits, Natural	<u>9503231</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 24 Circuits, Natural	<u>9503241</u>
	KK 3.96mm Crimp Terminal Housing, 2 Circuits, Natural	<u>9507021</u>
	KK 3.96mm Crimp Terminal Housing, 3 Circuits, Natural	<u>9507031</u>
	KK 3.96mm Crimp Terminal Housing, 4 Circuits, Natural	<u>9507041</u>
	KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural	<u>9507051</u>
	KK 3.96mm Crimp Terminal Housing, 6 Circuits, Natural	<u>9507061</u>

KK 3.96mm Crimp	<u>9507071</u>
Terminal Housing, 7	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507081</u>
Terminal Housing, 8	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507091</u>
Terminal Housing, 9	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507101</u>
Terminal Housing, 10	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507111</u>
Terminal Housing, 11	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507121</u>
Terminal Housing, 12	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507131</u>
Terminal Housing, 13	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507141</u>
Terminal Housing, 14	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507151</u>
Terminal Housing, 15	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507161</u>
Terminal Housing, 16	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507171</u>
Terminal Housing, 17	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507181</u>
Terminal Housing, 18	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507191</u>
Terminal Housing, 19	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507201</u>
Terminal Housing, 20	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507211</u>
Terminal Housing, 21	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507221</u>
Terminal Housing, 22	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507231</u>
Terminal Housing, 23	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507241</u>
Terminal Housing, 24	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508020</u>
Terminal Housing, 2	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508021</u>
Terminal Housing,	
Friction Ramp, 2	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508023</u>
Terminal Housing,	
Friction Ramp, 2	
Circuits, Natural	

	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	<u>9508053</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	<u>9508093</u>
	KK 3.96mm Crimp Terminal Housing, 10 Circuits, Natural	<u>9508100</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	<u>9508101</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	<u>9508103</u>
	3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 2 Circuits, Natural	<u>9524024</u>
	3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 3 Circuits, Natural	<u>9524034</u>
	3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 4 Circuits, Natural	<u>9524044</u>
	3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 5 Circuits, Natural	<u>9524054</u>
	3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 6 Circuits, Natural	<u>9524064</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits	<u>9652028</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 2 Circuits	<u>9652029</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 3 Circuits	<u>9652038</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 3 Circuits	<u>9652039</u>

	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits	<u>9652048</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 4 Circuits	<u>9652049</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 5 Circuits	<u>9652058</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 6 Circuits	<u>9652068</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 6 Circuits	<u>9652069</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 7 Circuits	<u>9652078</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 7 Circuits	<u>9652079</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 8 Circuits	<u>9652088</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 8 Circuits	<u>9652089</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Glow-Wire Capable	<u>9930200</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Glow-Wire Capable	<u>9930300</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Glow-Wire Capable	<u>9930400</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Glow-Wire Capable	<u>9930500</u>

KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Glow-Wire Capable	<u>9930600</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Glow-Wire Capable	<u>9930700</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Glow-Wire Capable	<u>9930800</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Glow-Wire Capable	<u>9930900</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Glow-Wire Capable	<u>9931000</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Glow-Wire Capable	<u>9931100</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Glow-Wire Capable	<u>9931200</u>
15 PIN MICRO- D FEMAL ASSY M8351309B11	<u>10008503</u>
15/C METALSHELL RECEPT.WIRED	<u>10008637</u>
15/C METAL SHELL PLUG WIRED	<u>10008638</u>
25/C RECEPT. HARNESS ASSY	<u>10008645</u>
37/C RECEPT. HARNESS ASSY	<u>10008647</u>
STAT. 3CKT RECEPT. PIN 1/4 IN 1 FT	<u>10008653</u>
R/A 3CKT PLUG SOC. INSERT PUR 12 FEET	<u>10008654</u>
15/C M SHELL RECEPT. WIRED 72.0	<u>10008655</u>
5.08mm Pitch KK Crimp Terminal Housing, 2 Circuits, Natural	<u>10011024</u>

This document was generated on 10/09/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9