

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE

SHEET OF

REV

1470-19 (3/11)

Pro/ENGINEER DRAWING


8				7							
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20			
(C) COPYRIGHT 25				BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.							
PART NUMBER		REV	DESCRIPTION				PROGRAMMED MEMORY CHIP				
2034077-6		A	CONTINUOUS CARRIER				8-2034077-6				
7-2034077-6		A	-6 AND SPARE PARTS				9-2034077-6				
7-2034077-7		A	SPARE PARTS KIT				-				

APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	.79mm [.031]	F
INSUL	.84mm [.033]	F
APPL INSTRUCTIONS 408-10135		


TERMINAL DATA: JAE TERMINAL		JAE CRIMP SPEC	
TERMINAL NAME: SOCKET CONTACT			
WIRE STRIP LENGTH [.3-1.7 mm [.051-.066 IN]]		INSULATION DIAMETER RANGE 0.90-0.50mm [.035-.019 IN]]	
TERMINAL APPL SPEC		TERMINALS APPLIED	
JAH1-1494-E		FI-C3-A1-15000	
1949075-1		FI-C3-A1-15000	

WIRE SIZE	CRIMP HEIGHT mm[INCH]	REF SETTING*
28AWG	.48±.03 [.019±.001]	C4
30AWG	.46±.03 [.018±.001]	C5
32AWG	.43±.03 [.017±.001]	C7

1. RECOMMENDED SPARE PARTS.
2. GREASE BEARING SURFACES LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
4. ITEM 19 - OPTIONAL STRIPPER FOR BENCH MACHINE APPLICATIONS.
5. APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.
6. APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.



-	2	2	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	230
-	1	1	1633764-1	HOLD DOWN, TERMINAL	179
-	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1752353-1	GUIDE PIN, HOLDDOWN	175
-	1	1	1901680-1	GUIDE PIN, HOLDDOWN	174
-	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1-455888-5	SPACER, CRIMPER	82
-	1	1	5-547505-2	SPRING, COMPRESSION	77
-	1	1	854769-7	HOLDER, INS	74
-	1	1	1633565-1	DOCUMENTATION PACKAGE SIII	71
-	1	1	1976552-1	TAG, IDENTIFICATION	67
-	2	2	21017-1	SCREW, DRIVE	66
-	1	1	3-18031-0	SCR, SET, CUP POINT M6 X 6.0	63
-	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	1	1	21028-2	PIN, SLOTTED SPRING .062 X .250	58
-	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1901681-8	HOLDDOWN, TERMINAL	51
-	1	1	1-1752354-5	STANDOFF, HOLD-DOWN	50
-	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	690191-1	PLUG, NYLON	45
-	1	1	1901069-1	RAM ASSEMBLY, SYSTEM III RETROFIT	44
-	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	690125-1	SHIM SUB-ASSY	39
-	1	1	469367-7	SHIM	38
-	1	1	879103-3	FINE ADJUST HEAD ASSEMBLY	37
-	1	1	1752356-6	SUPPORT, TERMINAL	34
-	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1320908-9	SPACER, STRIP GUIDE	30
-	1	1	1901087-8	ASSEMBLY, STRIP GUIDE	29
-	1	1	455888-6	SPACER, CRIMPER	28
-	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1976045-3	STRIPPER	22
-	1	1	18028-2	WASHER, FLAT, REG M4	20
-	1	1	1338684-1	SHEAR HOLDER, FRONT	13
-	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	356885-4	STOP, SHEAR	11
-	1	1	1633705-1	FLOATING SHEAR, FRONT	9
-	1	2	1633711-5	ANVIL, COMBINATION	8
-	1	1	854772-1	DEPRESSOR, SHEAR	5
-	1	1	2-238011-3	BLOCK, CRIMPER SPACER	4
-	1	2	1633712-3	CRIMPER, INSULATION F	3
-	1	2	1633713-3	CRIMPER, WIRE PREMIUM	1

THIS DRAWING IS A PROPERTY OF TYCO ELECTRONICS. IT IS TO BE USED FOR THE MANUFACTURE OF TYCO ELECTRONICS PRODUCTS ONLY. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS. IT IS TO BE KEPT IN THE COMPANY OF ORIGIN AND NOT TO BE LOANED, REPRODUCED, COPIED, OR IN ANY MANNER DISSEMINATED OUTSIDE THE COMPANY OF ORIGIN.				OWN: R. KNEPPER 12JAN2004		Tyco Electronics Harrisburg, PA 17105-3608	
DRAWN: J. ELBIN 03FEB2009				APP: N. DEMING 03FEB2009		NAME: SIDE FEED SYSTEM III APPLICATOR WITH FINE ADJUST	
DIMENSIONS: INCHES[mm]				TOLERANCES UNLESS OTHERWISE SPECIFIED:			
				0 PLC ±.001			
				1 PLC ±.001			
				2 PLC ±.001			
				3 PLC ±.001			
				4 PLC ±.001			
				5 PLC ±.001			
				6 PLC ±.001			
				7 PLC ±.001			
				8 PLC ±.001			
				9 PLC ±.001			
				10 PLC ±.001			
				11 PLC ±.001			
				12 PLC ±.001			
				13 PLC ±.001			
				14 PLC ±.001			
				15 PLC ±.001			
				16 PLC ±.001			
				17 PLC ±.001			
				18 PLC ±.001			
				19 PLC ±.001			
				20 PLC ±.001			
				21 PLC ±.001			
				22 PLC ±.001			
				23 PLC ±.001			
				24 PLC ±.001			
				25 PLC ±.001			
				26 PLC ±.001			
				27 PLC ±.001			
				28 PLC ±.001			
				29 PLC ±.001			
				30 PLC ±.001			
				31 PLC ±.001			
				32 PLC ±.001			
				33 PLC ±.001			
				34 PLC ±.001			
				35 PLC ±.001			
				36 PLC ±.001			
				37 PLC ±.001			
				38 PLC ±.001			
				39 PLC ±.001			
				40 PLC ±.001			
				41 PLC ±.001			
				42 PLC ±.001			
				43 PLC ±.001			
				44 PLC ±.001			
				45 PLC ±.001			
				46 PLC ±.001			
				47 PLC ±.001			
				48 PLC ±.001			
				49 PLC ±.001			
				50 PLC ±.001			
				51 PLC ±.001			
				52 PLC ±.001			
				53 PLC ±.001			
				54 PLC ±.001			
				55 PLC ±.001			
				56 PLC ±.001			
				57 PLC ±.001			
				58 PLC ±.001			
				59 PLC ±.001			
				60 PLC ±.001			
				61 PLC ±.001			
				62 PLC ±.001			
				63 PLC ±.001			
				64 PLC ±.001			
				65 PLC ±.001			
				66 PLC ±.001			
				67 PLC ±.001			
				68 PLC ±.001			
				69 PLC ±.001			
				70 PLC ±.001			
				71 PLC ±.001			
				72 PLC ±.001			
				73 PLC ±.001			
				74 PLC ±.001			
				75 PLC ±.001			
				76 PLC ±.001			
				77 PLC ±.001			
				78 PLC ±.001			
				79 PLC ±.001			
				80 PLC ±.001			
				81 PLC ±.001			
				82 PLC ±.001			
				83 PLC ±.001			
				84 PLC ±.001			
				85 PLC ±.001			
				86 PLC ±.001			
				87 PLC ±.001			
				88 PLC ±.001			
				89 PLC ±.001			
				90 PLC ±.001			
				91 PLC ±.001			
				92 PLC ±.001			
				93 PLC ±.001			
				94 PLC ±.001			
				95 PLC ±.001			
				96 PLC ±.001			
				97 PLC ±.001			
				98 PLC ±.001			
				99 PLC ±.001			
				100 PLC ±.001			
				101 PLC ±.001			
				102 PLC ±.001			
				103 PLC ±.001			
				104 PLC ±.001			
				105 PLC ±.001			
				106 PLC ±.001			
				107 PLC ±.001			
				108 PLC ±.001			
				109 PLC ±.001			
				110 PLC ±.001			
				111 PLC ±.001			
				112 PLC ±.001			
				113 PLC ±.001			
				114 PLC ±.001			
				115 PLC ±.001			
				116 PLC ±.001			
				117 PLC ±.001			
				118 PLC ±.001			
				119 PLC ±.001			
				120 PLC ±.001			
				121 PLC ±.001			
				122 PLC ±.001			
				123 PLC ±.001			
				124 PLC ±.001			
				125 PLC ±.001			
				126 PLC ±.001			
				127 PLC ±.001			
				128 PLC ±.001			
				129 PLC ±.001			
				130 PLC ±.001			
				131 PLC ±.001			
				132 PLC ±.001			
				133 PLC ±.001			
				134 PLC ±.001			
				135 PLC ±.001			
				136 PLC ±.001			
				137 PLC ±.001			
				138 PLC ±.001			
				139 PLC ±.001			
				140 PLC ±.001			
				141 PLC ±.001			
				142 PLC ±.001			
				143 PLC ±.001			
				144 PLC ±.001			
				145 PLC ±.001			
				146 PLC ±.001			
				147 PLC ±.001			
				148 PLC ±.001			
				149 PLC ±.001			
				150 PLC ±.001			
				151 PLC ±.001			
				152 PLC ±.001			
				153 PLC ±.001			
				154 PLC ±.001			
				155 PLC ±.001			
				156 PLC ±.001			
				157 PLC ±.001			
				158 PLC ±.001			
				159 PLC ±.001			
				160 PLC ±.001			
				161 PLC ±.001			
				162 PLC ±.001			
				163 PLC ±.001			
				164 PLC ±.001			
				165 PLC ±.001			
				166 PLC ±.001			
				167 PLC ±.001			
				168 PLC ±.001			
				169 PLC ±.001			
				170 PLC ±.001			
				171 PLC ±.001			
				172 PLC ±.001			
				173 PLC ±.001			
				174 PLC ±.001			
				175 PLC ±.001			
				176 PLC ±.001			
				177 PLC ±.001			
				178 PLC ±.001			
				179 PLC ±.001			
				180 PLC ±.001			
				181 PLC ±.001			
				182 PLC ±.001			
				183 PLC ±.001			
				184 PLC ±.001			
				185 PLC ±.001			
				186 PLC ±.001			
				187 PLC ±.001			
				188 PLC ±.001			
				189 PLC ±.001			
				190 PLC ±.001			
				191 PLC ±.001			
				192 PLC ±.001			
				193 PLC ±.001			
				194 PLC ±.001			
				195 PLC ±.001			
				196 PLC ±.001			
				197 PLC ±.001			
				198 PLC ±.001			
				199 PLC ±.001			
				200 PLC ±.001			
				201 PLC ±.001			
				202 PLC ±.001			
				203 PLC ±.001			
				204 PLC ±.001			
				205 PLC ±.001			
				206 PLC ±.001			
				207 PLC ±.001			
				208 PLC ±.001			
				209 PLC ±.001			
				210 PLC ±.001			
				211 PLC ±.001			
				212 PLC ±.001			
				213 PLC ±.001			
				214 PLC ±.001			
				215 PLC ±.001			
				216 PLC ±.001			
				217 PLC ±.001			
				218 PLC ±.001			
				219 PLC ±.001			
				220 PLC ±.001			
				221 PLC ±.001			
				222 PLC ±.001			
				223 PLC ±.001			
				224 PLC ±.001			
				225 PLC ±.001			
				226 PLC ±.001			
				227 PLC ±.001			
				228 PLC ±.001			
				229 PLC ±.001			
				230 PLC ±.001			
				231 PLC ±.001			
				232 PLC ±.001			
				233 PLC ±.001			
				234 PLC ±.001			
				235 PLC ±.001			
				236 PLC ±.001			
				237 PLC ±.001			
				238 PLC ±.001			
				239 PLC ±.001			
				240 PLC ±.001			
				241 PLC ±.001			
				242 PLC ±.001			
				243 PLC ±.001			
				244 PLC ±.001			
				245 PLC ±.001			
				246 PLC ±.001			
				247 PLC ±.001			
				248 PLC ±.001			
				249 PLC ±.001			
				250 PLC ±.001			
				251 PLC ±.001			
				252 PLC ±.001			
				253 PLC ±.001			
				254 PLC ±.001			
				255 PLC ±.001			
				256 PLC ±.001			
				257 PLC ±.001			
				258 PLC ±.001			
				259 PLC ±.001			
				260 PLC ±.001			
				261 PLC ±.001			
				262 PLC ±.001			
				263 PLC ±.001			
				264 PLC ±.001			
				265 PLC ±.001			
				266 PLC ±.001			
				267 PLC ±.001			
				268 PLC ±.001			
				269 PLC ±.001			
				270 PLC ±.001			
				271 PLC ±.001			
				272 PLC ±.001			
				273 PLC ±.001			
				274 PLC ±.001			
				275 PLC ±.001			
				276 PLC ±.001			
				277 PLC ±.001			
				278 PLC ±.001			
				279 PLC ±.001			
				280 PLC ±.001			
				281 PLC ±.001			
				282 PLC ±.001			
				283 PLC ±.001			
				284 PLC ±.001			
				285 PLC ±.001			
				286 PLC ±.001			
				287 PLC ±.001			
				288 PLC ±.001			
				289 PLC ±.001			
				290 PLC ±.001			
				291 PLC ±.001			
				292 PLC ±.001			
				293 PLC ±.001			
				294 PLC ±.001			
				295 PLC ±.001			
				296 PLC ±.001			
				297 PLC ±.001			
				298 PLC ±.001			
				299 PLC ±.001			
				300 PLC ±.001			
				301 PLC ±.001			
				302 PLC ±.001			
				303 PLC ±.001			
				304 PLC ±.001			
				305 PLC ±.001			
				306 PLC ±.001			
				307 PLC ±.001			
				308 PLC ±.001			
				309 PLC ±.001			
				310 PLC ±.001			
				311 PLC ±.001			
				312 PLC ±.001			
				313 PLC ±.001			
				314 PLC ±.001			
				315 PLC ±.001			
				316 PLC ±.001			
				317 PLC ±.001			
				318 PLC ±.001			
				319 PLC ±.001			
				320 PLC ±.001			
				321 PLC ±.001			
				322 PLC ±.001			
				323 PLC ±.001			
				324 PLC ±.001			
				325 PLC ±.001			
				326 PLC ±.001			
				327 PLC ±.001			
				328 PLC ±.001			
				329 PLC ±.001			
				330 PLC ±.001			
				331 PLC ±.001			
				332 PLC ±.001			
				333 PLC ±.001			
				334 PLC ±.001			
				335 PLC ±.001			
				336 PLC ±.001			
				337 PLC ±.001			
				338 PLC ±.001			
				339 PLC ±.001			
				340 PLC ±.001			
				341 PLC ±.001			
				342 PLC ±.001			
				343 PLC ±.001			
				344 PLC ±.001			
				345 PLC ±.001			
				346 PLC ±.001			
				347 PLC ±.001			
				348 PLC ±.001			
				349 PLC ±.001			
				350 PLC ±.001			
				351 PLC ±.001			
				352 PLC ±.001			
				353 PLC ±.001			
				354 PLC ±.001			
				355 PLC ±.001			
				356 PLC ±.001			
				357 PLC ±.001			
				358 PLC ±.001			
				359 PLC ±.001			
				360 PLC ±.001			
				361 PLC ±.001			
				362 PLC ±.001			
				363 PLC ±.001			
				364 PLC ±.001			
				365 PLC ±.001			
				366 PLC ±.001			
				367 PLC ±.001			
				368 PLC ±.001			
				369 PLC ±.001			
				370 PLC ±.001			
				371 PLC ±.001			
				372 PLC ±.001			
				373 PLC ±.001			
				374 PLC ±.001			
				375 PLC ±.001			
				376 PLC ±.001			
				377 PLC ±.001			
				378 PLC ±.001			
				379 PLC ±.001			
				380 PLC ±.001			
				381 PLC ±.001			
				382 PLC ±.001			
				383 PLC ±.001			
				384 PLC ±.001			
				385 PLC ±.001			
				386 PLC ±.001			
				387 PLC ±.001			
				388 PLC ±.001			
				389 PLC ±.001			
				390 PLC ±.001			
				391 PLC ±.001			
				392 PLC ±.001			
				393 PLC ±.001			
				394 PLC ±.001			
				395 PLC ±.001			
				396 PLC ±.001			
				397 PLC ±.001			
				398 PLC ±.001			
				399 PLC ±.001			
				400 PLC ±.001			
				401 PLC ±.001			
				402 PLC ±.001			
				403 PLC ±.001			
				404 PLC ±.001			
				405 PLC ±.001			
				406 PLC ±.001			
				407 PLC ±.001			
				408 PLC ±.001			
				409 PLC ±.001			
				410 PLC ±.001			
				411 PLC ±.001			
				412 PLC ±.001			
				413 PLC ±.001			
				414 PLC ±.001			
				415 PLC ±.001			
				416 PLC ±.001			
				417 PLC ±.001			
				418 PLC ±.001			
				419 PLC ±.001			
				420 PLC ±.001			
				421 PLC ±.001			
				422 PLC ±.001			
				423 PLC ±.001			
				424 PLC ±.001			
				425 PLC ±.001			
				426 PLC ±.001			
				427 PLC ±.001			
				428 PLC ±.001			
				429 PLC ±.001			
				430 PLC ±.001			
				431 PLC ±.001			
				432 PLC ±.001			
				433 PLC ±.00			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9