

F

E

D

C

B

A

F





E

D

C

B

A



NOTES:

1. RETRACTORS ARE 100% INSPECTED & PRE-TENSIONED AT FACTORY.
2. HOUSINGS ARE MADE OF GENERAL PURPOSE ABS TO MEET HARSH INDUSTRIAL ENVIRONMENTS.
3. ALWAYS READ INSTRUCTIONS MANUAL BEFORE USING RETRACTORS.
4. RETRACTORS ARE NOT TO BE USED AS BALANCERS THEIR MAIN PURPOSE BEING TO RETRACT A LOAD AND NOT TO BALANCE ONE.
5. OVERALL DIMENSIONS ARE FOR REFERENCE ONLY.
6. STANDARD CATALOG RETRACTORS ARE NOT EQUIPED WITH SAFETY CHAIN, BUT IF APPLICATION REQUIRES A SAFETY CHAIN ADD "SC" SUFFIX TO STANDARD BALANCER P/N. EXAMPLE RB2SC. ON MAIN MATERIAL NUMBERS TABLE.
7. RETRACTORS COME WITH A CLEVIS PIN & A COTTER PIN

ALL DIMENSIONS ARE FOR REFERENCE ONLY.

RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/25 CHKD: DT APPR: DTITUS 2010/04/01		DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY RHOTCA	DATE 2010/03/25	TITLE RB" SERIES OF RETRACTORS ----			
				4 PLACES	±-	±-	CHECKED BY DT	DATE 2010/03/25				
				3 PLACES	±-	±-	APPROVED BY DTITUS	DATE 2010/03/31				 MOLEX INCORPORATED
2 PLACES	±-	±-	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-130173-001							
A				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	10	9	8	7	6	5	4	3	2	1																																																																
F	<table><tr><td>Material Number:</td><td>Engineering Number:</td><td>Description:</td><td>Weight Range in (KG):</td><td>Cable Travel in (M):</td><td>Weight Range in (LB):</td><td>Cable Travel in (FT):</td><td>Color:</td></tr><tr><td>1301730036</td><td>RB2</td><td>RB2 RETRACTOR [0-2LB/0-0.9KG], 5.2FT</td><td>0 - 0.9</td><td>1.6</td><td>0 - 2.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730048</td><td>RB4</td><td>RB4 RETRACTOR [2-4LB/0.9-1.8KG], 5.2FT</td><td>0.9 - 1.8</td><td>1.6</td><td>2.0-4.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730043</td><td>RB2SC</td><td>RB2 RETRACTOR WITH SAFETY CHAIN</td><td>0 - 0.9</td><td>1.6</td><td>0 - 2.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730050</td><td>RB4SC</td><td>RB4 RETRACTOR WITH SAFETY CHAIN</td><td>0.9 - 1.8</td><td>1.6</td><td>2.0-4.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730037</td><td>RB210</td><td>RB210 RETRACTOR [0-2LB/0-0.9KG], 10FT</td><td>0 - 0.9</td><td>3.04</td><td>0 - 2.0</td><td>10.0</td><td>PUTTY</td></tr></table>										Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:	1301730036	RB2	RB2 RETRACTOR [0-2LB/0-0.9KG], 5.2FT	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY	1301730048	RB4	RB4 RETRACTOR [2-4LB/0.9-1.8KG], 5.2FT	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY	1301730043	RB2SC	RB2 RETRACTOR WITH SAFETY CHAIN	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY	1301730050	RB4SC	RB4 RETRACTOR WITH SAFETY CHAIN	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY	1301730037	RB210	RB210 RETRACTOR [0-2LB/0-0.9KG], 10FT	0 - 0.9	3.04	0 - 2.0	10.0	PUTTY	F															
Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:																																																																			
1301730036	RB2	RB2 RETRACTOR [0-2LB/0-0.9KG], 5.2FT	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY																																																																			
1301730048	RB4	RB4 RETRACTOR [2-4LB/0.9-1.8KG], 5.2FT	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY																																																																			
1301730043	RB2SC	RB2 RETRACTOR WITH SAFETY CHAIN	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY																																																																			
1301730050	RB4SC	RB4 RETRACTOR WITH SAFETY CHAIN	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY																																																																			
1301730037	RB210	RB210 RETRACTOR [0-2LB/0-0.9KG], 10FT	0 - 0.9	3.04	0 - 2.0	10.0	PUTTY																																																																			
E											E																																																															
D											D																																																															
C											C																																																															
B											B																																																															
A	<table><tr><td rowspan="7">RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/25 CHKD: DT APPR: DTTITUS 2010/04/01</td><td rowspan="7">DESCRIPTION REV</td><td rowspan="7">QUALITY SYMBOLS ▽=0 ◻C=0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE NTS</td><td>DESIGN UNITS INCH</td><td rowspan="2"> THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY DATE</td><td colspan="3" rowspan="2">TITLE RB" SERIES OF RETRACTORS ----</td></tr><tr><td>4 PLACES</td><td>±-</td><td>±-</td><td>RHOTCA 2010/03/25</td></tr><tr><td>3 PLACES</td><td>±-</td><td>±-</td><td>CHECKED BY DATE</td><td colspan="3" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td>2 PLACES</td><td>±-</td><td>±-</td><td>DT 2010/03/25</td></tr><tr><td>1 PLACE</td><td>±-</td><td>±-</td><td>APPROVED BY DATE</td><td colspan="3" rowspan="2">DOCUMENT NO. SD-130173-001 SHEET NO. 2 OF 2</td></tr><tr><td colspan="3">ANGULAR ±1°</td><td>DTITUS 2010/03/31</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">MATERIAL NO. SEE TABLE</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>A</td><td></td><td></td><td>SIZE B</td><td colspan="7"></td></tr></table>										RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/25 CHKD: DT APPR: DTTITUS 2010/04/01	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ◻C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		mm	INCH	DRAWN BY DATE	TITLE RB" SERIES OF RETRACTORS ----			4 PLACES	±-	±-	RHOTCA 2010/03/25	3 PLACES	±-	±-	CHECKED BY DATE	MOLEX INCORPORATED			2 PLACES	±-	±-	DT 2010/03/25	1 PLACE	±-	±-	APPROVED BY DATE	DOCUMENT NO. SD-130173-001 SHEET NO. 2 OF 2			ANGULAR ±1°			DTITUS 2010/03/31	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			A			SIZE B								A
RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/25 CHKD: DT APPR: DTTITUS 2010/04/01	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ◻C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																																
				mm	INCH	DRAWN BY DATE	TITLE RB" SERIES OF RETRACTORS ----																																																																			
			4 PLACES	±-	±-	RHOTCA 2010/03/25																																																																				
			3 PLACES	±-	±-	CHECKED BY DATE	MOLEX INCORPORATED																																																																			
			2 PLACES	±-	±-	DT 2010/03/25																																																																				
			1 PLACE	±-	±-	APPROVED BY DATE	DOCUMENT NO. SD-130173-001 SHEET NO. 2 OF 2																																																																			
			ANGULAR ±1°			DTITUS 2010/03/31																																																																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																					
A			SIZE B																																																																							
	10	9	8	7	6	5	4	3	2	1																																																																

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9