



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A1		REVISED PER ECO-13-004307	08MAR2013	DD	MB
A2		REVISED PER ECO-16-017603	06DEC2016	DD	AH


CODINGS
2:1




COD. A




COD. B




COD. C




COD. D



COD. E




COD. Z









NOTES:



- 1 CODING 1- -1 AS SHOWN
- 2 MOULD CAVITY MARKING
- 3 SUPPLIER MARK
- 4 MATERIAL IDENTIFICATION
- 5 DATE CLOCK
- 6 CAVITIES SUITABLE FOR TE MQS SOCKET HOUSING PN 968562
- 7 FOR COUNTERPART INTERFACE DRAWING SEE SHEET 2 OF 2
- 8 THROUGH HOLE NOT RELEVANT FOR FUNCTION OF CONNECTOR, TOOL RETENTION
- 9 PRESSURE SENSOR NOT RELEVANT FOR FUNCTION OF CONNECTOR



C-C




2:1




COVER, 10POS.	0.00119	Z	9-2177198-1	1	PBT-GF15	WATER BLUE SIMILAR RAL 5021
COVER, 10POS.	0.00121	E	5-2177198-1	1	PBT-GF15	GREEN SIMILAR RAL 6017
COVER, 10POS.	0.00122	D	4-2177198-1	1	PBT-GF15	VIOLET SIMILAR RAL 4004
COVER, 10POS.	0.00121	C	3-2177198-1	1	PBT-GF15	BLUE SIMILAR RAL 5012
COVER, 10POS.	0.00121	B	2-2177198-1	1	PBT-GF15	NATURE
COVER, 10POS.	0.00121	A	1-2177198-2	1	PBT-GF15	CURRY SIMILAR RAL 1027
COVER, 10POS.	0.00121	A	1-2177198-1	1	PBT-GF15	BLACK RAL 9011
DESCRIPTION	MASS [kg]	COD	TE ORDER NO.	REV.	MATERIAL	SURFACE/COLOUR

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN M. POLIZZI 05MAY2011		 TE Connectivity	
DIMENSIONS:				CHK M. BANAS 05FEB2013			
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. BANAS 14FEB2013		NAME	
		0 PLC +0.15		PRODUCT SPEC		COVER, 10 POSITION MICRO QUADLOCK SYSTEM -	


CODINGS
3:1




COD. A




COD. B




COD. C




COD. D




COD. E





A-A



B-B




C-C



D-D

NOTES:

- CODING A AS SHOWN
- REFERENCES **A**, **B**, FOR CENTERLINE DEFINITION
1 mm ABOVE REFERENCE **C**
- ALL SYMMETRIC DIMENSIONS $\equiv 0.05 \text{ mm}$
- NO SPECIFIED RADII R0.5 mm
- CAVITY MARKING, CHARACTERS DEEP
- NO SPECIFIED WALL THICKNESS MIN. 1 mm
- IN THIS AREA MAX. 0.03 mm BURRS PERMITTED
- SPECIFICATION OF CONTACT PIN No 114-18063
- HEADER MATERIAL: PBT-GF10
- COUNTERPART SUITABLE FOR 10 POSITIONS MQS SOCKET HOUSING TE PN 2177198
- CODING AREA WITHOUT CHAMFER



3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN M. POLIZZI CHK M. BANAS APVD M. BANAS	05MAY2011 05FEB2013 14FEB2013	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±0.15 1 PLC ±0.10 2 PLC ±0.10 3 PLC ±0.10 4 PLC ±0.10 ANGLES ±2°		PRODUCT SPEC	
MATERIAL		SEE TABLE		APPLICATION SPEC	
		SEE TABLE		WEIGHT	
CUSTOMER DRAWING		SCALE 5:1		SHEET 2 OF 2	
REV A2		REV A2		REV A2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9