



REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

MATERIAL:

CAGE:
COPPER ALLOY

PLATING OPTION X=2:
2.54um MIN. NICKEL

PLATING OPTION X=3:
3.81um MIN. MATTE TIN
OVER 1.27um MIN. NICKEL.

PACKAGING:
TRAY PACKAGING

TEMPERATURE RANGE:
-40°C TO +85°C

P/N: U77-A661M-X081 SHOWN

P/N: U77-A461M-X081 SHOWN

AMPHENOL PART NUMBER CONFIGURATION

U77 - A X 61 M - X081

PACKAGING
1 = TRAY PACKAGING

PLATING
2 = NICKEL PLATING
3 = MATTE TIN PLATING


NUMBER OF PORTS
2 = 2 PORTS
4 = 4 PORTS
6 = 6 PORTS

P/N: U77-A261M-X081 SHOWN

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH REF. CODE IDENT. NO. 03554		APPROVALS		DATE	Amphenol Canada Corp. TITLE 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET SIZE A3 DWG. NO. P-U77-AX61M-X081 SCALE 2:1 PROJECT SHEET 1 OF 10	
		DRAWN Chigow.X		MAR14/09		
		DESIGNED				
		CHECKED J.SJ		MAR14/09		
SEE NOTE 1		QA APPD				
E APPD						
DWG APPD A.G.		MAR14/09				



8 7 6 5 4 3 2 1

REV.	ECN/ER	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

PART NUMBER DIM "C" DIM "D"

U77-A261M-X081	29.70	31.00
U77-A461M-X081	58.20	59.50
U77-A661M-X081	86.70	88.00

Amphenol

(1.57)

DIM "C"

A

10.40±0.10

(10.22)

PCB

CENTER OF CONNECTOR GUIDE PIN PER SPEC

0.19±0.10 (OPENING BELOW PCB)

(3.50)

35.40 MAX

SECTION A-A

38.90±0.30

DIM "D" MIN.

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS X.X ± 0.38 X.XX ± 0.25		DRAWN Chigow.X		MAR14/09		TITLE	
ANGLES ± 1°		DESIGNED				1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
MATERIAL AND FINISH		CHECKED J.SI		MAR14/09			
SEE NOTE 1		QA APPD					
REF.		E APPD				SIZE A3	
CODE IDENT. NO. 03554		DWG APPD A.G.		MAR14/09		DWG. NO. P-U77-AX61M-X081	
						SCALE 2:1	
						PROJECT	
						SHEET 3 OF 10	

REV. C

8 7 6 5 4 3 2 1

REV.	ECN/ER	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

PART NUMBER DIM "C" DIM "D"

U77-A261M-X081	29.70	31.00
U77-A461M-X081	58.20	59.50
U77-A661M-X081	86.70	88.00

(1.57)

DIM "C"

A

10.40±0.10

(10.22)

PCB

CENTER OF CONNECTOR GUIDE PIN PER SPEC

0.19±0.10 (OPENING BELOW PCB)

(3.50)

35.40 MAX

SECTION A-A

DIM "D" MIN.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:

DECIMALS	ANGLES
X.X ± 0.38	± 1°
X.XX ± 0.25	

MATERIAL AND FINISH

SEE NOTE 1

REF.

CODE IDENT. NO. 03554

APPROVALS

DRAWN	DATE
Chigow.X	MAR14/09
DESIGNED	
CHECKED J.SI	MAR14/09
QA APPD	
E APPD	
DWG APPD A.G.	MAR14/09

DATE

Amphenol Canada Corp.

TITLE

1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET

SIZE A3

DWG. NO. P-U77-AX61M-X081

REV. C




SCALE 2:1

PROJECT

SHEET 3 OF 10

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.



8 7 6 5 4 3 2 1

REV.	ECN/ER	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

PART NUMBER DIM "C" DIM "D"

U77-A261M-X081	29.70	31.00
U77-A461M-X081	58.20	59.50
U77-A661M-X081	86.70	88.00

(1.57)

DIM "C"

A

10.40±0.10

(10.22)

PCB

CENTER OF CONNECTOR GUIDE PIN PER SPEC

0.19±0.10 (OPENING BELOW PCB)

(3.50)

35.40 MAX

SECTION A-A

DIM "D" MIN.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:

DECIMALS	ANGLES
X.X ± 0.38	± 1°
X.XX ± 0.25	

MATERIAL AND FINISH

SEE NOTE 1

REF.

CODE IDENT. NO. 03554

APPROVALS

DRAWN	DATE
Chigow.X	MAR14/09
DESIGNED	
CHECKED J.SI	MAR14/09
QA APPD	
E APPD	
DWG APPD A.G.	MAR14/09

DATE

Amphenol Canada Corp.

TITLE

1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET

SIZE A3

DWG. NO. P-U77-AX61M-X081

REV. C

SCALE 2:1

PROJECT

SHEET 3 OF 10

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

8 7 6 5 4 3 2 1

REV.	ECN/ER	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

PART NUMBER DIM "C" DIM "D"

U77-A261M-X081	29.70	31.00
U77-A461M-X081	58.20	59.50
U77-A661M-X081	86.70	88.00

(1.57)

DIM "C"

A

10.40±0.10

(10.22)

PCB

CENTER OF CONNECTOR GUIDE PIN PER SPEC

0.19±0.10 (OPENING BELOW PCB)

(3.50)

35.40 MAX

SECTION A-A

DIM "D" MIN.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:

DECIMALS	ANGLES
X.X ± 0.38	± 1°
X.XX ± 0.25	

MATERIAL AND FINISH

SEE NOTE 1

REF.

CODE IDENT. NO. 03554

APPROVALS

DRAWN	DATE
Chigow.X	MAR14/09
DESIGNED	
CHECKED J.SI	MAR14/09
QA APPD	
E APPD	
DWG APPD A.G.	MAR14/09

DATE

Amphenol Canada Corp.

TITLE

1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET

SIZE A3

DWG. NO. P-U77-AX61M-X081

REV. C

SCALE 2:1

PROJECT

SHEET 3 OF 10

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

8 7 6 5 4 3 2 1

REV.	ECN/ER	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

PART NUMBER DIM "C" DIM "D"

U77-A261M-X081	29.70	31.00
U77-A461M-X081	58.20	59.50
U77-A661M-X081	86.70	88.00

(1.57)

DIM "C"

A

10.40±0.10

(10.22)

PCB

CENTER OF CONNECTOR GUIDE PIN PER SPEC

0.19±0.10 (OPENING BELOW PCB)

(3.50)

35.40 MAX

SECTION A-A

DIM "D" MIN.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:

DECIMALS	ANGLES
X.X ± 0.38	± 1°
X.XX ± 0.25	

MATERIAL AND FINISH

SEE NOTE 1

REF.

CODE IDENT. NO. 03554

APPROVALS

DRAWN	DATE
Chigow.X	MAR14/09
DESIGNED	
CHECKED J.SI	MAR14/09
QA APPD	
E APPD	
DWG APPD A.G.	MAR14/09

DATE

Amphenol Canada Corp.

TITLE

1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET

SIZE A3

DWG. NO. P-U77-AX61M-X081

REV. C


SCALE 2:1

PROJECT

SHEET 3 OF 10

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.



REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

NOTE:

PANEL CUTOUT SIZES PER SFF 8433 SPEC. FOR BELLY TO BELLY MOUNTING, DIM "E" (PCB THICKNESS) IS 3.0 mm MIN. DIM "F" RELATED TO DIM "E". FOR DIM "F" = DIM "E" - 0.44 mm. THE PANEL CUTOUT 10.40 mm MIGHT BE INCREASED UP TO 10.80 mm IN ORDER TO ACCOMODATE PCB TOLERANCE.

SECTION E-E
SCALE 2 : 1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. C/CODE IDENT. NO. 03554		APPROVALS		DATE		Amphenol Canada Corp.					
		DRAWN Chigow.X		MAR14/09		TITLE 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET					
		DESIGNED									
		CHECKED J.SJ		MAR14/09							
		QA APPD									
		E APPD				SIZE A3		DWG. NO. P-U77-AX61M-X081		REV. C	
C/CODE IDENT. NO. 03554		DWG APPD A.G.		MAR14/09		SCALE 1:1		PROJECT		SHEET 4 OF 10	

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS

REV.	ECN/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING
(P/N U77-A261M-X081)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE	Amphenol Canada Corp.	
DECIMALS X.X $\pm$ 0.38 X.XX $\pm$ 0.25		DRAWN Chigow.X		MAR14/09	TITLE	
MATERIAL AND FINISH		DESIGNED			1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
SEE NOTE 1		CHECKED J.SJ		MAR14/09		
		QA APPD				
REF.		E APPD			SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		DWG APPD A.G.		MAR14/09	SCALE 3:1	PROJECT
						REV. C
						SHEET 6 OF 10

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



**RECOMMENDED PCB DESIGN
FOR SINGLE SIDE MOUNTING
(P/N U77-A461M-X081)**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.					
DECIMALS X.X ± 0.38 X.XX ± 0.25		DRAWN Chigow.X		MAR14/09		1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET					
ANGLES ± 1°		DESIGNED									
MATERIAL AND FINISH		CHECKED J.SJ		MAR14/09							
SEE NOTE 1		QA APPD									
REF.		E APPD				SIZE A3		DWG. NO. P-U77-AX61M-X081		REV. C	
CODE IDENT. NO. 03554		DWG APPD A.G.		MAR14/09		SCALE 1:1		PROJECT		SHEET 7 OF 10	

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS

REV.	ECN/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

THIS AREA DENOTES
COMPONENTS KEEP-OUT
(TRACES ALLOWED)

THIS AREA DENOTES
COMPONENTS KEEP-OUT
(TRACES ALLOWED)
 $\varnothing 0.95 \pm 0.05$ (28 PLCS)

$\varnothing 0.1$ (M) X Z (S)

$\varnothing 1.05 \pm 0.05$ (52 PLCS)

$\varnothing 0.1$ (M) X Z (S)

CROSS-HATCHED AREA
DENOTES COMPONENT
AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

CROSS-HATCHED AREA
DENOTES COMPONENT
AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING
(P/N U77-A461M-X081)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE
OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.38 X.XX ± 0.25 ANGLES ± 1° MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554	APPROVALS		DATE	Amphenol Canada Corp.	
	DRAWN	Chigow.X	MAR14/09		
	DESIGNED			1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
	CHECKED	J.SJ	MAR14/09		
E APPD			QA APPD	SIZE A3	DWG. NO. P-U77-AX61M-X081
DWG APPD			A.G.	SCALE 2:1	PROJECT
MAR14/09					SHEET 8 OF 10

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

		2		1	
		REVISIONS			
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED	
A		PROPOSAL	MAR 26/09		
B		B-B APPLICATION ADDED	AUG 13/09		
C		PROPOSAL	MAR 15/12		



**RECOMMENDED PCB DESIGN
FOR SINGLE SIDE MOUNTING
(P/N U77-A661M-X081)**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp					
DECIMALS X.X ± 0.38 X.XX ± 0.25		DRAWN Chigow X		MAR14/09		TITLE 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET					
ANGLES ± 1°		DESIGNED									
MATERIAL AND FINISH SEE NOTE 1		CHECKED J.SI		MAR14/09							
REF.		QA APPD				SIZE A3		DWG. NO. P-U77-AX61M-X081		REV. C	
CODE IDENT. NO. 03554		DWG APPD A.G.		MAR14/09		SCALE 1:1		PROJECT		SHEET 9 OF 10	

8 7 6 5 4 3 2 1

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS

REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

THIS AREA DENOTES
COMPONENTS KEEP-OUT
(TRACES ALLOWED)

THIS AREA DENOTES
COMPONENTS KEEP-OUT
(TRACES ALLOWED)

$\varnothing 0.95 \pm 0.05$ (40 PLCS)
 $\varnothing 0.1$ (M) X Z (S)

37.10
35.00
32.50
27.50
25.00
22.80
20.00

15.00
10.00
5.00
0.00
4.50

BSC
(SEE NOTE 1)

$\varnothing 1.05 \pm 0.05$
 $\varnothing 0.1$ (S) X Y
-Z-

$\varnothing 1.05 \pm 0.05$ (41 PLCS)
 $\varnothing 0.1$ (M) X Z (S)

CROSS-HATCHED AREA
DENOTES COMPONENT
AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

CROSS-HATCHED AREA
DENOTES COMPONENT
AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING
(P/N U77-A661M-X081)**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE
OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.XX ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN Chigow.X	MAR14/09	1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
		DESIGNED			
		CHECKED J.SJ	MAR14/09		
		QA APPD			
		E APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
		DWG APPD A.G.	MAR14/09	SCALE 3:2	PROJECT SHEET 10 OF 10

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9