






- 1 HOUSING: HIGH TEMPERATURE THERMOPLASTIC. COLOR - NATURAL
- 2 CONTACT: PHOSPHOR BRONZE.
- 3 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. GOLD FLASH OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN OVER NICKEL ON SOLDER TAILS.
- 4 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. .000375[.000015] MIN GOLD OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN OVER NICKEL ON SOLDER TAILS.
- 5 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. .000757[.000030] MIN GOLD OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN OVER NICKEL ON SOLDER TAILS.
- 6 DISTANCE FROM CONTACT POINT TO BOTTOM OF CARD SLOT.
- 7 TE CONNECTIVITY PART NUMBER, DATE CODE AND CSA LOGO SHOULD BE MARKED ON THE SIDE OF THE HOUSING NEAR THE AMP LOGO.
- 8 CORED OR SOLID SIDE WALLS ARE AT DISCRETION OF TE CONNECTIVITY
- 9 PIN 44~49 AND PIN 104~109 ARE NOT LOADED.



SECTION L-L
SCALE 8:1



DETAIL A

3.56 [.140]	5	1-5145154-2
3.18 [.125]	5	5145154-8
2.54 [.100]	5	5145154-4
2.54 [.100]	4	5145154-2
2.54 [.100]	3	5145154-1
W	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [INCHES]

0 PLC ± -

1 PLC ± -

2 PLC ± .25 [.01]

3 PLC ± .125 [.005]

4 PLC ± - ± 2°

ANGLES

MATERIAL

AL FRANTUM

AL FRANTUM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

FINISH

-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
AL FRANTUM
20 MAY 04

CHK
AL FRANTUM
20 MAY 04

APVD

PRODUCT SPEC

108-14034

APPLICATION SPEC

114-26012

WEIGHT

-

CUSTOMER DRAWING

SCALE 4:1

SHEET 1 OF 4

REV E

NAME

CONNECTOR ASSEMBLY,
60 DUAL POSITION,
1.27 [.050] SERIES, CARD EDGE

SIZE

A1

CAGE CODE

00779

DRAWING NO

5145154

RESTRICTED TO



-

TE Connectivity

CONNECTOR ASSEMBLY,
60 DUAL POSITION,
1.27 [.050] SERIES, CARD EDGE

4805 (3/11)

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION			DATE	OWN
		APVD				
AA	00	SEE SHEET 1			-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AL FRANTUM	20 MAY 04	TE Connectivity	
		CHK AL FRANTUM	20 MAY 04		
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC	± -	PRODUCT SPEC	
		1 PLC	± -	108-14034	
		2 PLC	± .25 [.01]	APPLICATION SPEC	
		3 PLC	± .125 [.005]	114-26012	
MATERIAL		FINISH	-	SIZE	CAGE CODE
				41	00779
				5145154	
				RESTRICTED TO	
				CUSTOMER DRAWING	
				SCALE	4:1
				SHEET	2
				OF	4
				REV	E


LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					—	SEE SHEET 1	—	—	—

D


C

B


A



SEE SHEET 4 FOR HOLE PATTERN



DETAIL A





SECTION L-L
SCALE 8:1

SELECT LOADED TYPE AS SHOWN.

	2-5145154-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AL FRANTUM 20 MAY 04	TE Connectivity	
		CHK AL FRANTUM 20 MAY 04		
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-14034	NAME CONNECTOR ASSEMBLY, 60 DUAL POSITION, 1.27 [0.050] SERIES, CARD EDGE	
	0 PLC ± - 1 PLC ± - 2 PLC ± .25 [01] 3 PLC ± .125 [005] 4 PLC ± - ANGLES ± 2°	APPLICATION SPEC 114-26012		
MATERIAL -	FINISH -	WEIGHT -	SIZE A1	CAGE CODE 00779
		CUSTOMER DRAWING	SCALE 4:1	SHEET 3 OF 4
			REV E	

LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1			—	—	—



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9