

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0857290101

Status:

Active

Overview:

magnetic_modular_jacks

Description:

HyperJack™ 1000 PoE+ PSE Integrated Connector Module, 2x4, With LEDs



image - Reference only

Series

Documents:

3D Model

Drawing (PDF)

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Modular Jacks/Plugs
Series	85729
Component Type	PCB Jack
Magnetic	Yes
More Detailed Tech Information	*For product specifications please contact your Molex sales representative
Overview	magnetic_modular_jacks
Performance Category	5e
Power over Ethernet (PoE)	PoE+
Product Name	HyperJack™PoE

Physical

Boot Color	N/A
Color - Resin	Black
Durability (mating cycles max)	750
Inverted / Top Latch	Yes
Lightpipes/LEDs	LEDs
Material - Metal	Brass, Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Thermoplastic Polyurethane
Orientation	Right Angle (Side Entry)
PCB Locator	Yes
PCB Retention	Yes
Packaging Type	Tray
Pitch - Mating Interface (in)	0.040 In
Pitch - Mating Interface (mm)	1.02 mm
Pitch - Term. Interface (in)	0.040 In
Pitch - Term. Interface (mm)	1.02 mm
Plating min: Mating (µin)	30
Plating min: Mating (µm)	0.76
Plating min: Termination (µin)	50.8
Plating min: Termination (µm)	1.27
Ports	8
Positions / Loaded Contacts	8/8
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	0°C to +70°C
Termination Interface: Style	Through Hole
Waterproof / Dustproof	No
Wire/Cable Type	N/A

Electrical

Current - Maximum per Contact	1.5A
Grounding to PCB	Yes
Grounding to Panel	Yes
Shielded	Yes

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

85729Series

Mates With

Plugs according to IEC 60603-7

Voltage - Maximum

48V

Material Info

Reference - Drawing Numbers

Packaging Specification

PK-85729-135

Product Specification

RPS-85719-001



Sales Drawing

SD-85729-101


This document was generated on 06/08/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



13 12 11 10 9 8 7 6 5 4 3 2 1



FRONT VIEW HYPER JACK 1000 POE+ ICM LED VERSION P/N 85729-0101



FRONT VIEW HYPERJACK 1000POE+ ICM NON LED VERSION P/N 85729-0102



P / N	VERSION
85729-0101	LED VERSION
85729-0102	NON LED VERSION


NOTES:

- 1 - SHIELD MATERIAL: BRASS, PLATING: Ni PRE-PLATING
- 2 - PLASTIC MATERIAL: NAGASE-D-VALOX 420 SED BLACK, 30%GR, UL 94V-0\5V (PBT)
- 3 - TERMINALS MATERIAL: COPPER ALLOY
RJ45 CONTACT PLATING: 0.764m GOLD OVER 1.94m Ni
SOLDER TERMINALS: 34m Sn
- 4 - JACK TO BE MATED WITH FCC 68.5 PLUGS
- 5 - PRODUCT SPECIFICATION: PS-85719-001
- 6 - PACKAGING SPECIFICATION: PK-85729-101
- 7 - TRACES WITHOUT INSULATION NOT ALLOWED IN THE DASHED AREAS.
(TO AVOID SHORTS TO SHIELD)
- 8 - STAND OFF TO SYSTEM BOARD


ENTER DESCRIPTION EC NO: MG2009-0072 DRWN:JBADER 2009/08/06 CHKD:MMANGARUDOV 2009/08/06 APPR:SSTE INKE 2009/08/07 1	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY JBADER	DATE 2009/03/12	TITLE HYPERJACK 1000 POE+ INTEGRATED CONNECTOR MODULE MOLEX INCORPORATED	SHEET NO. 1 OF 3	
			4 PLACES	± .005	± .0005	CHECKED BY MMANGARUDOV	DATE 2009/03/12			
			3 PLACES	± .005	± .0005	APPROVED BY SSTE INKE	DATE 2009/03/12			
			2 PLACES	± 0.25	± .010	MATERIAL NO.	DOCUMENT NO.			
			1 PLACE	± 0.5	± .020	SIZE A2	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			ANGULAR ± .5 °		SEE BOM		SD-85729-101			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							

12 11 10 9 8 7 6 5 4 3 2 1


FOOT PRINT FOR NON LED VERSION (85729-0003)
MISSING DIMENSIONS SEE LED VERSION



SCALE 1:1





DETAIL3
SCALE 3:1




DETAIL2
SCALE 3:1

FOOT PRINT OUT FOR
LED VERSION



DETAIL4
SCALE 3:1



DETAIL5
SCALE 3:1

ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
EC NO: YG2009-0072	2009/08/06	▽=0	▽=0	mm	INCH	DRAWN BY	DATE	TITLE			
DRWN: JBADER	2009/08/06			4 PLACES ±---	±---	JBADER	2009/03/12				
CHKD: MMANGARUDOV	2009/08/06			3 PLACES ±---	±---	CHECKED BY	DATE				
APPR: SSTEINKE	2009/08/07			2 PLACES ±0.25	±---	MMANGARUDOV	2009/03/12				
				1 PLACE ±0.5	±---	APPROVED BY	DATE				
				ANGULAR ±.5°		SSTEINKE	2009/03/12				
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.					
						SEE SHEET 1					
						SIZE A2					
						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



PRINTING
LED VERSION

HYPERJACK 1000 POE+ ICM
P/N: 85729-0101
S/N: X-RX-YYMMDD-XXXX
MADE IN CHINA



PRINTING
NON LED VERSION

HYPERJACK 1000 POE+ ICM
P/N: 85729-0102
S/N: X-RX-YYMMDD-XXXX
MADE IN CHINA

PRINTING



SUGGESTED PANEL CUT OUT



NOTES:

- 1 - PRINTING MARKED BY LASER
- 2 - INSCRIPTION:
1st LINE: PART NAME
2nd LINE: PART NUMBER
3rd LINE: SERIES NUMBER -> MANUFACTURER ID - CONNECTOR REVISION -
DATE CODE (YEAR, MONTH, DAY) - CONSECUTIVE NUMBER
4th LINE: COUNTRY OF ORIGIN
- 3 - TUV LOGO

ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: NG2009-0072		DRAWN BY: JBADER		mm		MM ONLY		2:1		METRIC		THIRD ANGLE PROJECTION	
2009/08/06		2009/08/06		INCH		DRAWN BY: JBADER		DATE: 2009/03/12		TITLE: HYPERJACK 1000 POE+ INTEGRATED CONNECTOR MODULE		THIRD ANGLE PROJECTION	
CHKD: MMANGARUDOV		2009/08/06		4 PLACES ± --- ± ---		CHECKED BY: MMANGARUDOV		DATE: 2009/03/12		MOLEX INCORPORATED		SHEET NO. 3 OF 3	
APPR: SSTEINKE		2009/08/07		3 PLACES ± --- ± ---		APPROVED BY: SSTEINKE		DATE: 2009/03/12		DOCUMENT NO. SD-85729-101		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
1		DESCRIPTION		2 PLACES ± 0.25 ± ---		MATERIAL NO.		SEE SHEET 1					
		REV		1 PLACE ± 0.5 ± ---		SIZE A2							
				ANGULAR ± .5 °									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9