

MATERIAL:

CAGE:
COPPER ALLOY

PLATING OPTION X=2:
2.54um MIN. NICKEL


PLATING OPTION X=3:
3.81um MIN. MATTE TIN
OVER 1.27um MIN. NICKEL.

GASKET:
CONDUCTIVE ELASTOMER
FLAMMABILITY RATING
UL94-V0


PACKAGING:
TRAY PACKAGING

TEMPERATURE RANGE:
-40C TO +85C


REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	



P/N: U77-A641M-X081 SHOWN



P/N: U77-A241M-X081 SHOWN



P/N: U77-A441M-X081 SHOWN

AMPHENOL PART NUMBER CONFIGURATION

U77 - A X 4 1 M - X 0 8 1

PACKAGING
1 = TRAY PACKAGING

PLATING
2 = NICKEL PLATING
3 = MATTE TIN PLATING

NUMBER OF PORTS
2 = 2 PORTS
4 = 4 PORTS
6 = 6 PORTS


NOTE:

PRODUCT COMPLIES WITH SFF 8433 SPEC.

DO NOT SCALE DRAWING





THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR04/09	TITLE	
		CHECKED J.SI	MAR26/09	1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET	
		QA APPD			
MATERIAL AND FINISH SEE NOTE 1		IE APPD		SIZE A3	DWG. NO. P-U77-AX41M-X081
REF.		DWG APPD A.G.	MAR26/09	SCALE 2:1	PROJECT
CODE IDENT. NO. 03554					SHEET 1 OF 10



PART NUMBER	DIM "C"	DIM "D"
U77-A241M-X091	29.70	34.25
U77-A441M-X091	58.20	62.75
U77-A641M-X091	86.70	91.25


REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR04/09		
		DESIGNED			
		CHECKED J.SI	MAR26/09	1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET	
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX41M-X081
CODE IDENT. NO. 03554		DWG APPD A.G.	MAR26/09	SCALE 2:1	PROJECT SHEET 3 OF 10



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

		REVISIONS		
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.			
DECIMALS ANGLES X.X ± 0.38 ± 1 ° X.XX ± 0.25		DRAWN ChigowX		MAR04/09		TITLE 1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET			
MATERIAL AND FINISH SEE NOTE 1		DESIGNED							
		CHECKED J.SI		MAR26/09					
		QA APPD							
REF.		IE APP'D				SIZE A3	DWG. NO. P-U77-AX41M-X081	REV. C	
CODE IDENT. NO. 03554		DWG APP'D A.G.		MAR26/09		SCALE 2:1	PROJECT		SHEET 5 OF 10

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	



**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING
(P/N U77-A241M-X081)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR04/09		
MATERIAL AND FINISH SEE NOTE 1		DESIGNED		1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET	
		CHECKED J.SI	MAR26/09		
REF.		QA APPD		SIZE A3 DWG. NO. P-U77-AX41M-X081 REV. C	
		IE APPD			
CODE IDENT. NO. 03554	DWG APPD A.G.	MAR26/09	SCALE 3:1	PROJECT	SHEET 6 OF 10

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	




RECOMMENDED PCB DESIGN
FOR SINGLE SIDE MOUNTING
(P/N U77-A441M-X081)

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH SEE NOTE 1 REF.		APPROVALS		DATE		Amphenol Canada Corp.			
		DRAWN	ChigowX	MAR04/09	TITLE 1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET				
		DESIGNED							
		CHECKED	J.SI	MAR26/09					
QA APPD									
IE APPD			SIZE	DWG. NO.	REV.				
			A3	P-U77-AX41M-X081	C				
CODE IDENT. NO.	03554	DWG APP'D	A.G.	MAR26/09	SCALE	1:1	PROJECT	SHEET	7 OF 10

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	



**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING
(P/N U77-A441M-X081)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X $\pm$ 0.38 X.XX $\pm$ 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX DESIGNED CHECKED J.SI QA APPD IE APPD DWG APPD A.G.	MAR04/09 MAR26/09 MAR26/09	TITLE 1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET	
SCALE 2:1		SIZE A3	DWG. NO. P-U77-AX41M-X081	REV. C	SHEET 8 OF 10

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.


REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR04/09	1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET	
		DESIGNED			
		CHECKED J.SI	MAR26/09		
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX41M-X081
CODE IDENT. NO. 03554		DWG APP'D A.G.	MAR26/09	SCALE 1:1	PROJECT
				SHEET 9 OF 10	REV. C

- NOTES:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	
B		UPDATED	JUL14/09	
C		B-B APPLICATION SPECIFIED	AUG14/09	



**RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING
(P/N U77-A641M-X081)**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR04/09		
		DESIGNED		1XN SFP+ CAGE ASSEMBLY WITH ELASTOMERIC GASKET	
		CHECKED J.SI	MAR26/09		
		QA APPD		SIZE A3	DWG. NO. P-U77-AX41M-X081
		IE APPD		SCALE 3:2	PROJECT
		DWG APPD A.G.	MAR26/09	REV. C	SHEET 10 OF 10

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9