




REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	A11	REVISED PER ECO-16-003526	09MAR2016	JM	DS
	A12	REVISED PER ECO-16-012374	22AUG2016	DD	DS
	A13	ECO-18-000051	02JAN2017	DS	DS

- 1 ACCEPTS #3 SELF TAPPING THREAD FORMING SCREWS OR METRIC EQUIVALENT. DRIVE TO 0.6-0.8 N-m
- 2 DATE CODE IN THIS LOCATION USING 5 DIGIT CODE
FIRST 2 DIGITS = YEAR, SECOND 2 DIGITS = WEEK
LAST DIGIT = DAY.
- 3 MATERIALS: HEADER HOUSING - GLASS FILLED PBT
PINS - TIN OR GOLD PLATED BRASS
GASKET - SILICONE
- 4 HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.
5. HEADER MATES TO PLUG ASSEMBLY 776164 WHICH USES REELED TERMINAL 770520 OR LOOSE PIECE TERMINAL 770854




776231-1 & 1-776231-1 SHOWN


ORANGE	DURAGOLD	1-776231-6
BLUE	DURAGOLD	1-776231-5
GRAY	DURAGOLD	1-776231-4
NATURAL	DURAGOLD	1-776231-2
BLACK	DURAGOLD	1-776231-1
BLUE	TIN	776231-5
GRAY	TIN	776231-4
NATURAL	TIN	776231-2
BLACK	TIN	776231-1
HEADER COLOR	PLATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. STRAUSSER 05MAR2010	TE Connectivity	
		CHK D. STRAUSSER 22MAR2010		
DIMENSIONS:		APVD D. STRAUSSER 27APR2010	NAME	
mm		PRODUCT SPEC	ASSEMBLY, HEADER, 35 POSITION, VERTICAL, AMPSEAL WITH FLANGE SEAL	
		108-1329		
		APPLICATION SPEC		
		114-16016		
MATERIAL		WEIGHT	SIZE CAGE CODE DRAWING NO	
- 3		-	A100779C=776231	
			RESTRICTED TO	
			-	
			SCALE 3:1 SHEET 1 OF 2 REV A13	
			CUSTOMER DRAWING	


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




RECOMMENDED P.C. BOARD LAYOUT
FOR 1.57 THICK P.C. BOARD




SECTION A-A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THAN 2.0




776231-2 & 1-776231-2
KEY LOCATION
SCALE 2:1




776231-5 & 1-776231-5
KEY LOCATION
SCALE 2:1




RECOMMENDED MOUNTING HOLE LAYOUT
FOR 5.0 MAX THICK PANEL





SECTION A-A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THAN 2.0



776231-4 & 1-776231-4
KEY LOCATION
SCALE 2:1




1-776231-6
KEY LOCATION
SCALE 2:1




SCALE 2:1

MOUNTING SCREW (4)
TORQUE TO 0.6N·m TO 0.8N·m




SCALE 2:1

ENSURE THE HEADER IS FLUSH
TO THE PANEL FACE ALL AROUND
BEFORE TIGHTENING TO FINAL TORQUE



KEYING FOR 776231-1, 1-776231-1, 776231-4,
1-776231-4 AND 1-776231-6
SCALE 2:1



KEYING FOR 776231-2, 1-776231-2, 776231-5
AND 1-776231-5
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: D. STRAUSSER 05MAR2010	TE Connectivity	
		CHK: D. STRAUSSER 22MAR2010		
DIMENSIONS:		APVD: D. STRAUSSER 27APR2010	NAME	
mm		PRODUCT SPEC	ASSEMBLY, HEADER, 35 POSITION, VERTICAL, AMPSEAL WITH FLANGE SEAL	
		108-1329	SIZE	
		APPLICATION SPEC	CAGE CODE	
		114-16016	DRAWING NO	
		WEIGHT	RESTRICTED TO	
		CUSTOMER DRAWING	A100779C=776231	
		SCALE	1:1	
		SHEET	2 OF 2	
		REV	A13	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9