

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -







ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	ECR-12-012496	11JUL2012	JvH	DH
	B	ECR-12-014942	22AUG2012	WJ	DH
	B1	ECR-12-015266	28AUG2012	WJ	DH
	B2	ECR-13-013765	30AUG2013	JvH	DH



RECOMMENDED PWB LAYOUT

NOTES:

- 1 VERSION: XX, PRODUCTION DATE: YYWWD, SHIFT CODE: S, PRODUCTION LINE NO: L.
- 2 COPLANARITY OF 11 SOLDER SURFACES 0,08 MAX.
- 3 PICK AND PLACE AREA Ø3

4	SLEEVE	LCP	
3	SHELL	STAINLESS STEEL	Tin over Nickel plating
2	CONTACT	COPPER ALLOY	Gold over Nickel plating
1	HOUSING	LCP	

ITEM NO.	DESCRIPTION	MATERIAL	FINISH
DWN	04APR2010		
W. Jansen			
CHK	04APR2010		
W. Jansen			
APVD	04APR2010		
D. Halberstadt			
PRODUCT SPEC			
APPLICATION SPEC			
WEIGHT	0,33 gr		
Customer Drawing			

THIS DRAWING IS A CONTROLLED DOCUMENT.	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ±0,2 1 PLC ±0,1 2 PLC ±0,1 3 PLC ±0,025 4 PLC ±0,001 ANGLES ±2°
MATERIAL -	FINISH -







TE Connectivity


SPLASH-PROOF MICRO USB
AB-TYPE
0,8 mm OFFSET

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1551629	-
SCALE	8:1	SHEET	1 OF 3
REV	B2		

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
-	-		-	SEE SHEET 1	-	-



NOTES:
COVER, EMOSS TAPE AND REEL ACCODING EIA STANDARD 481-D

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. Jansen	04APR2010	 TE Connectivity				
		CHK W. Jansen	04APR2010					
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. Halberstadt	NAME SPLASH-PROOF MICRO USB AB-TYPE 0,8 mm OFFSET				
	0 PLC ±0,2 1 PLC ±0,1 2 PLC ±0,1 3 PLC ±0,025 4 PLC ±0,001 ANGLES ±2°		PRODUCT SPEC -					
MATERIAL -	FINISH -	APPLICATION SPEC -		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
		WEIGHT 0,33 gr		A3	00779	C-1551629	-	
		Customer Drawing						SCALE 8:1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -


ALL RIGHTS RESERVED.

LOC


DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




SECTION D-D





DETAIL B
SCALE 6:1

COVER RIB


PWB



SCALE 2:1




SECTION A-A



RECOMMENDED COVER HOLE SHAPE
DETAIL A
SCALE 8:1

RECOMMENDED PWB AND COVER ASSEMBLY



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±0,2
	1 PLC ±0,1
	2 PLC ±0,1
	3 PLC ±0,025
	4 PLC ±0,001
	ANGLES ±2°
MATERIAL	FINISH

DWN	W. Jansen	04APR2010
CHK	W. Jansen	04APR2010
APVD	D. Halberstadt	04APR2010
PRODUCT SPEC	-	
APPLICATION SPEC	-	
WEIGHT	0,33 gr	
Customer Drawing		



TE Connectivity

NAME			
SPLASH-PROOF MICRO USB AB-TYPE 0,8 mm OFFSET			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1551629	-
SCALE 8:1		SHEET 3 OF 3	REV B2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9