

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-001793	06FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150178-2


FOR REPLACEMENT PARTS FOR APPLICATOR 1852853
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852853

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME	
		1 PLC ±		END FEED HDM APPLICATOR	
MATERIAL		2 PLC ±		PRODUCT SPEC	
		3 PLC ±		APPLICATION SPEC	
		4 PLC ±		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
FINISH		WEIGHT		A3 C- 1852853	
		CUSTOMER DRAWING		SCALE SHEET 1 OF 2 REV A1	

PART NUMBER		REV	FIRST USED	POWER UNIT	FEED TYPE
1852853-1		A	122500-1	LEADMAKER & BENCH MODEL G	POST FEED
1852853-2		A	565435-5	BENCH MODEL K	POST FEED
7-1852853-7		A	-	SPARE PARTS	-

- △ RECOMMENDED SPARE PARTS
△ GREASE LIGHTLY
△ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE
△ TERMINAL REQUIRES LUBRICATION



TERMINAL NAME: TERMINAL, FEMALE X TYPE					
TE	MFR	YAZAKI TERMINAL - YAZAKI CRIMP SPECS			
1949572	7116-2874	PAD LTR	CRIMP HEIGHT		WIRE SIZE
-	-	A	.073±.002[1.85±0.05mm]		3mm2
-	-	B	.065±.002[1.65±0.05mm]		2.5mm2
-	-	C	.061±.002[1.55±0.05mm]		2mm2
-	-	D	-		-
SEAL PN	CRIMP	SIZE	TYPE	RANGE	
1949977	7157-3571	WIRE	.126 [3.20mm]	F	2.0-3.0mm2
-	-	INSUL	.209 [5.30mm]	O	Ø2.9-4.1mm
WIRE STRIP LENGTH 5.00-6.00mm	TERM APPL SPEC 7116-2874	FEED 22.25	APPL INSTRUCTIONS 408-8039	SET UP GAGE 458638-1	

REV		DATE		BY		CHK	
A		22JUL2009		ROW		GEB	

-	2	2	-	354779-8	PIN, WIRE DISC, .3030	128
-	2	2	-	9-354778-9	PIN, WIRE DISC, .2990	127
-	2	2	-	8-354778-3	PIN, WIRE DISC, .2910	126
-	REF	-	-	455745-1	GUARD WINDOW	79
-	-	REF	-	679532-1	INSERT, GUARD	78
-	1	1	-	465184-9	LUBRICATOR ASSY	77
-	1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	74
-	1	1	-	217238-1	GENERAL INSTRUCTION PKG	72
-	1	1	-	4088039	EF APPL INST 408-8039	71
-	1	1	-	461264-1	PLATE, IDENTIFICATION	67
-	2	2	-	21017-2	SCREW, DRIVE	66
-	1	1	-	986950-1	WASHER, FLAT PRECISION	64
-	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	1	1	-	23030-1	SCR, SKT HD CAP 6-32 x .25	62
-	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	2	2	-	3-21000-0	SCR, SKT HD CAP 8-32 X .875	58
-	5	5	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	57
-	2	2	-	21018-4	NUT, HEX, REG 4-40	54
-	2	2	-	21022-2	NUT, LOCK, HEX, TORQUE, 8-32	53
-	2	2	-	2-21006-6	SCR, SET, CUP POINT 4-40 X .625	52
-	1	1	-	1-21002-7	SCR, BTN SKT CAP 6-32 X .375	49
-	1	1	-	690501-3	CAM, POST FEED, 1 1/8	48
-	-	1	-	690501-4	CAM, POST-FEED 1 5/8	47
-	1	1	-	458980-2	SUB ASSY, APPLICATOR FRAME	46
-	1	1	-	690191-1	PLUG, NYLON	45
-	1	1	-	455674-1	RAM	44
-	1	1	-	690125-1	SHIM SUB-ASSY	43
-	1	1	-	690124-1	WASHER, RAM (.115)	42
-	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	1	1	-	23241-6	BALL, STEEL	40
-	1	1	-	690170-1	SPRING, COMPRESSION	39
-	1	1	-	1-690142-2	DISC, INSULATION	38
-	1	1	-	354777-1	WIRE DISC, ASSEMBLY	37
-	1	1	-	22480-5	SPRING, COMPRESSION	36
-	1	1	-	690212-1	POST, RAM	35
-	7	7	-	21024-4	WASHER, SPRG LOCK, REG NO 8	32
-	2	2	-	2-21002-9	SCR, BTN SKT HD CAP 10-32 X .750	31
-	2	2	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	29
-	1	1	-	1-690451-4	SPACER, STRIPPER	28
-	1	1	-	240639-1	STRIPPER (MACHINING)	27
-	2	2	-	22354-8	STUD, THREADED	25
-	1	1	-	455678-1	PLATE, STRIP GUIDE	24
-	1	1	-	240825-5	PLATE, STRIP HOLD DOWN	23
-	2	2	-	4-22281-1	SPRING, DRAG	22
-	1	1	-	454177-1	DRAG	20
-	2	2	-	454204-4	GUIDE, LOWER STRIP	18
-	4	4	-	3-21002-3	SCR, BTN SKT HD CAP 1/4-20 X .500	17
-	1	1	-	2-690481-0	SPACER, HOLD DOWN	13
-	1	1	-	23846-1	SPRING, DIE	12
-	1	1	-	240644-1	PLATE, REAR SHEAR	11
-	-	-	-	-	-	10
-	1	1	-	690482-4	PLATE, FRONT SHEAR	9
-	1	1	-	1633666-2	ANVIL, COMBINATION	8
-	1	1	-	690474-4	BLADE, SLUG	7
-	1	1	-	1-455892-1	HOLD DOWN, TERMINAL	6
-	1	1	-	1-240641-0	SPACER	5
-	1	1	-	238009-8	BLOCK, FL CRIMPER SPACER	4
-	1	1	-	1-1633710-0	CRIMPER, INSULATION O	3
-	1	1	-	1-455888-9	SPACER, CRIMPER	2
-	1	1	-	1-1673600-9	CRIMPER, WIRE	1

PART NO		DESCRIPTION		ITEM NO
-77		-2		-1
U/M		PART NO		DESCRIPTION
27MAY2009		28MAY2009		28MAY2009
R.O. WILSON		K.J. STAKEM		T.L. ELBLIN
Tycos Electronics		Tycos Electronics		Harrisburg, PA 17105-3608
END FEED HDM APPLICATOR		-		-
SIZE		CASE CODE		DRAWING NO
A1		00779		C=1852853
CUSTOMER DRAWING		SCALE		3:5
SHEET		OF		1
REV		A		-

CUSTOMER ACCESSIBLE PRODUCTION DRAWING

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9