





Copyright FCI.


PRODUCT NO.	ROWS	POWER				S	POWER			
		E1	P1	P2	P3		P4	P5	E2	
51952-199PGSA-- NOTE③	D C B A		PA	PA	PA	EXX	PA	PA		




CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	[N/A]	POWER
E	[6.86]	SIGNAL
HA	[N/A]	HOLD-DOWN
X	OMITTED	OMITTED

spec ref		See Notes		dr	Luo Weller	2013/08/20	projection	MM	size	A4	scale	1:1	
tolerance std See Notes	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Luo Weller	2013/11/25			ecn no				ELX-DG-16345-1
				chr	-	-			rel level				Released
				appr	Pei-Ming Zheng	2013/11/28			product family		PwrBlade		
surface	linear	0.X	±0.50		title	3ACP + 4S + 2P VERTICAL STB HEADER			dwg no	51952-199PGSA		rev	B
		0.XX	±0.25										
		0.XXX	±0.10										
	angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw				sheet 1 of 4			


PRODUCT NUMBER
51952-199PGSA_
NOTE 3




SECTION A-A
SCALE 2:1




SECTION B-B
SCALE 2:1



SECTION C-C
SCALE 2:1

dr	Luo Weller	2013/08/20	projection 	MM 	size	A4	scale	1:1	
eng	Luo Weller	2013/11/25			ecn noELX-DG-16345-1				
chr	-	-							
appr	Pei-Ming Zheng	2013/11/28	product family		PwrBlade	rel levelReleased			
	title3ACP + 4S + 2P VERTICAL STB HEADER				dwg no	51952-199PGSA			rev B
www.fci.com	cat. no.		Product - Customer Drw				sheet 2 of 4		

PRODUCT NUMBER
51952-199PGSA_
NOTE 3



dr	Luo Weller	2013/08/20	projection	MM	size	A4	scale	1:1									
eng	Luo Weller	2013/11/25			ecn no	ELX-DG-16345-1											
chr	-	-			rel level	Released											
appr	Pei-Ming Zheng	2013/11/28	product family		PwrBlade												
			title		3ACP + 4S + 2P			dwg no		51952-199PGSA		rev		B			
VERTICAL STB HEADER																	
www.fci.com			cat. no.			Product - Customer Drw						sheet 3 of 4					



Copyright FCI.

PRODUCT NUMBER
51952-199PGSA--
NOTE 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. SEE ITEM 1 & 2 IN PRINT 10125789 FOR PLATING SPEC OF 51952-199PGSA AND 51952-199PGSALF RESPECTIVELY.
- 4 MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON
THIS SURFACE. THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH
SPACE ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.

PCB NOTES:

- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

- 9 $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER .001 [0.03]
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.

- 10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- 11 CONNECTOR KEEP-OUT ZONE.

dr	Luo Weller	2013/08/20	projection	MM	size	A4	scale	1:1
eng	Luo Weller	2013/11/25			ecn no	ELX-DG-16345-1		
chr	-	-						
appr	Pei-Ming Zheng	2013/11/28	product family		PwrBlade	rel level		Released
	title				dwg no			rev
	3ACP + 4S + 2P				51952-199PGSA			B
		VERTICAL STB HEADER						
www.fci.com		cat. no.		Product - Customer Drw			sheet 4 of 4	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9