






PART NUMBER SEE SHEET 2



spec ref *				dr	Vicking Liu	2015/11/18	projection 	MM 	size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicking Liu	2016/03/03			ecn no				-
ASME Y14.5				chr	Fancy Zhang	2016/03/03			rel level				Released
				appr	Pei-Ming Zheng	2016/03/03			product family				PwrBlade+
surface ✓	linear	0.X	±0.5	Amphenol FCi	title 4LP VERTICAL STB HEADER				dwg no	10106266-0400001			rev A
		0.XX	±0.25										
		0.XXX	±0.10										
ASME Y14.5	angular	0°	±2°		cat. no.			Product - Customer Drw			sheet 1 of 3		

PRODUCT NO.	LP					
	E1	P1	P2	P3	P4	E2
10106266-0400001LF						

CODE	DESCRIPTION
HA	METAL HOLD DOWN
LJ	STD LOW POWER CONTACT



spec ref *				dr	Vicking Liu	2015/11/18		MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicking Liu	2016/03/03			ecn no			
ASME Y14.5				chr	Fancy Zhang	2016/03/03			rel level			
				appr	Pei-Ming Zheng	2016/03/03			Released			
	linear	0.X	±0.5	Amphenol FCI	title	4LP	dwg no	10106266-0400001	rev	A	Product - Customer Drw	sheet 2 of 3
		0.XX	±0.25									
		0.XXX	±0.10									
	ASME Y14.5	angular	0°									

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.

spec ref *				dr		Vicking Liu	2015/11/18	projection	MM	size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Vicking Liu	2016/03/03			ecn no -				
ASME Y14.5				chr		Fancy Zhang	2016/03/03			rel level Released				
appr				Pei-Ming Zheng		2016/03/03	product family PwrBlade+							
surface ASME Y14.5	linear	0.X	±0.5	Amphenol FCi	title	4LP VERTICAL STB HEADER				dwg no	10106266-0400001		rev	A
		0.XX	±0.25											
		0.XXX	±0.10											
	angular	0°	±2°			cat. no.		Product - Customer Drw				sheet 3 of 3		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9