


TERMINAL DATA: TE TERMINAL		TE CRIMP SPEC	
TERMINAL NAME: RECPT, ULTRA-FAST FLAG, .187 SERIES			
WIRE STRIP LENGTH 7.51-8.33 mm [.296-.328 IN]		INSULATION DIAMETER RANGE Ø .185 MAX	
TERMINAL APPLICATION SPECIFICATION		114-2123	
TERMINAL APPLICATION SPECIFICATION		- - -	
TERMINALS APPLIED		9	
TE TERMINAL	TE TERMINAL	TE TERMINAL	TE TERMINAL
3-520338-2	6-520338-2	9-520340-2	
5-520338-2	3-520340-2		



- ```
*WARNING
ON INSTALLATION, SET WIRE DISC, ITEM 40 TO
LARGEST WIRE SIZE SETTING. USE OF SETTINGS
BELOW MINIMUM REQUIRED CRIMP HEIGHT SETTING
WILL CAUSE DAMAGE TO CRIMP TOOLING.
```



|                                                                                                                                                                                                                |  |                                                                                                                                                |  |                                                                                                                                           |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------|--|
| <small>THIS DRAWING IS A CONTROL DRAWING FOR THE ELECTRONICS CORPORATION<br/>IT IS DESIGNED TO BE USED IN CONNECTION WITH THE ELECTRONICS CORPORATION<br/>SHOULD BE CONTACTED FOR THE LATEST REVISION.</small> |  | <small>DWN</small><br><b>W. WEAVER</b><br><small>19JUN2012</small>                                                                             |  |  <b>TE Connectivity</b><br>Harrisburg, PA 17105-3608 |  |
| <small>DIMENSIONS:</small><br>                                                                                            |  | <small>TOLERANCES UNLESS OTHERWISE SPECIFIED:</small><br>0 PLC ±.1<br>1 PLC ±0.5<br>2 PLC ±0.13<br>3 PLC ±0.013<br>4 PLC ±0.001<br>ANGLES ±.7° |  | <small>CWK</small><br><b>T. ELBIN</b><br><small>19JUN2012</small>                                                                         |  |
| <small>mm</small>                                                                                                                                                                                              |  | <small>NAME</small><br><b>Ocean End Feed Applicator</b>                                                                                        |  | <small>APVD</small><br><b>T. ELBIN</b><br><small>19JUN2012</small>                                                                        |  |
|                                                                                                                           |  | <small>PRODUCT SPEC</small><br>-                                                                                                               |  | <small>SIZE</small> <small>CAGE CODE</small> <small>DRAWING NO</small><br><b>A</b> <b>00779</b> <b>C=2150268</b>                          |  |
| <small>MATERIAL</small><br>-                                                                                                                                                                                   |  | <small>FINISH</small><br>-                                                                                                                     |  | <small>RESTRICTED TO</small><br>-                                                                                                         |  |
| <small>WEIGHT</small><br>-                                                                                                                                                                                     |  | <small>CUSTOMER ACCESSIBLE PRODUCTION DRAWING</small>                                                                                          |  | <small>SCALE</small> <small>SHEET</small> <small>OF</small> <small>REV</small><br>1:1   1   4   A                                         |  |

## AMP 4805 REV 31MAR2000



DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003

A





B

C

D

|                              |  |                                                       |  |
|------------------------------|--|-------------------------------------------------------|--|
| 8                            |  | 7                                                     |  |
| THIS DRAWING IS UNPUBLISHED. |  | RELEASED FOR PUBLICATION                              |  |
| 2012                         |  | 2012                                                  |  |
| (C) COPYRIGHT 2012           |  | BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED. |  |

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| A   | 66   | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |



ATLANTIC VERSION  
Shown on sheets 1 of 4 & 2 of 4  
(Pacific version shown on sheets 3 of 4 & 4 of 4)

|                                                                                                                                                                                                       |  |                               |                                              |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------|----------------------------------------------|--|
| 1ST PUBLISHED BY: CHANGHAI ELECTRONIC CORPORATION<br>IT IS SUBJECT TO CHANGHAI ELECTRONIC CORPORATION'S<br>POLICY ON CHANGHAI ELECTRONIC CORPORATION'S<br>POLICY ON CHANGHAI ELECTRONIC CORPORATION'S |  | DWN<br>B. WEAVER<br>19JUN2012 | TE Connectivity<br>Harrisburg, PA 17105-3608 |  |
| DIMENSIONS:<br>mm                                                                                                                                                                                     |  | CHK<br>T. ELBIN<br>19JUN2012  | NAME<br>Ocean End Feed<br>Applicator         |  |
| TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:                                                                                                                                                             |  | APVD<br>T. ELBIN<br>19JUN2012 | SIZE<br>00779                                |  |
| 0 PLC ±0.5<br>1 PLC ±0.13<br>2 PLC ±0.13<br>3 PLC ±0.13<br>4 PLC ±0.0001                                                                                                                              |  | PRODUCT SPEC                  | DRAWING NO<br>C-2150268                      |  |
| FINISH                                                                                                                                                                                                |  | APPLICATION SPEC              | RESTRICTED TO                                |  |
| MATERIAL                                                                                                                                                                                              |  | WEIGHT                        | Customer Accessible Production Drawing       |  |
|                                                                                                                                                                                                       |  | SCALE                         | 1:1                                          |  |
|                                                                                                                                                                                                       |  | SHEET                         | 2 of 4                                       |  |
|                                                                                                                                                                                                       |  | REV                           | A                                            |  |

SHEETS 3 & 4 ARE NOT REQUIRED FOR ATLANTIC VERSION







DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2003

C

B

A

|                              |  |                                                       |  |
|------------------------------|--|-------------------------------------------------------|--|
| 8                            |  | 7                                                     |  |
| THIS DRAWING IS UNPUBLISHED. |  | RELEASED FOR PUBLICATION                              |  |
|                              |  | 2012                                                  |  |
| © COPYRIGHT 2012             |  | BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED. |  |

| LOC |    | DIST |     | REVISIONS   |      |     |      |
|-----|----|------|-----|-------------|------|-----|------|
| A   | 66 | P    | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |    | -    | -   | SEE SHEET 1 | -    | -   | -    |
|     |    |      |     |             |      |     |      |
|     |    |      |     |             |      |     |      |

FEED TYPE

PNEUMATIC

SERVO  
LATCH PLATE

CAM POSITION

PACIFIC VERSION

Shown on sheets 3 of 4 & 4 of 4  
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

|                                                                                                                                                                                                     |  |                                        |           |                 |                                                                                                                                     |            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|-----------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------|------------|
| THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE LATEST REVISIONS. ANY DISCREPANCY SHOULD BE CONTACTED FOR THE LATEST REVISION. |  | DWN                                    | B. WEAVER | 19JUN2012       |  STE Connectivity<br>Harrisburg, PA 17105-3608 |            |
|                                                                                                                                                                                                     |  | CHKD                                   | T. ELBIN  | 19JUN2012       |                                                                                                                                     |            |
|                                                                                                                                                                                                     |  | APVD                                   | T. ELBIN  | 19JUN2012       | NAME                                                                                                                                |            |
|                                                                                                                                                                                                     |  | PRODUCT SPEC                           |           |                 | Ocean End Feed<br>Applicator                                                                                                        |            |
|                                                                                                                                                                                                     |  | APPLICATION SPEC                       |           |                 |                                                                                                                                     |            |
|                                                                                                                                                                                                     |  | WEIGHT                                 | -         | SIZE            | CAGE CODE                                                                                                                           | DRAWING NO |
|                                                                                                                                                                                                     |  | Customer Accessible Production Drawing | SCALE     | 1:1             | SHEET                                                                                                                               | 4 OF 4     |
|                                                                                                                                                                                                     |  | REV                                    | A         | 00779 C=2150268 |                                                                                                                                     |            |

|             |   |                                         |         |
|-------------|---|-----------------------------------------|---------|
| DIMENSIONS: |   | TOLERANCES, UNLESS OTHERWISE SPECIFIED: |         |
| mm          |   | 0 PLC                                   | ±.0005  |
|             |   | 1 PLC                                   | ±0.5    |
|             |   | 2 PLC                                   | ±0.13   |
|             |   | 3 PLC                                   | ±0.013  |
|             |   | 4 PLC                                   | ±0.0001 |
|             |   | ANGLES                                  | ±.1°    |
|             |   | FINISH                                  |         |
| MATERIAL    | - | -                                       |         |

|                                                                                       |  |
|---------------------------------------------------------------------------------------|--|
|  |  |
|                                                                                       |  |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9