

Dual GigE PoE/PoE+ Transformer



SMD 48 Pin Dual Port Gigabit or Quad Port 10/100BASE-TX PoE/PoE+ Transformer



Product Features:


- Gigabit Ethernet PoE/PoE+ Transformer
- IEEE802.3ab/af/at Compliant
- UL/EN60950 Recognized
- 100% Electrical Testing
- 1500Vrms Hi-Pot
- Patented Open Frame Construction

Part Number	Circuit	Package	Temp. Range	PoE	1-40MHz	Return Loss (min)			Insertion Loss (max)
						60MHz	80MHz	100MHz	
TG110-RPE14NVRL	A	NV	-40 to +85°C	PoE	-18dB	-14dB	-12dB	-10dB	-1.1dB
TG110-RPE15NVRL	B	NV	-40 to +85°C	PoE	-18dB	-14dB	-12dB	-10dB	-1.1dB
TG110-RPE17NV6RL	A	NV6	-40 to +85°C	PoE	-18dB	-14dB	-12dB	-10dB	-1.1dB
TG111-RPE41NV6RL	C	NV6	-40 to +85°C	PoE	-18dB	-14dB	-12dB	-10dB	-1.1dB
TG1G-RP33NV6LF	D	NV6	0 to 70°C	PoE	-18dB	-14dB	-12dB	-10dB	-1.1dB
TG1G-RPE33NV6LF	D	NV6	-40 to +85°C	PoE	-18dB	-14dB	-12dB	-10dB	-1.1dB
TG111-HP3NV6LF	D	NV6	0 to 70°C	PoE+	-18dB	-14dB	-12dB	-10dB	-1.1dB


Notes:

1. Please contact the factory or representative for individual datasheets or additional information.
2. For the smallest dual port Gigabit or quad port 10/100BASE-TX PoE transformers contact the factory about the 50 pin package.
3. Contact factory for "LF" lead free availability.

Circuit A



Circuit B



Circuit C






Circuit D



For additional information contact your [local representative](#), or HALO's support staff at (650) 903-3800 or info@haloelectronics.com

HALO Dual Port PoE Gigabit Ethernet Transformers




NV Package



Dimensions: inch [mm]
Co-Planarity: 0.004 [0.10]

US Patent Numbers:
5,656,985 6,297,721 B1
6,297,720 B1 6,320,489 B1
6,344,785 B1 6,662,431 B1

NV6 Package



Dimensions: inch [mm]
Co-Planarity: 0.004 [0.10]



2880 Lakeside Drive #116
Santa Clara, CA 95054
(650) 903-3800
www.haloelectronics.com

HALO® Electronics is a leading supplier of high quality communication magnetics including signal transformers, filters, CMR chokes, PoE power transformers, DC/DC converters, and integrated Ethernet connectors. HALO's leading edge technology solutions are manufactured in ISO9001 and ISO14001 factories offering high quality products at a competitive price.

© Copyright 2014 HALO Electronics, Inc. All rights reserved.

Revised 3/2014 Download the latest version at www.haloelectronics.com/pdf/discrete-dualpoe-1gbaset.pdf

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9