





PRODUCT NUMBER SEE SHEET 2



spec ref				dr	Rainbow Zhan	2014/10/23	projection	MM	size	A3	scale	3:2		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicking Liu	2016/10/31			ecn no				ELX-DG-25114-1	
ASME Y14.5				chr	Fancy Zhang	2016/11/02			rel level				Released	
				appr	Pei-Ming Zheng	2016/11/02			product family				PwrBlade+	
surface ASME Y14.5	linear	0.X	±0.5	Amphenol FCI	title				20S + 5ACP	dwg no	10106119-5005001	rev	B	
		0.XX	±0.25											
		0.XXX	±0.10											
	angular	0°	±2°		cat. no.				Product - Customer Drw				sheet 1 of 3	

A

B

C

D

PRODUCT NO.	ROWS		HIGH POWER					SIGNAL					
		E1	P5	P4	P3	P2	P1	5	4	3	2	1	E2
10106119-5005001LF	DCBA		H7	H7	H5	H7	H5	S	S	S	S	S	
								R	R	R	R	R	
								P	P	P	P	P	
								N	N	N	N	N	


CODE	DESCRIPTION
H5	MFBL HIGH POWER CONTACT(3.02)
H7	STD HIGH POWER CONTACT(3.02)
N	STD SIGNAL CONTACT, ROW A
P	STD SIGNAL CONTACT, ROW B
R	STD SIGNAL CONTACT, ROW C
S	STD SIGNAL CONTACT, ROW D

A

B

C

D



Ø 1.02±0.07 TYP
Ø 0.10(M) V U
NOTE 6,7

2x Ø 3.05±0.13
Ø 0.10(M) V U
NOTE 6

spec ref				dr		Rainbow Zhan		2014/10/23		projection		MM		size		A3		scale		3:2																													
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu		2016/10/31						ecn no						ELX-DG-25114-1																											
ASME Y14.5						chr		Fancy Zhang		2016/11/02																																							
						appr		Pei-Ming Zheng		2016/11/02						product family												PwrBlade+												rel level						Released			
surface				linear		0.X		±0.5		Amphenol		FCi		title		20S + 5ACP												dwg no		10106119-5005001												rev		B					
																																														0.XX		±0.25	
																																														0.XXX		±0.10	
ASME Y14.5		angular		0°		±2°				cat. no.		Product - Customer Drw												sheet 2 of 3																									

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THIS PRODUCT MEETS EUROPEN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND
END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR
OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT
TO PRODUCT FUNCTION.
- 10) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref				dr		Rainbow Zhan	2014/10/23		projection		MM		size		A3		scale		3:2														
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu		2016/10/31						ecn no ELX-DG-25114-1																	
ASME Y14.5						chr		Fancy Zhang		2016/11/02																							
						appr		Pei-Ming Zheng		2016/11/02												product family PwrBlade+											
surface		linear		0.X		±0.5		Amphenol FCI		title		20S + 5ACP						dwg no		10106119-5005001						rev		B					
																														0.XX		±0.25	
																														0.XXX		±0.10	
ASME Y14.5		angular		0°		±2°				cat. no.		Product - Customer Drw						sheet 3 of 3															

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9