


[illegible]

TYPE: LSA2, LSH2, LSM2, LSN2, LSP2, LSR2
LSA4, LSH4, LSM4, LSN4, LSP4, LSR4

OPERATING DATA-SIDE ROTARY

INITIAL POSITION

P.T.

PRETRAVEL

OVERTRAVEL

DIFFERENTIAL TRAVEL

D.T.

O.T.

R.T.


RELEASE TRAVEL

Technical drawing of a rectangular panel with the following dimensions and labels:


- Overall width: 1.156
- Overall height: 2.344
- Inner rectangular opening height: 2.250
- Labels:
 - SEAL GASKET (pointing to the top edge)
 - .500 DIA HOLE (.625 DIA MAX PANEL HOLE RECOMMENDED) (pointing to a circular hole)
 - NO CONDUIT HOLE (pointing to the bottom edge)

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.		
MICRO SWITCH a Honeywell Division FED. MFG. CODE 91929	SWITCH - ENCLOSED	CATALOG LISTING LSA-LSW SERIES
		CHART 1


SIDE ROTARY CAM TRACKING




LSZ51 TYPE LEVERS




LSZ55 TYPE LEVERS




LSZ52 TYPE LEVER



LSZ54 TYPE LEVER



OPEN MOUNTED ROLLER



CLOSED MOUNTED ROLLER

LSZ59 TYPE LEVERS

NOTES

- 1 ALSO AVAILABLE IN Ø.250 X 1.500 NYLON, BUT LEVER CANNOT BE INVERTED
- 2 FOR ADDITIONAL ROLLER WIDTHS AND/OR DIAMETERS REFER TO "M" DRAWING
- 3 - FOR ADDITIONAL TYPES OF ROLLERS AND LEVERS REFER TO LSZ CHART 1 "M" DRAWING


CATALOG LISTING
LSA-LSW SERIES CHART 1
PAGE 2 OF 10
REPLACES LSA-LSW SERIES
10JUL07 RELEASE NO. CO-78498
PSR
CHECK
11AUG04
AK
11JUL94
JAF
15JUN94
MAM
DRAWN
MASTER

REVISIONS
L 0031956
BS 10JUL07
B 201004
C SL 10AUG00
C 201748
C SL 17NOV00
D 202198
20JAN01
E 204871
F 206581
GLH 14OCT02
G 206783
C SL 31OCT02
H 207178
GLH 14JAN03
J 207474
18FEB03
K 0006871
RR 11NOV04

TOP ROTARY

SINGLE POLE

DOUBLE POLE



TYPE LSB1 and LSB3

**TYPE LSB2 and LSB4
LSB6 and LSB7 have 1/2" - 14 NPT
CONDUIT HOLE**

PRETRAVEL MAX	SINGLE POLE 25°	DOUBLE POLE 25°
OVERTRAVEL MIN	110°	110°
DIFFERENTIAL TRAVEL MAX	10°	12°
OPERATING TORQUE MAX	2 5 IN. LBS	2 5 IN. LBS
TOTAL TRAVEL (REF)	135°	135°

ELECTRICAL RATINGS

10 AMP CONT.	A.C. VOLTAGE	AMPS AT 35 POWER FACTOR					
		SINGL POLE		DOUBLE POLE		BREAK	
		MAKE	BREAK	MAKE	BREAK	MAKE	BREAK
	120	60	6	30	3		
	240	30	3	15	1.5		
	480	15	1.5	7.5	75		
	600	12	1.2	6	6		

D. C. VOLTAGE	MAKE & BREAK INDUCTIVE	RESISTIVE
120	0.25	0.80
240	0.15	0.40

ELECTRONIC DUTY BASIC SWITCH
10 AMP CONT


VOLTAGE	
5 AC OR DC MIN	01 AMP MIN
600 AC	720 VA
240 DC	30 WATT

**DIRECT ACTING (ALSO RATED AT A. C. 10
AMP CONT.)**


D. C. VOLTAGE	MAKE AND BREAK AMPS	
	INDUCTIVE	RESISTIVE
30	4.2	4.2
120	1.1	1.1
240	.55	.55

**WIRING BASIC SWITCH
(SAME POLARITY MUST BE OBSERVED FOR EACH POLE)**


DOUBLE POLE




SINGLE POLE



SINGLE POLE




ELECTRONIC DUTY



DIRECT ACTING




SINGLE POLE




TYPE LSD1 and LSD3

DOUBLE POLE




TYPE LSD2 and LSD4


*(LSD6 and LSD7 have 1/2 - 14 NPT CON



TYPE LSC1 and LSC3




**TYPE LSC2
and LSC4**




**120 LAMP VOLTAGE -
TYPE LSC5, LSD5 or LSV5**


**240 LAMP VOLTAGE .
TYPE LSC8, LSD8 or LSV8**



TYPE LSV1 and LSV3



**TYPE LSV2
and LSV4**



PAGE 4 OF 10

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

MICRO SWITCH
a Honeywell Division

FED MFG CODE 91929

SWITCH - ENCLOSED

CATALOG LISTING



LSA-LSW SERIES

CHART 1

SCALE NONE

DO NOT SCALE PRINT

SINGLE POLE DOUBLE POLE



SCALE NONE

DO NOT SCALE PRINT



TYPE LSG1 and LSG3

INITIAL POSITION —
(FREE POSITION) }
OPERATING POINT }
PRETRAVEL }
DIFFERENTIAL TRAVEL }
OVERTRAVEL }
FULL TRAVEL —

OPERATING POINT GIVEN
IN RELATION TO TOP
MOUNTING HOLE

SIDE PLUNGER TYPES

PAGE 6 OF 10

SWITCH - ENCLOSED

CATALOG LISTING
LSA-LSW SERIES
CHART 1

SCALE		NONE	
DO NOT SCALE PRINT			
UNLESS			
DIMENSIONS ARE IN			
TOLERANCES			
ONE PLACE	(0)	+	01
TWO PLACE	(.00)	+	00
THREE PLACE	(.000)	+	000
ANGLES		+	
WEIGHT			

REVISIONS	
L	0031956
BS	10 JUL 07
B	201004
C	10 AUG 00
C	201748
D	202198
E	204871
F	206581
G	206763
H	207179
J	207474
K	0006871

ISSUE	12	PSR	10 JUL 07	CHECK	AK	11 AUG 04	RELEASE NO	CO-78498	REPLACES	LSA-LSW SERIES
M LSA-LSW SERIES CHART 1										
PAGE 7 OF 10										

MA	15 JUN 94	CHECK	JAF	11 JUL 94	CHECK	AK	11 AUG 04
DRAWN							

CATALOG LISTING

LSA-LSW SERIES CHART 1

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF

11 JUL 94

CHECK

AK

11 AUG 04

RELEASE NO

CO-78498

REPLACES

LSA-LSW SERIES

MA

15 JUN 94

CHECK

JAF


11 JUL 94

CHECK

AK

11 AUG 04


RELEASE NO



WIRE EXTENSION TYPE 7M ACTUATOR

TYPE LSJ1 and LSJ3

REPLACEMENT ACTUATOR - LSZ 4010




WIRE EXTENSION TYPE 7M ACTUATOR

TYPE LSJ2 and LSJ4

LSJ6 and LSJ7 have 1/2 - 14 NPT CONDUIT HOLE


SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP



120 LAMP VOLTAGE TYPE LSJ5
240 LAMP VOLTAGE TYPE LSJ8


CAT WHISKER

SINGLE POLE




TYPE LSK1
and LSK3

SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP



120 LAMP VOLTAGE
TYPE LSK5 - CAT WHISKER TYPE LSB5 - TOP ROTARY
240 LAMP VOLTAGE
TYPE LSK8 - CAT WHISKER TYPE LSB8 - TOP ROTARY

DOUBLE POLE



TYPE LSK2
and LSK4
LSK6 and LSK7
have 1/2 - 14 NPT
CONDUIT HOLE

*WIRE EXTENSION REPLACEMENT ACTUATOR
TYPE 8A ACTUATOR 5.5 IN.-LSZ 4012
TYPE 8B ACTUATOR 7.5 IN.-LSZ 4013
TYPE 8C COIL ACTUATOR 5.5 IN.-LSZ 4014
ACTUATOR 9.5 IN. - LSZ4036

WIRE EXTENSION
*TYPE 8A ACTUATOR 5.5 IN.
TYPE 8B ACTUATOR 7.5 IN.
TYPE 8C ACTUATOR 5.5 IN.
TYPE 8D ROD ACTUATOR 5.5 IN.

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

MICRO SWITCH
a Honeywell Division
FED MFG CODE 91929

SWITCH - ENCLOSED

CATALOG LISTING
LSA-LSW SERIES
CHART 1


SCALE NONE
DO NOT SCALE PRINT

PRETRAVEL (APPROX) IN. RADIUS	CAT. WHISKER		WOBBLE STICK	
	5/16" COIL	5/16" WIRE	7/16" ROD	WIRE
	2	2	4.5	1.5
OPERATING FORCE-OZ (MAX)	7.0	5.0	3.0	7.0

CONVERSION BASES


SINGLE POLE (SIDE ROTARY) LSZ 4003

**DOUBLE POLE
(SIDE ROTARY)
LSZ4004**



NOTE
SEE OTHER PAGES OF LSA-LSW
(M) DRAWING FOR DIMENSION OF LIMITS

SINGLE POLE TOP PLUNGER LSZ4003



NOTE
SEE OTHER PAGES OF LSA-LSW
(M) DRAWING FOR DIMENSION OF
LIMIT SWITCH

CODE: 1 SATISFACTORY 2 FAIR 3 DOUBTFUL 4 UNSATISFACTORY

TEMPERATURE LIMITATIONS FOR STANDARD DEVICES		
TYPES	LOW LIMIT	HIGH LIMIT
LSA	+10°F	+250°F
LSB	+30°F	+250°F
LSC	+10°F	+200°F
LSD	+10°F	+200°F
LSE	+10°F	+200°F
LSF	+10°F	+200°F
LSG	+30°F	+200°F
LSH	+30°F	+250°F
LSJ	+10°F	+200°F
LSK	+10°F	+200°F
LSL	+10°F	+250°F
LSM	+30°F	+250°F
LSN	+30°F	+250°F
LSP	+10°F	+250°F
LSR	+30°F	+250°F
LSV	+10°F	+200°F
LSW	+10°F	+200°F
LST	+30 F	+170°F
LSS	+30°F	+170°F

SCALE

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9