













PRODUCT NUMBER SEE SHEET 2




spec ref				dr		Peng-Bing Fu		2013/01/10		projection				size		A3		scale		3:2											
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu		2015/10/29						ecn no		ELX-DG-22326-1													
ASME Y14.5						chr		Fancy Zhang		2015/11/02																					
						appr		Pei-Ming Zheng		2015/11/02																					
						product family						PwrBlade+						rel level		Released											
surface				linear		0.X		±0.50				title		12P+24S						dwg no		10106263-C006001						rev		C	
				0.XX		±0.25																									
				0.XXX		±0.10																									
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw						sheet 1 of 3													



Copyright FCI.

PRODUCT NO.	ROWS	HIGH POWER												SIGNAL								
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	1	2	3	4	5	6	E2	
10106263-C006001LF	D C B A																					



CODE	DESCRIPTION
HA	METAL HOLD DOWN
HE	STD HIGH POWER CONTACT (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)

dr	Peng-Bing Fu	2013/01/10	projection	MM	size	A3	scale	3:2			
eng	Vicking Liu	2015/10/29			ecn no	ELX-DG-22326-1					
chr	Fancy Zhang	2015/11/02			rel level			Released			
appr	Pei-Ming Zheng	2015/11/02	product family		PwrBlade+						
			title			12P+24S		dwg no	10106263-C006001	rev	C
			RA PF HEADER								
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3			

A

B

C

D

A

B

C

D

- NOTES:
- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
 - 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
 - 3) PLATING SPECIFICATION: 10116351
 - 4) DENOTES CONNECTOR KEEP OUT ZONE.
 - 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
 - 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
 - 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
 - 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.



Copyright FCI.

dr	Peng-Bing Fu	2013/01/10	projection	MM	size	scale
eng	Vicking Liu	2015/10/29			A3	3:2
chr	Fancy Zhang	2015/11/02			ecn no	ELX-DG-22326-1
appr	Pei-Ming Zheng	2015/11/02			rel level	Released
			product family	PwrBlade+		
		12P+24S			dwg no	rev
		RA PF HEADER			10106263-C006001	C
www.fci.com		cat. no.	Product - Customer Drw			sheet 3 of 3

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9