

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0558372070](#)
Status: **Active**
Description: CRC™ Shielded Rectangular I/O Receptacle Assembly Set, Wire-to-Wire, Male Terminal, Signal, 20 Circuits, Polarization Type Standard, Lead-free

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-51238-018 \(PDF\)](#)

General

Product Family	I/O Connectors
Series	55837
Application	Wire-to-Wire
Component Type	Kit
Product Name	CRC™
Type	N/A

Physical

Boot Color	N/A
Circuits (Loaded)	N/A
Circuits (maximum)	20
Color - Resin	Black, Gray
Durability (mating cycles max)	100
Gender	Receptacle
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Stainless Steel, Steel
Material - Plating Mating	n/a
Material - Resin	Polycarbonate, Polyester
Number of Rows	5
Orientation	Vertical
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.118 In
Pitch - Mating Interface (mm)	3.00 mm
Polarized to Mating Part	Yes
Ports	1
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	N/A
Waterproof / Dustproof	No

Electrical

Current - Maximum per Contact	3.5A
Shield Type	Full Shield
Shielded	Yes
Voltage - Maximum	250V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Product Specification	PS-51238-018, RPS-51238-001
Sales Drawing	SD-55837-006



image - Reference only

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
 Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[55837Series](#)

Mates With
[51239](#) plug housing, [54332](#) plug assembly set

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1211	1	51233-2011	1	51233-3011	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1270		55837-2070		55837-3070	
タイプ TYPE	STANDARD TYPE					

55837-3074	
55837-2074	55837-***74
55837-1274	
55837-3073	
55837-2073	55837-***73
55837-1273	
55837-3072	
55837-2072	55837-***72
55837-1272	
55837-3071	
55837-2071	55837-***71
55837-1271	
55837-3070	
55837-2070	55837-***70
55837-1270	
MATERIAL NO.	MODEL NO.

NOTES.

- ELV及びRoHS適合品。
ELV AND RoHS COMPLIANT.
- 本製品は 55837-***0* の鉛フリー品である。
THIS PRODUCT IS LEAD FREE VERSION OF 55837-***0*.

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	10 UNDER	± ---	DRAWN BY Y. AOYAGI	DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA	DATE 2007/03/29	MOLEX INCORPORATED			
	30 OVER	± ---	APPROVED BY N. UKITA	DATE 2007/03/29	DOCUMENT NO. SD-55837-006			
0	ANGULAR ± --- °	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SHEET NO. 1 OF 5		
				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1212	1	51233-2012	1	51233-3012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1271		55837-2071		55837-3071	
タイプ TYPE	A TYPE					

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	 MOLEX INCORPORATED DOCUMENT NO. SD-55837-006 SHEET NO. 2 OF 5			
	ANGULAR	± --- °	MATERIAL NO.		SEE TABLE				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

F

E

D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1213	1	51233-2013	1	51233-3013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1272		55837-2072		55837-3072	
タイプ TYPE	B TYPE					

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	MOLEX INCORPORATED DOCUMENT NO. SD-55837-006 SHEET NO. 3 OF 5			
	ANGULAR	± --- °	MATERIAL NO.		SEE TABLE				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

F

E

D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1214	1	51233-2014	1	51233-3014	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1273		55837-2073		55837-3073	
タイプ TYPE	C TYPE					

F

E

D

C

B

A

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	 MOLEX INCORPORATED DOCUMENT NO. SD-55837-006 SHEET NO. 4 OF 5			
	ANGULAR	± --- °	MATERIAL NO.		SEE TABLE				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

F

E

D

C

B

A

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. PIN HS'G ASS'Y	51233-1215	1	51233-2015	1	51233-3015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55837-1274		55837-2074		55837-3074	
タイプ TYPE	D TYPE					

F

E

D

C

B

A

RELEASED EC NO: J2007-2693 DRWN: AOYAGI 2007/03/29 CHKD: TOYODA 2007/03/30 APPR: NUKITA 2007/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY Y. AOYAGI		DATE 2007/03/27	TITLE COMPACT ROBOT CONN. W/W TYPE PIN SET			
	10 OVER 30 UNDER	± ---	CHECKED BY K. TOYODA		DATE 2007/03/29				
	30 OVER	± ---	APPROVED BY N. UKITA		DATE 2007/03/29	 MOLEX INCORPORATED			
	ANGULAR	± --- °	MATERIAL NO.		DOCUMENT NO.				
0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55837-006		5 OF 5	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9