




LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			C2	ADD NEW PART 6450841-6	19MAY2011	AY	SZ
			C3	ADD NEW DASH NUMBER -8	22APR2014	AL	SZ
			C5	ADD NEW DASH NUMBER -9	21JUN2014	CZ	SZ



1 "AMP", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN.
PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.

2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC,BLACK, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY)

3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA
OF POWER AND SIGNAL CONTACTS


4 MECHANICAL CONNECTOR KEEP OUT ZONE.

5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

6 PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.

7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn
OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA HOLE.


9 FOR CONFIGURATION S/LP/P,PLEASE SEE SHEET 2.



C4	-	-	2.200	.695	2.090	.300	2.300	2.440	.095	20S + 5ACP	6450841-9
	-	-	2.250	.570	2.140	.200	2.350	2.490	.095	16S + 8HDP	6450841-8
	-	-	2.700	-	2.590	-	2.800	2.940	.095	100S	6450841-6
	-	-	1.800	.770	1.690	.250	1.900	2.040	.095	24S + 4P	6450841-5
	-	-	.600	-	.490	-	.700	.840	.095	16S	6450841-4
9	.115	1.4525	4.830	1.775	4.720	.250	4.930	5.070	.095	52S + 2LP + 12P	6450841-2
	-	-	3.600	1.070	3.490	.250	3.700	3.840	.145	32S + 10P	6450841-1
	DIM T	DIM W	DIM V	DIM R	DIM U	DIM S	DIM D	DIM L	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN VINCENT QIAO CHK SUNY ZHAO APVD S. YAO	15AUG2008 15AUG2008 15AUG2008	 TE Connectivity
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE		
		0 PLC ±. 1 PLC ±.13 2 PLC ±.13 3 PLC ±0.0020 4 PLC ±. ANGLES ±°	PRODUCT SPEC 108-2292 APPLICATION SPEC 114-13038		
MATERIAL -		FINISH -	SIZE A1 100779		
CUSTOMER DRAWING			SCALE 1:1		SHEET 1
			OF 6		REV C5

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



FOR CONFIGURATION S/LP/P, OTHER DIMENSIONS PLEASE SEE SHEET 1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN VINCENT QIAO 15AUG2008
CHK SUNY ZHAO 15AUG2008
APVD S. YAO 15AUG2008

DIMENSIONS:
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±"
1 PLC ±"
2 PLC ±.13
3 PLC ±0.0020
4 PLC ±"
ANGLES ±2°
FINISH -

PRODUCT SPEC

108-2292

APPLICATION SPEC

114-13038

WEIGHT -

CUSTOMER DRAWING

NAME

RIGHT ANGLE HEADER
W/ LP CONTACT AND SHORT END MODULES
MULTI-BEAM XLE

SIZE A1

CAGE CODE 00779




DRAWING NO. C=6450841


RESTRICTED TO -


SCALE 1:1

SHEET 2 OF 6

REV C5


PART NUMBER	ROWS		SIGNAL													POWER															
			1	2	3	4	5	6	7	8	9	10	11	12	13	LP1	LP2	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10		P11	P12	
6450841-2	D C B A		Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	LT	LT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT		
			Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5																Y5	
			R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5																R5	R5
			05	05	05	05	05	05	05	05	05	05	05	05																05	05
52S + 2LP + 12P																															



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 15AUG2008 VINCENT QIAO CHR 15AUG2008 SUNY ZHAO APVD 15AUG2008 S. YAO		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE	
		0 PLC ±. 1 PLC ±. 2 PLC ±.13 3 PLC ±.0020 4 PLC ±. 5 PLC ±. 6 PLC ±. 7 PLC ±. 8 PLC ±. 9 PLC ±. 10 PLC ±. 11 PLC ±. 12 PLC ±. 13 PLC ±. 14 PLC ±. 15 PLC ±. 16 PLC ±. 17 PLC ±. 18 PLC ±. 19 PLC ±. 20 PLC ±. 21 PLC ±. 22 PLC ±. 23 PLC ±. 24 PLC ±. 25 PLC ±. 26 PLC ±. 27 PLC ±. 28 PLC ±. 29 PLC ±. 30 PLC ±. 31 PLC ±. 32 PLC ±. 33 PLC ±. 34 PLC ±. 35 PLC ±. 36 PLC ±. 37 PLC ±. 38 PLC ±. 39 PLC ±. 40 PLC ±. 41 PLC ±. 42 PLC ±. 43 PLC ±. 44 PLC ±. 45 PLC ±. 46 PLC ±. 47 PLC ±. 48 PLC ±. 49 PLC ±. 50 PLC ±. 51 PLC ±. 52 PLC ±. 53 PLC ±. 54 PLC ±. 55 PLC ±. 56 PLC ±. 57 PLC ±. 58 PLC ±. 59 PLC ±. 60 PLC ±. 61 PLC ±. 62 PLC ±. 63 PLC ±. 64 PLC ±. 65 PLC ±. 66 PLC ±. 67 PLC ±. 68 PLC ±. 69 PLC ±. 70 PLC ±. 71 PLC ±. 72 PLC ±. 73 PLC ±. 74 PLC ±. 75 PLC ±. 76 PLC ±. 77 PLC ±. 78 PLC ±. 79 PLC ±. 80 PLC ±. 81 PLC ±. 82 PLC ±. 83 PLC ±. 84 PLC ±. 85 PLC ±. 86 PLC ±. 87 PLC ±. 88 PLC ±. 89 PLC ±. 90 PLC ±. 91 PLC ±. 92 PLC ±. 93 PLC ±. 94 PLC ±. 95 PLC ±. 96 PLC ±. 97 PLC ±. 98 PLC ±. 99 PLC ±. 100 PLC ±.		PRODUCT SPEC 108-2292 APPLICATION SPEC 114-13038	
MATERIAL :		FINISH :		SIZE CAGE CODE DRAWING NO RESTRICTED TO A1 00779 C=6450841 -	
WEIGHT :		CUSTOMER DRAWING :		SCALE 1:1 SHEET 3 OF 6 REV C5	


LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL																									
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
6450841-6	D		Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5		
	C		Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5		
	B		R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5		R5
	A	HD	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5		HD
100S																												



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN VINCENT QIAO 15AUG2008	 TE Connectivity			
DIMENSIONS: INCHES		CHK SUNY ZHAO 15AUG2008				
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. YAO 15AUG2008	NAME		
	0 PLC ±.13		PRODUCT SPEC	RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE		
	2 PLC ±.13		108-2292			
	3 PLC ±0.0020		APPLICATION SPEC			
	4 PLC ±.13		114-13038			
MATERIAL	FINISH	WEIGHT	SIZE A	CAGE CODE 00779	DRAWING C=6450841	RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 1:1	SHEET 5	OF 6	REV C5

PART NUMBER	ROWS		SIGANL					POWER					
			I	2	3	4	5	P1	P2	P3	P4	P5	
6450841-9	D		Z5	Z5	Z5	Z5	Z1	TT	TT	TT	TT	TT	
	C		Y5	Y5	Y5	Y5	Y1						
	B		R5	R5	R5	R5	R1						
	A		O5	O5	O5	O5	O1						
20S + 5ACP													

4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9