

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	F1	ECR-14-002921	27FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151105-1

FOR REPLACEMENT PARTS FOR APPLICATOR 567458
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
567458



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 567458	RESTRICTED TO
FINISH		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE		SHEET 1 OF 2	REV F1



TERMINAL NAME:			
_070 RECPT CONTACT			
SEAL PN		171630-	
172746		171630-5	
178210			
TERM APPL SPEC	114-5082		

CRIMPING DATA				⑥
PAD LTR	CRIMP HEIGHT		WIRE SIZE	
A	NOT		USED	
B	.043 ±.002		20	
C	.042 ±.002		22	
D	.039 ±.002		24	
CRIMP	SIZE	TYPE	RANGE	
WIRE	.062	F	24-20	
INSUL	1.30	0	.055-.094	
FEED	APPL INST	SET UP GAGE	LAYOUT	
.386	A18040	458637-1	L1458	
WIRE STRIP LENGTH .157-.177				
-1	LEADMAKER		MECH-POST FEED	
-2	AMP-O-ELECTRIC		MECH-PRE FEED	

LOC	DIST	REVISIONS					
A	66	P	LYR	DESCRIPTION	DATE	OWN	APPR
			F	ECR-07-016367	7-2007	MY	GE



POST FEED 1 5/8 STROKE



44
(REF)

47

91

2

ROTATED 180°



1. RECOMMENDED SPARE PARTS.
2. GREASE LIGHTLY.
3. GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN AMP-O-ELECTRIC MACHINE.
4. LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEM 79) ARE USED ON ITEM 46.
6. THIS APPLICATOR APPLIES TERMINAL WITH A SEAL.
7. APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY PN 1-23419-5 LOC-TITE TO THREADS.

					129
					128
					127
					126
					125
REF	REF	—	21045-3	RING,RET "C"(Ø.187)FD FING PIN	124
					123
REF	REF	—	5-21028-1	PIN,SLT SPR(Ø.125x.50)ADJ ROD	122
1	1	—	4-21028-0	PIN,SLT SPR(Ø.093x.75)ST GDE PL	121
REF	REF	—	1-21030-1	PIN,DOWEL(Ø.187x.50)LEVER	120
REF	REF	—	1-21030-6	PIN,DOWEL(Ø.187x1.25)HOUSING	119
					118
2	1	—	21024-5	WASHER, LOCK(#10)ADJ BLOCK	117
REF	REF	—	21024-5	WASHER,LOCK(#10)ADJ PLATE	116
REF	REF	—	21024-5	WASHER,LOCK(#10)FEED GDE ROD	115
2	2	—	21024-2	WASHER,LOCK(#4)FRONT STP GUIDE	114
					113
					112
4	4	—	21024-4	WASHER,LOCK(#8)STRIPPER	111
REF	REF	—	21899-4	WASHER,FLAT(Ø5/16)SCREW ADJ	110
1	REF	—	21899-2	WASHER,FLAT(NO.10)LUB ASSY	109
1	1	—	21018-5	NUT,HEX(NO.6)HOLDDOWN	108
REF	REF	—	21018-5	NUT,HEX(6-32)FEED ADJ	107
					106
					105
					104
1	1	—	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM	103
2	2	—	21017-2	SCR,DRIVE(#2x.19)ID PLATE	102
REF	REF	—	6-23715-5	SCR,PAN HD(6-32x1.50)FEED ADJ	101
1	1	—	461264-1	PLATE, IDENTIFICATION	100
2	2	—	5-21006-6	SCR,SET(10-32x.75)DRAG	99
1	1	—	22733-8	SCR,BHC(8-32x.38 LW)ANVIL	98
REF	REF	—	2-21002-9	SCR,BHC(10-32x.75)CAP	97
REF	REF	—	2-22733-8	SCR,BHC(1/4-20x.62)HOUSING	96
REF	REF	—	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK	95
4	4	—	2-21002-2	SCR,BHC(8-32x.50)SHEAR	94
2	2	—	2-21002-1	SCR,BHC(8-32x.38)R STRIP GUIDE	93
1	1	—	1-21003-9	SCR,FHC(6-32x.38)DEP	92
1	1	—	1-21002-7	SCR,BHC(6-32x.38)CAM	91
					90
2	2	—	5-354779-5	PIN,WIRE DISC (.3265)D	89
2	2	—	4-354779-9	PIN,WIRE DISC (.3235)C	88
2	2	—	4-354779-7	PIN,WIRE DISC (.3225)B	87
1	1	—	2-22603-0	SCR,HEX HD(8-32x.31)FEED FINGER	86
2	2	—	1-21000-3	SCR,SHC(4-40x.25)F ST GUIDE	85
3	3	—	2-21000-7	SCR,SHC(8-32x.50)STRIPPER	84
REF	REF	—	3-21000-7	SCR,SHC(10-32x.75)FEED ROD GD	83
REF	REF	—	3-21000-6	SCR,SHC(10-32x.62)FD ADJ BLK	82
2	1	—	3-21000-4	SCR,SHC(10-32x.38)SG ADJ BL	81
REF	REF	—	3-21000-4	SCR,SHC(10-32x.38)PIVOT BLK	80
REF	—	—	455749-1	GUARD, WINDOW	79
1	—	—	1-465184-0	LUBRICATOR ASSY	78
REF	REF	—	852931-1	OIL, LUBRICATING	77
					76
					75
1	1	—	690603-1	SPRING, ASSIST	74
1	1	—	23030-1	SCR,SHC(6-32x.25)CP DISC	73
REF	REF	—	458109-1	WASHER, SPECIAL	72
REF	REF	—	690517-1	SPACER	71
-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
QTY REQD PER ASSY					PARTS LIST

REF	REF	—	22594-8	NUT, HEX(1/2-20)	70
REF	REF	—	240628-1	PLATE, ADJUSTMENT	69
REF	REF	—	240626-1	SHAFT, PIVOT	68
REF	REF	—	240633-1	BUSHING	67
REF	REF	—	455680-1	LEVER, INTERMEDIATE	66
REF	REF	—	240629-1	BLOCK, PIVOT	65
REF	REF	—	240632-2	SCREW, ADJ FEED ROD	64
REF	REF	—	240659-3	PIN, CAM ROLLER	63
REF	REF	—	240658-1	ROLLER, CAM	62
REF	REF	—	454398-2	ROD, FEED	61
REF	REF	—	454178-1	GUIDE, FEED ROD	60
REF	REF	—	454220-1	CAP, RAM	59
REF	REF	—	454485-1	HOUSING	58

1	1	—	458537-2	PAWL, FEED	56
REF	REF	—	240624-1	PIN, FEED FINGER	55
REF	REF	—	691499-1	SPRING, FEED FINGER	54
REF	REF	—	690541-1	HOLDER, FEED FINGER	53
REF	REF	—	455679-1	LEVER, TERMINAL FEED ARM	52
1	1	—	811242-2	BUMPER, HOLDDOWN	51
1	1	—	690753-1	SPACER, TONKER	50
1	1	—	7-21002-9	BOLT, CRIMPER(5/16x1.00)	49
1	—	—	690602-5	CAM, PRE-FEED 1 1/8 ST	48
—	1	—	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	—	459456-1	APPLICATOR, BASIC (SUBASSY)	46
1	1	—	690191-1	PLUG, NYLON	45
1	1	—	455673-1	RAM	44
1	1	—	690125-1	WASHER, LAMINATED	43
1	1	—	690124-1	WASHER, RAM	42

1	1	—	23241-6	BALL, STEEL	40
1	1	—	690170-1	SPRING, COMPRESSION	39
1	1	—	690142-1	DISC, INSULATION	38
1	1	—	354777-1	DISC, WIRE	37
1	1	—	22480-5	WASHER, SPRING	36
1	1	—	690212-1	POST, RAM	35
1	1	—	690786-1	SUPPORT, TERMINAL	34
REF	REF	—	455675-1	PLATE, BASE	33
1	1	—	690432-3	SCREW, ADJUSTMENT	32
1	1	—	986950-1	WASHER, FLAT PRECISION	31
REF	REF	—	455689-1	BLOCK, STRIP GUIDE ADJ	30
1	1	—	455671-1	PLATE, STRIP GUIDE	29
1	1	—	455888-9	SPACER, FRONT SHEAR DEP	28
2	2	—	1-22284-0	SPRING, DRAG	27
1	1	—	690546-1	LEVER, DRAG RELEASE	26
1	1	—	240792-1	DRAG, TERMINAL	25
1	1	—	6-690504-0	GUIDE, STRIP (REAR)	24
1	1	—	690438-1	GUIDE, STRIP (FRONT)	23
—	1	—	690472-2	STRIPPER	22
REF	REF	—	4-22284-9	SPRING, FEED RETURN	21

1	-	-	691353-1	STRIPPER	20
					19
					18
					17
1	1	-	691667-1	GUARD, CHIP (FRONT)	16

					15
					14
					13

1	1	-	3-22280-3	SPRING, SHEAR	12
1	1	-	690461-2	STOP, SHEAR	11
1	1	-	1-690459-0	HOLDER, SHEAR (FRONT)	10
1	1	-	318707-2	SHEAR, FLOAT (FRONT)	9
1	1	-	4-854014-0	ANVIL	8

					7
					6
1	1		318701_2	DEEPERORED SHEAR (FRONT)	5

1	1	1	—	318701-2	DEPRESSOR, SHEAR (FRONT)	5
	1	1	—	238011-4	SPACER, BLOCK CRIMPER	4
1	1	1	—	6-456135-2	CRIMPER, INSULATION	3
	1	1	—	455888-6	SPACER, CRIMPER	2
	1	1	—	1-456403-5	CRIMPER, WIRE	1

	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
--	----	----	-----	---------	-------------	---------

		7			NO
			PARTS LIST		

QTY REQD PER ASSY		PARTS LIST	

A CONTROLLED DOCUMENT.

OWN	8/15/92
P. MATHIAS	
8-12-92	

 Tyco Electronics Corporation

CHK	6-18-92	Harrisburg, PA 17105-3608
C.ERISMAN		
AKUD	6-18-92	NAME

OTHERWISE SPECIFIED:	APVD	6-19-92	NAME	
	B.WOLFE			
	PRODUCT SPEC			SIDE FEED HDM APPLICATOR

0 PLC	± -	1000000000	
1 PLC	± -		-
2 PLC	± -	-	-

3 PLC	± -	APPLICATION SPEC			
4 PLC	± -		SIZE	CAGE CODE	DRAWING NO
			RESTRICTED 1		

ANGLES	± -	-	A 1	00779	C=567458	-
FINISH		WEIGHT -				

CUSTOMER DRAWING		SCALE	SHEET 1 OF 1	REV E
------------------	--	-------	--------------	-------

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9