





ENTER DESCRIPTION EC NO: WEU2010-0019 2009/07/16 DRWN: LSG CHKD: JPMURPHY APPR: JPMURPHY 2009/08/10		QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
			mm	INCH	DRAWN BY	DATE	TITLE NC 4P M/MFE 0.6M ST/ST CPLR 24					
			4 PLACES	± ---	± ---	NKUMAR01						16/07/09
			3 PLACES	± ---	± ---	CHECKED BY	DATE					
A	REV		2 PLACES	± ---	± ---	BWOODMAN	16/07/09	MOLEX INCORPORATED				
			1 PLACE	± ---	± ---	APPROVED BY	DATE					
			ANGULAR ±1/2°		JFMURPHY	16/07/09	DOCUMENT NO. SD-120087-092					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE SHEET 3							SHEET NO. 1 OF 3
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												


13	12	11	10	9	8	7	6	5	4	3	2	1
FEMALE INSERT FRONT VIEW				MALE INSERT FRONT VIEW								
3 POLE		4 POLE		5 POLE		3 POLE		4 POLE		5 POLE		
1 BROWN 3 BLUE 4 BLACK		1 BROWN 2 WHITE 3 BLUE 4 BLACK		1 BROWN 2 WHITE 3 BLUE 4 BLACK 5 GREY		1 BROWN 3 BLUE 4 BLACK		1 BROWN 2 WHITE 3 BLUE 4 BLACK		1 BROWN 2 WHITE 3 BLUE 4 BLACK 5 GREY		



SEC Y-Y



SEC Z-Z



SECTION Z-Z
FOR 4-5 PLOE ONLY
[4 POLE SHOWN]

ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
EC NO: WEU2010-0019 DRAWN: SG CHKD: APPR: JFMURPHY		2009/07/16 2009/08/10				IN/MM		5:1	INCH		
REV		DESCRIPTION		mm		INCH		DRAWN BY		DATE	
A				± ---		± ---		NKUMAR01		16/07/09	
				± ---		± ---		CHECKED BY		DATE	
				± ---		± ---		BWOODMAN		16/07/09	
				± ---		± ---		APPROVED BY		DATE	
				± ---		± ---		JFMURPHY		16/07/09	
								MATERIAL NO.		DOCUMENT NO.	
								SEE SHEET 3		SD-120087-092	
								SIZE		SHEET NO.	
								C		2 OF 3	

	13	12	11	10	9	8	7	6	5	4	3	2	1		
J								FEMALE INSERT ASSEMBLY			MALE INSERT ASSEMBLY			J	
								3 POLE	4 POLE	5 POLE	3 POLE	4 POLE	5 POLE		
I								QTY			QTY			I	
	SL.No	DESCRIPTION	MATERIAL	FINISH				3	4	5					
	1	CONTACT SOCKET	COPPER ALLOY	GOLD PLATED				1	1	1					
	2	O-RING	VITON	RED											
	3	COUPLING NUT	BRASS	NICKEL PLATED											
	4	LABEL	PLASTIC FILM	BLACK/YELLOW				1	1	1	1	1	1		
	5	OVER MOLD	TPE	YELLOW											
H	6	CABLE, 24 AWG, 3 CONDUCTOR	PVC JACKET	YELLOW				1			1				
		CABLE, 24 AWG, 4 CONDUCTOR	PVC JACKET	YELLOW					1			1			
		CABLE, 24 AWG, 5 CONDUCTOR	PVC JACKET	YELLOW						1			1		
	7	INSERT FEMALE 3 POLE	PUR	BLACK				1							
		INSERT FEMALE 4 POLE	PUR	BLACK					1						
		INSERT FEMALE 5 POLE	PUR	BLACK						1					
G	8	STAMP & FORM CONTACT	COPPER ALLOY	GOLD PLATED							3				
	9	SCREW MACHINE CONTACT	COPPER ALLOY	GOLD PLATED								4	5		
	10	SLEEVE	BRASS	NICKEL PLATED							1	1	1		
F	11	COUPLING NUT	BRASS	NICKEL PLATED							1	1	1		
	12	INSERT MALE 3 POLE	PUR	BLACK							1				
		INSERT MALE 4 POLE	PUR	BLACK								1			
		INSERT MALE 5 POLE	PUR	BLACK									1		
E															E
	PART NUMBER	DESCRIPTION	FINISHED LENGTH												
	1200870071	443030A10M006	0.6M +45MM -0 [1' 11" +1.8" -0]												
	1200870074	443030A10M010	1M +56MM -0 [3' 3" +2.2" -0]												
D	1200870078	443030A10M020	2M +90MM -0 [6' 6" +3.5" -0]												
	1200870079	443030A10M030	3M +90MM -0 [9' 10" +3.5" -0]												
	1200870080	443030A10M040	4M +150MM -0 [13' 1" +6" -0]												
	1200870081	443030A10M050	5M +150MM -0 [16' 4" +6" -0]												
	1200870092	444030A10M006	0.6M +45MM -0 [1' 11" +1.8" -0]												
C	1200870093	444030A10M010	1M +56MM -0 [3' 3" +2.2" -0]												
	1200870095	444030A10M020	2M +90MM -0 [6' 6" +3.5" -0]												
	1200870096	444030A10M030	3M +90MM -0 [9' 10" +3.5" -0]												
	1200870097	444030A10M040	4M +150MM -0 [13' 1" +6" -0]												
B	1200870098	444030A10M050	5M +150MM -0 [16' 4" +6" -0]												
	1200870677	445030A10M006	0.6M +45MM -0 [1' 11" +1.8" -0]												
	1200870112	445030A10M010	1M +56MM -0 [3' 3" +2.2" -0]												
	1200870113	445030A10M020	2M +90MM -0 [6' 6" +3.5" -0]												
A	1200870678	445030A10M030	3M +90MM -0 [9' 10" +3.5" -0]												
	1200870114	445030A10M040	4M +150MM -0 [13' 1" +6" -0]												
	1200870041	445030A10M050	5M +150MM -0 [16' 4" +6" -0]												

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9