




LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			AL2	REVISED PER ECO-11-004820	11MAR11	RK	HMR



- PIN 1 IDENT DOT



- PIN 1 IDENT DOT






FIG 1



CONTACT ARRANGEMENT





FIG 2

- | | |
|---|--|
|  | NO POSITION MARKING. |
|  | NO PART NO. MARKING. |
|  | STRIPPABLE TAPE SEAL, SEE FIGURE 8. |
|  | OBSOLETE PARTS: OBSOLETE CIS
STREAMLINING PER D.RENAUD/D.SINISI |

- 1 FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.
- 2 SWITCH SHOWN IN OPEN POSITION.
- 3 ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.
- 4 STAMPING WILL VARY ON 2 AND 3 POSITION TOPS DUE TO SPACE RESTRICTIONS.
- 5 STRIPPABLE TRANSPARENT SEAL, SEE FIG 6.
- 6 .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE $.300^{+.010}_{-.000}$ AT MOUNTING SURFACE.

		FIG 2	FIG 3A& 7	—	1.08	10	6-435802-3
		FIG 1	FIG 3B		.88	8	3-435802-8
	SUPSD BY 1-435802-6	—FIG 2	 		.58	5	3-435802-1
	 OBSOLETE	—FIG 2	 		.88	8	3-435802-0
	SUPSD BY 2-5435802-9	—FIG 2	 		.48	4	2-435802-9
	SUPSD BY 1-435802-0	—FIG 1		—	.28	2	2-435802-8
	OBSOLETE	FIG 1			.28	2	2-435802-7
	OBSOLETE	FIG 2			1.08	10	2-435802-6
	OBSOLETE	FIG 2	FIG 4	—	.88	8	2-435802-5
	OBSOLETE	FIG 2			.88	8	2-435802-4
	OBSOLETE	FIG 2	FIG 3A& 5	—	.48	4	2-435802-3
		FIG 2	FIG 3A		1.28	12	2-435802-2
		FIG 2			1.18	11	2-435802-1
		FIG 2			1.08	10	2-435802-0
		FIG 2			.98	9	1-435802-9
		FIG 2			.78	7	1-435802-8
		FIG 2			.68	6	1-435802-7
		FIG 2			.58	5	1-435802-6
		FIG 2			.48	4	1-435802-5
	SUPSD BY 435802-2	—FIG 2			.38	3	1-435802-4
	SUPSD BY 3-1437590-2	—FIG 1	FIG 3B		.28	2	1-435802-3
	 OBSOLETE	—FIG 2		—	1.28	12	1-435802-2
		FIG 1	FIG 3B	—	.28	2	1-435802-0
		FIG 2	FIG 3A		.88	8	435802-9
		FIG 2		—	1.08	10	435802-8
	SUPSD BY 5435802-7	—FIG 2		—	.98	9	435802-7
		FIG 2		—	.78	7	435802-6
		FIG 2		—	.68	6	435802-5
		FIG 2		—	.58	5	435802-4
		FIG 2		—	.48	4	435802-3
		FIG 2	FIG 3A	—	.38	3	435802-2
		FIG 2	FIG 3A	—	.88	8	435802-1
435802-1	SHOWN	HOUSING	MARKING	PROTECTIVE SEAL	A	NO OF POSN	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 9-19-89		 TE Connectivity	
		CHK R. MILLER 9-19-89			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± -.005 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD H. LEITER 9-19-89	
		PRODUCT SPEC -		NAME SWITCH ASSY, DIP, TYPE C, 7000 SERIES, SPST, SIDE ACTUATED	
		APPLICATION SPEC -			
MATERIAL HOUSING & ROCKERS: POLYESTER CONTACTS: BERYLLIUM COPPER		FINISH CONTACTS; PLATED .000030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL		SIZE A2	CAGE CODE 00779
		WEIGHT -		DRAWING NO C-435802	RESTRICTED TO -
CUSTOMER DRAWING				SCALE 4:1	SHEET 1 of 2
				REV A1 2	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		—	SEE SHEET 1	—	—	—




FIG 3A




FIG 3B




FIG 4





FIG 5



PROTECTIVE SEAL
FIG 6





FIG 7



PROTECTIVE SEAL






FIG 8

.010±.010

.005^{+.010}_{-.005}
TYP

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 9-19-89	 TE Connectivity					
DIMENSIONS: INCHES		CHK R. MILLER 9-19-89						
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD H. LEITER 9-19-89	NAME SWITCH ASSY, DIP, TYPE C, 7000 SERIES, SPST, SIDE ACTUATED				
	0 PLC ± -		PRODUCT SPEC					
	1 PLC ± -		—					
	2 PLC ± -		APPLICATION SPEC					
	3 PLC ± .005		—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
	4 PLC ± -		—	A2	00779	C-435802	—	
	ANGLES ± -		WEIGHT					
	— ± -		—	CUSTOMER DRAWING				
MATERIAL SEE SHEET 1		FINISH SEE SHEET 1	SCALE 4:1				SHEET 2 of 2	REV AL2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9