





LOC	DIST	REVISIONS					
CG	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	REV PER ECO-08-023966	26SEP08	CR	MP
			B	REV PER ECR-12-016892	29JAN2013	OL	SZ



THIS PRODUCT HAS NOT
COMPLETED VERIFICATION TESTING



SECTION A - A

1. PCB HOLE DIM:
DRILLED HOLE = 0.70 ± 0.02 mm
FINISHED HOLE = 0.60 mm REF
Cu THICKNESS = 0.025-0.050 mm WITH EITHER
HASL Sn Pb = 0.004-0.015 mm OR
IMMERSION Sn = 0.0005 mm MIN OR
OSP = 0.0002-0.0005 mm OR
IMMERSION Ag = 0.0001 mm
OR
DRILLED HOLE = 0.73 ± 0.02 mm
FINISHED HOLE = 0.65 mm REF
Cu THICKNESS = 0.025-0.050 mm WITH
IMMERSION Au/Ni = 0.0001-0.0005 Au OVER
0.004-0.005 Ni

2. MATERIAL ;
HOUSING - GLASS FILLED POLYESTER
CONTACTS - COPPER ALLOY

3. FINISH: MATING AREA - MEETS PERFORMANCE REQUIREMENTS
OF MICRO TCA.0 DRAFT SPECIFICATION.
COMPLIANT PIN AREA - 0.5 μ m TIN OVER 1.27 μ m
MIN NICKEL.

4. CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.


5. DATUMS AND BASIC DIMENSIONS ESTABLISHED
BY CUSTOMER.


6. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED
LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE,
ISSUE 1, NOVEMBER 1995.

7. GROUND CONTACT POSITIONS P4 THRU P11 MATE FIRST.

8. FINISH: MATING AREA - MEETS PERFORMANCE REQUIREMENTS
OF MICRO TCA.0 DRAFT SPECIFICATION.
COMPLIANT PIN AREA - 0.5 μ m TIN-LEAD OVER 1.27 μ m
MIN NICKEL.

OBSOLETE	GOLD/TIN LEAD 	1469922-2
	GOLD/TIN 	1469922-1
	PLATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT FOR Tyco Electronics CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN D. SZCZESNY CHK - APVD 03apr06 M. PERCHERKE PRODUCT SPEC - APPLICATION SPEC - WEIGHT -		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.001 ANGLES ±1 FINISH -		NAME MINIPAK HD POWER/SIGNAL CONNECTOR PRESS FIT TAIL VERSION	
MATERIAL - 1		CUSTOMER DRAWING A200779		DRAWING NO C-1469922 RESTRICTED TO -	
		SCALE 2:1		SHEET 1 OF 2 REV B	



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9