

Compact Keyboard G80-1800



Actual product may vary from the image shown

Small Dimensions and Top Performance!

This popular 16 inch compact designed PC keyboard is perfect for space-saving applications and maximum key switch longevity requirements.

Facts & Features

- Individual keys with Gold Crosspoint contacts (MX technology)
- High-performance and compact 16" PC keyboard
- Space-saving and ergonomic
- Robust and reliable
- High-quality keyboard for professional users
- Codeset 3 support e.g. for Unix systems (PS/2 version)
- Extremely high service life of individual keys

Technical Data

Housing Color:

Black

Weight (product):

2.45 Lbs.

Total Weight (with packaging):

2.9 Lbs.

Cable Length:

5.8 Ft.

Storage Temperature:

-4°F – 140° F

-20°C - 60° C

Technical Data Cont.

Operating Temperature:

32° F - 122° F

0° C - 50° C

Current Consumption:

typ. 16 mA

Interface:

USB (PS/2 via adapter)

Product approvals:

cURus 

CE 

FCC 

VDE 

System Requirements:

USB or PS/2 connection

Delivery Volume:

G80-1800

Printed instructions

Dimensions (product):

15.9 x 7.1 x 1.7 inches

Packaging Dimensions:

Approx. 18.1 x 10.6 x 1.9 inches

Keyboard:

- Key technology: MX
- Service life, standard key: > 50 million key operations
- Inscription layout: Standard
- Inscription technology: Laser
-

Packaging Unit:

Number of products in the master package: 18

Number of master packages per pallet: 6

Warranty:

2 years



Order Description

<i>Order Number</i>	<i>Color</i>	<i>Number of Keys</i>
G80-1800LPCEU-2	Black	104 Keys
G80-1800LPCEU-0	Lt. Grey	104 Keys

ZF Electronic Systems Pleasant Prairie, LLC
11200 88th Avenue
Pleasant Prairie, WI 53158
USA
Phone: 262.942.6500
Internet: www.cherrycorp.com

Sales: 262.942.6500
E-Mail: cep_sales@ZF.com
Fax: 262.942.6566

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice. Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

© 2013 ZF Electronic Systems Pleasant Prairie, LLC
Last update: July 18, 2014

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9