






| CKT | DIM. A         | DIM. B                   |
|-----|----------------|--------------------------|
| 2   | 7.77<br>.306   | 3.96±0.05<br>.156±.002   |
| 3   | 11.73<br>.462  | 7.92±0.08<br>.312±.003   |
| 4   | 15.70<br>.618  | 11.89±0.08<br>.468±.003  |
| 5   | 19.66<br>.774  | 15.85±0.10<br>.624±.004  |
| 6   | 23.62<br>.930  | 19.81±0.10<br>.780±.004  |
| 7   | 27.58<br>1.086 | 23.77±0.10<br>.936±.004  |
| 8   | 31.55<br>1.242 | 27.74±0.13<br>1.092±.005 |
| 9   | 35.51<br>1.398 | 31.70±0.13<br>1.248±.005 |
| 10  | 39.47<br>1.554 | 35.66±0.13<br>1.404±.005 |
| 11  | 43.43<br>1.710 | 39.62±0.15<br>1.560±.006 |
| 12  | 47.40<br>1.866 | 43.59±0.15<br>1.716±.006 |
| 13  | 51.36<br>2.022 | 47.55±0.15<br>1.872±.006 |
| 14  | 55.32<br>2.178 | 51.51±0.18<br>2.028±.007 |
| 15  | 59.28<br>2.334 | 55.47±0.18<br>2.184±.007 |
| 16  | 63.25<br>2.490 | 59.44±0.18<br>2.340±.007 |
| 17  | 67.21<br>2.646 | 63.40±0.20<br>2.496±.008 |
| 18  | 71.17<br>2.802 | 67.36±0.20<br>2.652±.008 |

NOTES:  
1. MATERIAL: HEADER-GLASS FILLED POLYESTER, 94V-0, MOLDED NATURAL (WHITE).  
2. FINISH:  
(154) OVERALL TIN: 0.00254/.000100 MIN OVER 0.00127/.000050 MIN NICKEL.  
(197) OVERALL REFLOWED MATTE TIN: 0.00152/.000060 MIN.  
OVER 0.00127/.000050 MIN. NICKEL OVERALL.  
(208) SELECT GOLD: 0.00038/.000015 MIN, SELECT TIN: 0.00254/.000100 MIN.  
OVERALL NICKEL UNDERPLATE: 0.00127/.000050 MIN.  
(228) SELECT GOLD: 0.00076/.000030 MIN, SELECT TIN: 0.00254/.000100 MIN.  
OVERALL NICKEL UNDERPLATE: 0.00127/.000050 MIN.  
(241) SELECT GOLD: 0.00051/.000020 MIN.  
SELECT TIN: 0.00254/.000100 MIN.  
OVERALL NICKEL UNDERPLATE: 0.00127/.000050 MIN.  
3. PRODUCT SPECIFICATION AND PROCESS PARAMETERS: SEE PS-08-50.  
4. PACKAGING: SEE CHART  
5. SOLDERABILITY: PER SMES-152.  
6. PIN PUSH-OUT FORCE: PRIOR TO SOLDERING, A 3 LB. MINIMUM FORCE (IN EITHER DIRECTION)  
7. PARTS ARE STACKABLE END TO END ON 3.96/.156 CENTERS.  
8. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



|       |     |
|-------|-----|
| 2-*   | M1  |
| 1     | M1  |
| SHEET | REV |

|                                                                                                                           |                    |                                                      |                                                                                                                                                                      |                          |                                                                            |                      |                        |
|---------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------|----------------------|------------------------|
| ADD 41772-0682<br>EC NO: UCP2012-3876<br>DRWN:MKIPPER 2012/05/25<br>CHKD:JBELL 2012/05/25<br>APPR:FSM/TH 2012/06/20<br>M1 | DESCRIPTION<br>REV | QUALITY SYMBOLS<br>F/0<br>F/0<br>F/0                 | GENERAL TOLERANCES (UNLESS SPECIFIED)<br>mm INCH<br>4 PLACES ± --- ± ---<br>3 PLACES ± --- ± .010<br>2 PLACES ± 0.25 ± .015<br>1 PLACE ± 0.38 ± ---<br>ANGULAR ±1/2° | DIMENSION STYLE<br>MM/IN | SCALE<br>2:1                                                               | DESIGN UNITS<br>INCH | THIRD ANGLE PROJECTION |
|                                                                                                                           |                    | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | DRAWN BY<br>SCHAFFER                                                                                                                                                 | DATE<br>11-19-03         | TITLE<br>KK 156 HEADER ASSEMBLY<br>FLAT RIGHT ANGLE<br>SOLID BODY W/O PEGS |                      |                        |
|                                                                                                                           |                    | MATERIAL NO.                                         | APPROVED BY<br>MARGULIS                                                                                                                                              | DATE<br>11-25-03         | MOLEX INCORPORATED                                                         |                      |                        |
|                                                                                                                           |                    | SEE CHART                                            | DOCUMENT NO.<br>SDA-41772                                                                                                                                            | SHEET NO.<br>1 OF *      |                                                                            |                      |                        |

|         |              |                   |                 |                   |                 |                   |                 |                   |
|---------|--------------|-------------------|-----------------|-------------------|-----------------|-------------------|-----------------|-------------------|
| OPTIONS | Group        | A-41772-0002/0018 | Group           | A-41772-0463/0479 | Group           | A-41772-0480/0496 | Group           | A-41772-0036/0052 |
|         | Header No:   | 41770-0002/0018   | Header No:      | 41770-0002/0018   | Header No:      | 41770-0002/0018   | Header No:      | 41770-0002/0018   |
|         | Pin No:      | 43294-0473        | Pin No:         | 43294-0470        | Pin No:         | 43294-0471        | Pin No:         | 43294-0526        |
|         | Plating:     | 197 – TIN         | Plating:        | 208 - 15 GOLD     | Plating:        | 228 - 30 GOLD     | Plating:        | 197 – TIN         |
|         | Pin Length L | 25.40 / 1.000     | Pin Length L    | 25.40 / 1.000     | Pin Length L    | 25.40 / 1.000     | Pin Length L    | 26.92 / 1.060     |
|         | Mating M     | 14.86 / .585      | Mating M        | 14.86 / .585      | Mating M        | 14.86 / .585      | Mating M        | 16.43 / .647      |
|         | Gold Loc G   | N/A               | Gold Loc G      | 7.11/ .280        | Gold Loc G      | 7.11/ .280        | Gold Loc G      | N/A               |
|         | Height Y     | 4.95 / .195       | Height Y        | 4.95 / .195       | Height Y        | 4.95 / .195       | Height Y        | 4.95 / .195       |
|         | PC Tail P    | 3.56 / .140       | PC Tail P       | 3.56 / .140       | PC Tail P       | 3.56 / .140       | PC Tail P       | 3.51 / .138       |
|         | Tin Loc T    | OVERALL           | Tin Loc T       | 4.06/ .160        | Tin Loc T       | 4.06/ .160        | Tin Loc T       | OVERALL           |
|         | Voided Ckts  | NONE              | Voided Ckts     | NONE              | Voided Ckts     | NONE              | Voided Ckts     | NONE              |
|         | Pack Per     | PK-41772-002      | Pack Per        | PK-41772-002      | Pack Per        | PK-41772-002      | Pack Per        | PK-41772-002      |
|         | Ckts         | Material No       | Engineer Number | Material No       | Engineer Number | Material No       | Engineer Number | Material No       |
| 2       | 26-60-3020   | A-41772-0002      | 41772-0463      | A-41772-0463      | 41772-0480      | A-41772-0480      | 26-60-3021      | A-41772-0036      |
| 3       | 26-60-3030   | A-41772-0003      | 41772-0464      | A-41772-0464      | 41772-0481      | A-41772-0481      | 26-60-3031      | A-41772-0037      |
| 4       | 26-60-3040   | A-41772-0004      | 41772-0465      | A-41772-0465      | 41772-0482      | A-41772-0482      | 26-60-3041      | A-41772-0038      |
| 5       | 26-60-3050   | A-41772-0005      | 41772-0466      | A-41772-0466      | 41772-0483      | A-41772-0483      | 26-60-3051      | A-41772-0039      |
| 6       | 26-60-3060   | A-41772-0006      | 41772-0467      | A-41772-0467      | 41772-0484      | A-41772-0484      | 26-60-3061      | A-41772-0040      |
| 7       | 26-60-3070   | A-41772-0007      | 41772-0468      | A-41772-0468      | 41772-0485      | A-41772-0485      | 26-60-3071      | A-41772-0041      |
| 8       | 26-60-3080   | A-41772-0008      | 41772-0469      | A-41772-0469      | 41772-0486      | A-41772-0486      | 26-60-3081      | A-41772-0042      |
| 9       | 26-60-3090   | A-41772-0009      | 41772-0470      | A-41772-0470      | 41772-0487      | A-41772-0487      | 26-60-3091      | A-41772-0043      |
| 10      | 26-60-3100   | A-41772-0010      | 41772-0471      | A-41772-0471      | 41772-0488      | A-41772-0488      | 26-60-3101      | A-41772-0044      |
| 11      | 26-60-3110   | A-41772-0011      | 41772-0472      | A-41772-0472      | 41772-0489      | A-41772-0489      | 26-60-3111      | A-41772-0045      |
| 12      | 26-60-3120   | A-41772-0012      | 41772-0473      | A-41772-0473      | 41772-0490      | A-41772-0490      | 26-60-3121      | A-41772-0046      |
| 13      | 26-60-3130   | A-41772-0013      | 41772-0474      | A-41772-0474      | 41772-0491      | A-41772-0491      | 26-60-3131      | A-41772-0047      |
| 14      | 26-60-3140   | A-41772-0014      | 41772-0475      | A-41772-0475      | 41772-0492      | A-41772-0492      | 26-60-3141      | A-41772-0048      |
| 15      | 26-60-3150   | A-41772-0015      | 41772-0476      | A-41772-0476      | 41772-0493      | A-41772-0493      | 26-60-3151      | A-41772-0049      |
| 16      | 26-60-3160   | A-41772-0016      | 41772-0477      | A-41772-0477      | 41772-0494      | A-41772-0494      | 26-60-3161      | A-41772-0050      |
| 17      | 26-60-3170   | A-41772-0017      | 41772-0478      | A-41772-0478      | 41772-0495      | A-41772-0495      | 26-60-3171      | A-41772-0051      |
| 18      | 26-60-3180   | A-41772-0018      | 41772-0479      | A-41772-0479      | 41772-0496      | A-41772-0496      | 26-60-3181      | A-41772-0052      |

|                   |                                         |                       |                                                                   |              |  |               |              |
|-------------------|-----------------------------------------|-----------------------|-------------------------------------------------------------------|--------------|--|---------------|--------------|
| REV:              | ECR/ECN INFORMATION:                    | TITLE:                | KK 156 HEADER ASSEMBLY<br>FLAT RIGHT ANGLE<br>SOLID BODY W/O PEGS |              |  |               | SHEET No.    |
| <b>M1</b>         | EC No.: UCP2012-3876<br>DATE: 6/20/2012 |                       |                                                                   |              |  |               | <b>- 2 -</b> |
| DOCUMENT NUMBER:  |                                         | CREATED / REVISED BY: |                                                                   | CHECKED BY:  |  | APPROVED BY:  |              |
| <b>SDA- 41772</b> |                                         | <b>MKIPPER</b>        |                                                                   | <b>JBELL</b> |  | <b>FSMITH</b> |              |

|         |              |                   |                 |                   |                 |                   |                 |                   |
|---------|--------------|-------------------|-----------------|-------------------|-----------------|-------------------|-----------------|-------------------|
| OPTIONS | Group        | A-41772-0497/0513 | Group           | A-41772-0514/0530 | Group           | A-41772-0019/0035 | Group           | A-41772-0070/0086 |
|         | Header No:   | 41770-0002/0018   | Header No:      | 41770-0002/0018   | Header No:      | 41770-0002/0018   | Header No:      | 41770-0002/0018   |
|         | Pin No:      | 43294-0524        | Pin No:         | 43294-0525        | Pin No:         | 43294-0474        | Pin No:         | 43294-0598        |
|         | Plating:     | 208 – 15 GOLD     | Plating:        | 228 – 30 GOLD     | Plating:        | 241 – GOLD        | Plating:        | 197-TIN           |
|         | Pin Length L | 26.92/ 1.060      | Pin Length L    | 26.92/ 1.060      | Pin Length L    | 25.40/ 1.000      | Pin Length L    | 28.70 / 1.130     |
|         | Mating M     | 16.51 / .650      | Mating M        | 16.51 / .650      | Mating M        | 14.86 / .585      | Mating M        | 17.73/ .698       |
|         | Gold Loc G   | 8.77/ .345        | Gold Loc G      | 8.77/ .345        | Gold Loc G      | 7.11/ .280        | Gold Loc G      | N/A               |
|         | Height Y     | 4.95 / .195       | Height Y        | 4.95 / .195       | Height Y        | 4.95 / .195       | Height Y        | 4.98/ .196        |
|         | PC Tail P    | 3.43 / .135       | PC Tail P       | 3.43 / .135       | PC Tail P       | 3.56 / .140       | PC Tail P       | 3.96/ .156        |
|         | Tin Loc T    | 5.08/ .200        | Tin Loc T       | 5.08/ .200        | Tin Loc T       | 4.06/ .160        | Tin Loc T       | OVERALL           |
|         | Voided Ckts  | NONE              | Voided Ckts     | NONE              | Voided Ckts     | NONE              | Voided Ckts     | NONE              |
|         | Pack Per     | PK-41772-002      | Pack Per        | PK-41772-002      | Pack Per        | PK-41772-002      | Pack Per        | PK-41772-002      |
|         | Ckts         | Material No       | Engineer Number | Material No       | Engineer Number | Material No       | Engineer Number | Material No       |
| 2       | 41772-0497   | A-41772-0497      | 41772-0514      | A-41772-0514      | 26-61-3020      | A-41772-0019      | 26-60-3026      | A-41772-0070      |
| 3       | 41772-0498   | A-41772-0498      | 41772-0515      | A-41772-0515      | 26-61-3030      | A-41772-0020      | 26-60-3036      | A-41772-0071      |
| 4       | 41772-0499   | A-41772-0499      | 41772-0516      | A-41772-0516      | 26-61-3040      | A-41772-0021      | 26-60-3046      | A-41772-0072      |
| 5       | 41772-0500   | A-41772-0500      | 41772-0517      | A-41772-0517      | 26-61-3050      | A-41772-0022      | 26-60-3056      | A-41772-0073      |
| 6       | 41772-0501   | A-41772-0501      | 41772-0518      | A-41772-0518      | 26-61-3060      | A-41772-0023      | 26-60-3066      | A-41772-0074      |
| 7       | 41772-0502   | A-41772-0502      | 41772-0519      | A-41772-0519      | 26-61-3070      | A-41772-0024      | 26-60-3076      | A-41772-0075      |
| 8       | 41772-0503   | A-41772-0503      | 41772-0520      | A-41772-0520      | 26-61-3080      | A-41772-0025      | 26-60-3086      | A-41772-0076      |
| 9       | 41772-0504   | A-41772-0504      | 41772-0521      | A-41772-0521      | 26-61-3090      | A-41772-0026      | 26-60-3096      | A-41772-0077      |
| 10      | 41772-0505   | A-41772-0505      | 41772-0522      | A-41772-0522      | 26-61-3100      | A-41772-0027      | 26-60-3106      | A-41772-0078      |
| 11      | 41772-0506   | A-41772-0506      | 41772-0523      | A-41772-0523      | 26-61-3110      | A-41772-0028      | 26-60-3116      | A-41772-0079      |
| 12      | 41772-0507   | A-41772-0507      | 41772-0524      | A-41772-0524      | 26-61-3120      | A-41772-0029      | 26-60-3126      | A-41772-0080      |
| 13      | 41772-0508   | A-41772-0508      | 41772-0525      | A-41772-0525      | 26-61-3130      | A-41772-0030      | 26-60-3136      | A-41772-0081      |
| 14      | 41772-0509   | A-41772-0509      | 41772-0526      | A-41772-0526      | 26-61-3140      | A-41772-0031      | 26-60-3146      | A-41772-0082      |
| 15      | 41772-0510   | A-41772-0510      | 41772-0527      | A-41772-0527      | 26-61-3150      | A-41772-0032      | 26-60-3156      | A-41772-0083      |
| 16      | 41772-0511   | A-41772-0511      | 41772-0528      | A-41772-0528      | 26-61-3160      | A-41772-0033      | 26-60-3166      | A-41772-0084      |
| 17      | 41772-0512   | A-41772-0512      | 41772-0529      | A-41772-0529      | 26-61-3170      | A-41772-0034      | 26-60-3176      | A-41772-0085      |
| 18      | 41772-0513   | A-41772-0513      | 41772-0530      | A-41772-0530      | 26-61-3180      | A-41772-0035      | 26-60-3186      | A-41772-0086      |

|                   |                                         |                       |                                                                   |              |  |               |              |
|-------------------|-----------------------------------------|-----------------------|-------------------------------------------------------------------|--------------|--|---------------|--------------|
| REV:              | ECR/ECN INFORMATION:                    | TITLE:                | KK 156 HEADER ASSEMBLY<br>FLAT RIGHT ANGLE<br>SOLID BODY W/O PEGS |              |  |               | SHEET No.    |
| <b>M1</b>         | EC No.: UCP2012-3876<br>DATE: 6/20/2012 |                       |                                                                   |              |  |               | <b>- 3 -</b> |
| DOCUMENT NUMBER:  |                                         | CREATED / REVISED BY: |                                                                   | CHECKED BY:  |  | APPROVED BY:  |              |
| <b>SDA- 41772</b> |                                         | <b>MKIPPER</b>        |                                                                   | <b>JBELL</b> |  | <b>FSMITH</b> |              |

| OPTIONS | Group        | A-41772-0155/0171 | Group           |             | Group           |             | Group           | A-41772-0206/0222 |
|---------|--------------|-------------------|-----------------|-------------|-----------------|-------------|-----------------|-------------------|
|         | Header No:   | 41770-0002/0018   | Header No:      |             | Header No:      |             | Header No:      | 41770-0002/0018   |
|         | Pin No:      | 43294-0473        | Pin No:         |             | Pin No:         |             | Pin No:         | 43294-0500        |
|         | Plating:     | 197-TIN           | Plating:        |             | Plating:        |             | Plating:        | 197-TIN           |
|         | Pin Length L | 25.40/ 1.000      | Pin Length L    |             | Pin Length L    |             | Pin Length L    | 26.16/ 1.030      |
|         | Mating M     | 14.86/ .585       | Mating M        |             | Mating M        |             | Mating M        | 14.81/ .583       |
|         | Gold Loc G   | N/A               | Gold Loc G      |             | Gold Loc G      |             | Gold Loc G      | N/A               |
|         | Height Y     | 4.95/ .195        | Height Y        |             | Height Y        |             | Height Y        | 4.95/ .195        |
|         | PC Tail P    | 3.56/ .140        | PC Tail P       |             | PC Tail P       |             | PC Tail P       | 4.37/ .172        |
|         | Tin Loc T    | OVERALL           | Tin Loc T       |             | Tin Loc T       |             | Tin Loc T       | OVERALL           |
|         | Voided Ckts  | CKT 2             | Voided Ckts     |             | Voided Ckts     |             | Voided Ckts     | NONE              |
|         | Pack Per     | PK-41772-002      | Pack Per        |             | Pack Per        |             | Pack Per        | PK-41772-002      |
|         | Ckts         | Material No       | Engineer Number | Material No | Engineer Number | Material No | Engineer Number | Material No       |
| 2       | 26-62-3024   | A-41772-0155      |                 |             |                 |             |                 | A-41772-0206      |
| 3       | 26-62-3034   | A-41772-0156      |                 |             |                 |             |                 | A-41772-0207      |
| 4       | 26-62-3044   | A-41772-0157      |                 |             |                 |             |                 | A-41772-0208      |
| 5       | 26-62-3054   | A-41772-0158      |                 |             |                 |             |                 | A-41772-0209      |
| 6       | 26-62-3064   | A-41772-0159      |                 |             |                 |             |                 | A-41772-0210      |
| 7       | 26-62-3074   | A-41772-0160      |                 |             |                 |             |                 | A-41772-0211      |
| 8       | 26-62-3084   | A-41772-0161      |                 |             |                 |             | 26-60-3082      | A-41772-0212      |
| 9       | 26-62-3094   | A-41772-0162      |                 |             |                 |             |                 | A-41772-0213      |
| 10      | 26-62-3104   | A-41772-0163      |                 |             |                 |             |                 | A-41772-0214      |
| 11      | 26-62-3114   | A-41772-0164      |                 |             |                 |             |                 | A-41772-0215      |
| 12      | 26-62-3124   | A-41772-0165      |                 |             |                 |             | 26-60-3122      | A-41772-0216      |
| 13      | 26-62-3134   | A-41772-0166      |                 |             |                 |             |                 | A-41772-0217      |
| 14      | 26-62-3144   | A-41772-0167      |                 |             |                 |             | 26-60-3142      | A-41772-0218      |
| 15      | 26-62-3154   | A-41772-0168      |                 |             |                 |             |                 | A-41772-0219      |
| 16      | 26-62-3164   | A-41772-0169      |                 |             |                 |             |                 | A-41772-0220      |
| 17      | 26-62-3174   | A-41772-0170      |                 |             |                 |             |                 | A-41772-0221      |
| 18      | 26-62-3184   | A-41772-0171      |                 |             |                 |             |                 | A-41772-0222      |

|                   |                             |                                                                            |              |
|-------------------|-----------------------------|----------------------------------------------------------------------------|--------------|
| REV:              | ECR/ECN INFORMATION:        | TITLE:                                                                     | SHEET No.    |
| <b>M1</b>         | EC No.: <b>UCP2012-3876</b> | <b>KK 156 HEADER ASSEMBLY<br/>FLAT RIGHT ANGLE<br/>SOLID BODY W/O PEGS</b> | <b>- 4 -</b> |
|                   | DATE: <b>6/20/2012</b>      |                                                                            |              |
| DOCUMENT NUMBER:  |                             | CREATED / REVISED BY:                                                      | CHECKED BY:  |
| <b>SDA- 41772</b> |                             | <b>MKIPPER</b>                                                             | <b>JBELL</b> |
|                   |                             | APPROVED BY:                                                               |              |
|                   |                             | <b>FSMITH</b>                                                              |              |

TEMPLATE FILENAME: PRODUCT\_SPEC [SIZE\_A](V.1). DOC

|         |                    |                   |                    |                    |              |                   |              |                   |
|---------|--------------------|-------------------|--------------------|--------------------|--------------|-------------------|--------------|-------------------|
| OPTIONS | Group              | A-41772-0291/0307 | Group              | A-41772-0308/ 0324 | Group        | A-41772-0325/0340 | Group        | A-41772-0341/0352 |
|         | Header No:         | 41770-0002/0018   | Header No:         | 41770-0002/0018    | Header No:   | 41770-0003/0018   | Header No:   | 41770-0007/0018   |
|         | Pin No:            | 43294-0455        | Pin No:            | 43294-0157         | Pin No:      | 43294-0473        | Pin No:      | 43294-0473        |
|         | Plating:           | 197-TIN           | Plating:           | 197-TIN            | Plating:     | 197-TIN           | Plating:     | 197-TIN           |
|         | Pin Length L       | 24.89/ .980       | Pin Length L       | 17.02/ .670        | Pin Length L | 25.40/ 1.000      | Pin Length L | 25.40/ 1.000      |
|         | Mating M           | 13.54/ .533       | Mating M           | 5.94/ .234         | Mating M     | 14.86/ .585       | Mating M     | 14.86/ .585       |
|         | Gold Loc G         | N/A               | Gold Loc G         | N/A                | Gold Loc G   | N/A               | Gold Loc G   | N/A               |
|         | Height Y           | 4.93/ .194        | Height Y           | 4.90/ .193         | Height Y     | 4.95/ .195        | Height Y     | 4.95/ .195        |
|         | PC Tail P          | 3.86/ .152        | PC Tail P          | 3.61/ .142         | PC Tail P    | 3.56/ .140        | PC Tail P    | 3.56/ .140        |
|         | Tin Loc T          | OVERALL           | Tin Loc T          | OVERALL            | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           |
|         | <b>PIN BEND R.</b> | <b>.045 R</b>     | <b>PIN BEND R.</b> | <b>.045 R</b>      | Voided Ckts  | CKT 3             | Voided Ckts  | CKT 7             |
|         | Pack Per           | PK-41772-002      | Pack Per           | PK-41772-001       | Pack Per     | PK-41772-002      | Pack Per     | PK-41772-002      |
| Ckts    | Material No        | Engineer Number   | Material No        | Engineer Number    | Material No  | Engineer Number   | Material No  | Engineer Number   |
| 2       |                    | A-41772-0291      | 26-60-3028         | A-41772-0308       |              |                   |              |                   |
| 3       |                    | A-41772-0292      | 26-60-3038         | A-41772-0309       |              | A-41772-0325      |              |                   |
| 4       | 26-60-3047         | A-41772-0293      | 26-60-3048         | A-41772-0310       |              | A-41772-0326      |              |                   |
| 5       | 26-60-3057         | A-41772-0294      | 26-60-3058         | A-41772-0311       |              | A-41772-0327      |              |                   |
| 6       | 26-60-3067         | A-41772-0295      | 26-60-3068         | A-41772-0312       | 26-62-3061   | A-41772-0328      |              |                   |
| 7       | 26-60-3077         | A-41772-0296      | 26-60-3078         | A-41772-0313       |              | A-41772-0329      |              | A-41772-0341      |
| 8       |                    | A-41772-0297      | 26-60-3088         | A-41772-0314       | 26-62-3081   | A-41772-0330      | 26-62-3082   | A-41772-0342      |
| 9       | 26-60-3097         | A-41772-0298      | 26-60-3098         | A-41772-0315       |              | A-41772-0331      |              | A-41772-0343      |
| 10      |                    | A-41772-0299      | 26-60-3108         | A-41772-0316       |              | A-41772-0332      |              | A-41772-0344      |
| 11      |                    | A-41772-0300      | 26-60-3118         | A-41772-0317       |              | A-41772-0333      |              | A-41772-0345      |
| 12      | 26-60-3127         | A-41772-0301      | 26-60-3128         | A-41772-0318       |              | A-41772-0334      |              | A-41772-0346      |
| 13      |                    | A-41772-0302      | 26-60-3138         | A-41772-0319       |              | A-41772-0335      |              | A-41772-0347      |
| 14      |                    | A-41772-0303      | 26-60-3148         | A-41772-0320       |              | A-41772-0336      |              | A-41772-0348      |
| 15      |                    | A-41772-0304      | 26-60-3158         | A-41772-0321       |              | A-41772-0337      | 26-62-3152   | A-41772-0349      |
| 16      |                    | A-41772-0305      | 26-60-3168         | A-41772-0322       |              | A-41772-0338      |              | A-41772-0350      |
| 17      |                    | A-41772-0306      | 26-60-3178         | A-41772-0323       |              | A-41772-0339      |              | A-41772-0351      |
| 18      |                    | A-41772-0307      | 26-60-3188         | A-41772-0324       |              | A-41772-0340      |              | A-41772-0352      |

|                         |                             |                              |                                                                            |                     |  |  |                  |
|-------------------------|-----------------------------|------------------------------|----------------------------------------------------------------------------|---------------------|--|--|------------------|
| REV:                    | <u>ECR/ECN INFORMATION:</u> | <u>TITLE:</u>                | <b>KK 156 HEADER ASSEMBLY<br/>FLAT RIGHT ANGLE<br/>SOLID BODY W/O PEGS</b> |                     |  |  | <u>SHEET No.</u> |
| <b>M1</b>               | EC No.: <b>UCP2012-3876</b> |                              |                                                                            |                     |  |  | <b>- 5 -</b>     |
|                         | DATE: <b>6/20/2012</b>      |                              |                                                                            |                     |  |  |                  |
| <u>DOCUMENT NUMBER:</u> |                             | <u>CREATED / REVISED BY:</u> | <u>CHECKED BY:</u>                                                         | <u>APPROVED BY:</u> |  |  |                  |
| <b>SDA- 41772</b>       |                             | <b>MKIPPER</b>               | <b>JBELL</b>                                                               | <b>FSMITH</b>       |  |  |                  |

| OPTIONS |            | Group        | A-41772-0353/0367 | Group              | A-41772-0378/0394 | Group              | A-41772-0412/0428 | Group              | A-41772-0429/0445 |
|---------|------------|--------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|
|         |            | Header No:   | 41770-0004/0018   | Header No:         | 41770-0002/0018   | Header No:         | 41770-0002/0018   | Header No:         | 41770-0002/0018   |
|         |            | Pin No:      | 43294-0473        | Pin No:            | 43294-0193        | Pin No:            | 43294-0436        | Pin No:            | 43294-0229        |
|         |            | Plating:     | 197-TIN           | Plating:           | 197-TIN           | Plating:           | 197-TIN           | Plating:           | 197-TIN           |
|         |            | Pin Length L | 25.40/ 1.000      | Pin Length L       | 17.78/ .700       | Pin Length L       | 24.38/ .960       | Pin Length L       | 18.80/ .740       |
|         |            | Mating M     | 14.86/ .585       | Mating M           | 5.87/ .231        | Mating M           | 15.06/ .593       | Mating M           | 10.59/ .417       |
|         |            | Gold Loc G   | N/A               | Gold Loc G         | N/A               | Gold Loc G         | N/A               | Gold Loc G         | N/A               |
|         |            | Height Y     | 4.95/ .195        | Height Y           | 4.90/ .193        | Height Y           | 2.71/ .107        | Height Y           | 2.71/ .107        |
|         |            | PC Tail P    | 3.56/ .140        | PC Tail P          | 4.45/ .175        | PC Tail P          | 4.06/ .160        | PC Tail P          | 2.92/ .115        |
|         |            | Tin Loc T    | OVERALL           | Tin Loc T          | OVERALL           | Tin Loc T          | OVERALL           | Tin Loc T          | OVERALL           |
|         |            | Voided Ckts  | CKT 4             | <b>PIN BEND R.</b> | <b>.045 R</b>     | <b>PIN BEND R.</b> | <b>.045 R</b>     | <b>PIN BEND R.</b> | <b>.045 R</b>     |
|         |            | Pack Per     | PK-41772-002      | Pack Per           | PK-41772-001      | Pack Per           | PK-41772-001      | Pack Per           | PK-41772-001      |
| Ckts    |            | Material No  | Engineer Number   | Material No        | Engineer Number   | Material No        | Engineer Number   | Material No        | Engineer Number   |
| 2       |            |              |                   | 26-60-3029         | A-41772-0378      | 27-60-3020         | A-41772-0412      |                    | A-41772-0429      |
| 3       |            |              |                   | 26-60-3039         | A-41772-0379      |                    | A-41772-0413      |                    | A-41772-0430      |
| 4       |            | A-41772-0353 |                   | 26-60-3049         | A-41772-0380      |                    | A-41772-0414      |                    | A-41772-0431      |
| 5       |            | A-41772-0354 |                   | 26-60-3059         | A-41772-0381      |                    | A-41772-0415      |                    | A-41772-0432      |
| 6       |            | A-41772-0355 |                   | 26-60-3069         | A-41772-0382      |                    | A-41772-0416      | 27-60-3061         | A-41772-0433      |
| 7       |            | A-41772-0356 |                   | 26-60-3079         | A-41772-0383      | 27-60-3070         | A-41772-0417      | 27-60-3071         | A-41772-0434      |
| 8       | 26-62-3083 | A-41772-0357 |                   | 26-60-3089         | A-41772-0384      |                    | A-41772-0418      |                    | A-41772-0435      |
| 9       |            | A-41772-0358 |                   | 26-60-3099         | A-41772-0385      |                    | A-41772-0419      |                    | A-41772-0436      |
| 10      |            | A-41772-0359 |                   | 26-60-3109         | A-41772-0386      |                    | A-41772-0420      |                    | A-41772-0437      |
| 11      |            | A-41772-0360 |                   | 26-60-3119         | A-41772-0387      |                    | A-41772-0421      |                    | A-41772-0438      |
| 12      | 26-62-3123 | A-41772-0361 |                   | 26-60-3129         | A-41772-0388      |                    | A-41772-0422      |                    | A-41772-0439      |
| 13      |            | A-41772-0362 |                   | 26-60-3139         | A-41772-0389      |                    | A-41772-0423      |                    | A-41772-0440      |
| 14      |            | A-41772-0363 |                   | 26-60-3149         | A-41772-0390      |                    | A-41772-0424      |                    | A-41772-0441      |
| 15      |            | A-41772-0364 |                   | 26-60-3159         | A-41772-0391      |                    | A-41772-0425      |                    | A-41772-0442      |
| 16      |            | A-41772-0365 |                   | 26-60-3169         | A-41772-0392      |                    | A-41772-0426      |                    | A-41772-0443      |
| 17      |            | A-41772-0366 |                   | 26-60-3179         | A-41772-0393      |                    | A-41772-0427      |                    | A-41772-0444      |
| 18      |            | A-41772-0367 |                   | 26-60-3189         | A-41772-0394      |                    | A-41772-0428      |                    | A-41772-0445      |

|                   |                             |                                                                            |              |
|-------------------|-----------------------------|----------------------------------------------------------------------------|--------------|
| REV:              | ECR/ECN INFORMATION:        | TITLE:                                                                     | SHEET No.    |
| <b>M1</b>         | EC No.: <b>UCP2012-3876</b> | <b>KK 156 HEADER ASSEMBLY<br/>FLAT RIGHT ANGLE<br/>SOLID BODY W/O PEGS</b> | <b>- 6 -</b> |
|                   | DATE: <b>6/20/2012</b>      |                                                                            |              |
| DOCUMENT NUMBER:  |                             | CREATED / REVISED BY:                                                      | CHECKED BY:  |
| <b>SDA- 41772</b> |                             | <b>MKIPPER</b>                                                             | <b>JBELL</b> |
|                   |                             | APPROVED BY:                                                               |              |
|                   |                             | <b>FSMITH</b>                                                              |              |

TEMPLATE FILENAME: PRODUCT\_SPEC [SIZE\_A](V.1). DOC

| OPTIONS      |              | Group           | A-41772-0446/0462 | Group        | A-41772-0548/0560 | Group           | A-41772-0561/0573 | Group      | A-41772-0605/0621 |
|--------------|--------------|-----------------|-------------------|--------------|-------------------|-----------------|-------------------|------------|-------------------|
|              |              | Header No:      | 41770-0002/0018   | Header No:   | 41770-0006/0018   | Header No:      | 41770-0006/0018   | Header No: | 41770-0002/0018   |
| Pin No:      | 43294-0596   | Pin No:         | 43294-0473        | Pin No:      | 43294-0526        | Pin No:         | 43294-0642        |            |                   |
| Plating:     | 241-GOLD     | Plating:        | 197-TIN           | Plating:     | 197-TIN           | Plating:        | 228-GOLD          |            |                   |
| Pin Length L | 28.70/1.130  | Pin Length L    | 25.40/ 1.000      | Pin Length L | 26.92/ 1.060      | Pin Length L    | 29.97 / 1.180     |            |                   |
| Mating M     | 17.73/.698   | Mating M        | 14.86/ .585       | Mating M     | 16.43/ .647       | Mating M        | 15.32 / .603      |            |                   |
| Gold Loc G   | 6.85/ .270   | Gold Loc G      | N/A               | Gold Loc G   | N/A               | Gold Loc G      | 6.85/ .270        |            |                   |
| Height Y     | 4.95/ .195   | Height Y        | 4.95/ .195        | Height Y     | 4.95/ .195        | Height Y        | 9.25 / .364       |            |                   |
| PC Tail P    | 3.99/ .157   | PC Tail P       | 3.56/ .140        | PC Tail P    | 3.51/ .138        | PC Tail P       | 3.38 / .133       |            |                   |
| Tin Loc T    | 5.08/ .200   | Tin Loc T       | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T       | 5.08/ .200        |            |                   |
| Voided Ckts  | NONE         | Voided Ckts     | CKTS 2, 4, 6      | Voided Ckts. | CKTS 2, 4, 6      | Voided Ckts.    | NONE              |            |                   |
| Pack Per     | PK-41772-002 | Pack Per        | PK-41772-002      | Pack Per     | PK-41772-002      | Pack Per        | PK-41772-002      |            |                   |
| Ckts         | Material No  | Engineer Number | Item No           | Item No      | Material No       | Engineer Number |                   |            |                   |
| 2            | 27-60-3022   | A-41772-0446    |                   |              |                   | 41772-0605      |                   |            |                   |
| 3            | 27-60-3032   | A-41772-0447    |                   |              | 417720606         | 41772-0606      |                   |            |                   |
| 4            | 27-60-3042   | A-41772-0448    |                   |              |                   | 41772-0607      |                   |            |                   |
| 5            | 27-60-3052   | A-41772-0449    |                   |              |                   | 41772-0608      |                   |            |                   |
| 6            | 27-60-3062   | A-41772-0450    | 41772-0548        | 41772-0561   |                   | 41772-0609      |                   |            |                   |
| 7            | 27-60-3072   | A-41772-0451    | 41772-0549        | 41772-0562   |                   | 41772-0610      |                   |            |                   |
| 8            | 27-60-3082   | A-41772-0452    | 41772-0550        | 41772-0563   |                   | 41772-0611      |                   |            |                   |
| 9            | 27-60-3092   | A-41772-0453    | 41772-0551        | 41772-0564   |                   | 41772-0612      |                   |            |                   |
| 10           | 27-60-3102   | A-41772-0454    | 41772-0552        | 41772-0565   |                   | 41772-0613      |                   |            |                   |
| 11           | 27-60-3112   | A-41772-0455    | 41772-0553        | 41772-0566   |                   | 41772-0614      |                   |            |                   |
| 12           | 27-60-3122   | A-41772-0456    | 41772-0554        | 41772-0567   |                   | 41772-0615      |                   |            |                   |
| 13           | 27-60-3132   | A-41772-0457    | 41772-0555        | 41772-0568   |                   | 41772-0616      |                   |            |                   |
| 14           | 27-60-3142   | A-41772-0458    | 41772-0556        | 41772-0569   |                   | 41772-0617      |                   |            |                   |
| 15           | 27-60-3152   | A-41772-0459    | 41772-0557        | 41772-0570   |                   | 41772-0618      |                   |            |                   |
| 16           | 27-60-3162   | A-41772-0460    | 41772-0558        | 41772-0571   |                   | 41772-0619      |                   |            |                   |
| 17           | 27-60-3172   | A-41772-0461    | 41772-0559        | 41772-0572   |                   | 41772-0620      |                   |            |                   |
| 18           | 27-60-3182   | A-41772-0462    | 41772-0560        | 41772-0573   |                   | 41772-0621      |                   |            |                   |

|                   |                       |                                                                            |               |
|-------------------|-----------------------|----------------------------------------------------------------------------|---------------|
| REV:              | ECR/ECN INFORMATION:  | TITLE:                                                                     | SHEET No.     |
| <b>M1</b>         | EC No.: UCP2012-3876  | <b>KK 156 HEADER ASSEMBLY<br/>FLAT RIGHT ANGLE<br/>SOLID BODY W/O PEGS</b> | <b>- 7 -</b>  |
|                   | DATE: 6/20/2012       |                                                                            |               |
| DOCUMENT NUMBER:  | CREATED / REVISED BY: | CHECKED BY:                                                                | APPROVED BY:  |
| <b>SDA- 41772</b> | <b>MKIPPER</b>        | <b>JBELL</b>                                                               | <b>FSMITH</b> |

TEMPLATE FILENAME: PRODUCT\_SPEC [SIZE\_A](V.1). DOC

|         |              |                 |              |                 |              |                 |              |                 |
|---------|--------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|
| OPTIONS | Group        | 41772-0622/0631 | Group        | 41772-0632/0647 | Group        | 41772-0648/0657 | Group        | 41772-0663      |
|         | Header No:   | 41770-0009/0018 | Header No:   | 41770-0003/0018 | Header No:   | 41770-0009/0018 | Header No:   | 41770-0004      |
|         | Pin No:      | 43294-0400      | Pin No:      | 43294-0283      | Pin No:      | 43294-0301      | Pin No:      | 43294-0302      |
|         | Plating:     | 197 – TIN       | Plating:     | 197 – TIN       | Plating:     | 197 – TIN       | Plating:     | 154 – TIN       |
|         | Pin Length L | 23.37 / .920    | Pin Length L | 20.32 / .800    | Pin Length L | 20.83 / .820    | Pin Length L | 20.83 / .820    |
|         | Mating M     | 13.21 / .520    | Mating M     | 13.08 / .515    | Mating M     | 13.06 / .514    | Mating M     | 10.13/ .399     |
|         | Gold Loc G   | N/A             | Gold Loc G   | N/A             | Gold Loc G   | N/A             | Gold Loc G   | N/A             |
|         | Height Y     | 4.95 / .195     | Height Y     | 1.98 / .078     | Height Y     | 2.54 / .100     | Height Y     | 4.95 / .195     |
|         | PC Tail P    | 3.18 / .125     | PC Tail P    | 3.18 / .125     | PC Tail P    | 3.18 / .125     | PC Tail P    | 3.71 / .146     |
|         | Tin Loc T    | OVERALL         | Tin Loc T    | OVERALL         | Tin Loc T    | OVERALL         | Tin Loc T    | OVERALL         |
|         | Voided Ckts  | 5, 8, 9         | Voided Ckts  | 3               | Voided Ckts  | 5, 8, 9         | Voided Ckts  | NONE            |
|         | Pack Per     | PK-41772-001    | Pack Per     | PK-41772-001    | Pack Per     | PK-41772-001    | Pack Per     | PK-41772-001    |
|         | Material No  | Engineer Number | Material No  | Engineer Number | Material No  | Engineer Number | Material No  | Engineer Number |
| Ckts    |              |                 |              |                 |              |                 |              |                 |
| 2       |              |                 |              |                 |              |                 |              |                 |
| 3       |              |                 |              | 41772-0632      |              |                 |              |                 |
| 4       |              |                 |              | 41772-0633      |              |                 | 41772-0663   | 41772-0663      |
| 5       |              |                 |              | 41772-0634      |              |                 |              |                 |
| 6       |              |                 |              | 41772-0635      |              |                 |              |                 |
| 7       |              |                 | 41772-0636   | 41772-0636      |              |                 |              |                 |
| 8       |              |                 |              | 41772-0637      |              |                 |              |                 |
| 9       |              | 41772-0622      |              | 41772-0638      |              | 41772-0648      |              |                 |
| 10      |              | 41772-0623      |              | 41772-0639      |              | 41772-0649      |              |                 |
| 11      |              | 41772-0624      |              | 41772-0640      |              | 41772-0650      |              |                 |
| 12      |              | 41772-0625      |              | 41772-0641      |              | 41772-0651      |              |                 |
| 13      |              | 41772-0626      |              | 41772-0642      |              | 41772-0652      |              |                 |
| 14      | 41772-0627   | 41772-0627      |              | 41772-0643      | 41772-0653   | 41772-0653      |              |                 |
| 15      |              | 41772-0628      |              | 41772-0644      |              | 41772-0654      |              |                 |
| 16      |              | 41772-0629      |              | 41772-0645      |              | 41772-0655      |              |                 |
| 17      |              | 41772-0630      |              | 41772-0646      |              | 41772-0656      |              |                 |
| 18      |              | 41772-0631      |              | 41772-0647      |              | 41772-0657      |              |                 |

|                  |                      |                       |                                                                   |             |  |              |           |
|------------------|----------------------|-----------------------|-------------------------------------------------------------------|-------------|--|--------------|-----------|
| REV:             | ECR/ECN INFORMATION: | TITLE:                | KK 156 HEADER ASSEMBLY<br>FLAT RIGHT ANGLE<br>SOLID BODY W/O PEGS |             |  |              | SHEET No. |
| <b>M1</b>        | EC No.: UCP2012-3876 |                       |                                                                   |             |  |              | - 8 -     |
|                  | DATE: 6/20/2012      |                       |                                                                   |             |  |              |           |
| DOCUMENT NUMBER: |                      | CREATED / REVISED BY: |                                                                   | CHECKED BY: |  | APPROVED BY: |           |
| SDA- 41772       |                      | MKIPPER               |                                                                   | JBELL       |  | FSMITH       |           |

|         |              |              |                 |             |                 |             |                 |             |                 |
|---------|--------------|--------------|-----------------|-------------|-----------------|-------------|-----------------|-------------|-----------------|
| OPTIONS | Group        | 41772-0682   | Group           |             | Group           |             | Group           |             |                 |
|         | Header No:   | 41770-0006   | Header No:      |             | Header No:      |             | Header No:      |             |                 |
|         | Pin No:      | 43294-0103   | Pin No:         |             | Pin No:         |             | Pin No:         |             |                 |
|         | Plating:     | 197 – TIN    | Plating:        |             | Plating:        |             | Plating:        |             |                 |
|         | Pin Length L | 15.49 / .610 | Pin Length L    |             | Pin Length L    |             | Pin Length L    |             |                 |
|         | Mating M     | 6.86 / .270  | Mating M        |             | Mating M        |             | Mating M        |             |                 |
|         | Gold Loc G   | N/A          | Gold Loc G      |             | Gold Loc G      |             | Gold Loc G      |             |                 |
|         | Height Y     | 2.92 / .115  | Height Y        |             | Height Y        |             | Height Y        |             |                 |
|         | PC Tail P    | 3.68 / .145  | PC Tail P       |             | PC Tail P       |             | PC Tail P       |             |                 |
|         | Tin Loc T    | OVERALL      | Tin Loc T       |             | Tin Loc T       |             | Tin Loc T       |             |                 |
|         | Voided Ckts  | NONE         | Voided Ckts     |             | Voided Ckts     |             | Voided Ckts     |             |                 |
|         | Pack Per     | PK-41772-001 | Pack Per        |             | Pack Per        |             | Pack Per        |             |                 |
|         | Ckts         | Material No  | Engineer Number | Material No | Engineer Number | Material No | Engineer Number | Material No | Engineer Number |
|         | 2            |              |                 |             |                 |             |                 |             |                 |
| 3       |              |              |                 |             |                 |             |                 |             |                 |
| 4       |              |              |                 |             |                 |             |                 |             |                 |
| 5       |              |              |                 |             |                 |             |                 |             |                 |
| 6       | 41772-0682   | 41772-0682   |                 |             |                 |             |                 |             |                 |
| 7       |              |              |                 |             |                 |             |                 |             |                 |
| 8       |              |              |                 |             |                 |             |                 |             |                 |
| 9       |              |              |                 |             |                 |             |                 |             |                 |
| 10      |              |              |                 |             |                 |             |                 |             |                 |
| 11      |              |              |                 |             |                 |             |                 |             |                 |
| 12      |              |              |                 |             |                 |             |                 |             |                 |
| 13      |              |              |                 |             |                 |             |                 |             |                 |
| 14      |              |              |                 |             |                 |             |                 |             |                 |
| 15      |              |              |                 |             |                 |             |                 |             |                 |
| 16      |              |              |                 |             |                 |             |                 |             |                 |
| 17      |              |              |                 |             |                 |             |                 |             |                 |
| 18      |              |              |                 |             |                 |             |                 |             |                 |

|                   |                             |                                                                            |              |
|-------------------|-----------------------------|----------------------------------------------------------------------------|--------------|
| REV:              | ECR/ECN INFORMATION:        | TITLE:                                                                     | SHEET No.    |
| <b>M1</b>         | EC No.: <b>UCP2012-3876</b> | <b>KK 156 HEADER ASSEMBLY<br/>FLAT RIGHT ANGLE<br/>SOLID BODY W/O PEGS</b> | <b>- 9 -</b> |
|                   | DATE: <b>6/20/2012</b>      |                                                                            |              |
| DOCUMENT NUMBER:  |                             | CREATED / REVISED BY:                                                      | CHECKED BY:  |
| <b>SDA- 41772</b> |                             | <b>MKIPPER</b>                                                             | <b>JBELL</b> |
|                   |                             | APPROVED BY:                                                               |              |
|                   |                             | <b>FSMITH</b>                                                              |              |

TEMPLATE FILENAME: PRODUCT\_SPEC [SIZE\_A](V.1). DOC

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9