








6. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI.



△6	OBSOLETE	W/O	TAPE & REEL	YELLOW	GREEN	1.27um[50u"]	3-1734324		
						0.762um[30u"]	3-1734324		
						0.381um[15u"]	3-1734324		
						0.152um[6u"]	3-1734324		
	OBSOLETE			GREEN	YELLOW	1.27um[50u"]	3-1734324		
						0.762um[30u"]	3-1734324		
						0.381um[15u"]	3-1734324		
						0.152um[6u"]	3-1734324		
△6	OBSOLETE	W/	TRAY	YELLOW	GREEN	1.27um[50u"]	2-1734324		
						0.762um[30u"]	2-1734324		
						0.381um[15u"]	2-1734324		
						0.152um[6u"]	2-1734324		
						GREEN	YELLOW	1.27um[50u"]	2-1734324
								0.762um[30u"]	2-1734324
								0.381um[15u"]	2-1734324
								0.152um[6u"]	2-1734324

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT


CUSTOMER DRAWING


DIMENSIONS: mm	
	
MATERIAL	


TOLERANCES UNLESS OTHERWISE SPECIFIED	
0 PLC	$\pm .-$
1 PLC	± 0.3
2 PLC	± 0.2
3 PLC	± 0.15
4 PLC	$\pm .-$
ANGLES	$\pm 3'$
FINISH	

TE Connectivity

NAME				MODULAR JACK CONNECTOR RJ45 WITH LED, 8P8C, SHIELDED TAB DOWN, DIP TYPE, H=11.3mm			
SIZE	CAGE CODE	DRAWING NO			RESTRICTED		
A3	00779	C-1734324			—		
SCALE				SHEET		2 OF 7	
				REV		A5	







THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.



COPYRIGHT 2010

BY TYCO ELECTRONICS CORPORATION.

LOC
DW

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE






DWN

APVD

SEE SHEET 1.



DETAIL C



13Kg	11.1Kg	80	33	2640	6-1734324-1~4
					5-1734324-X
					7-1734324-X
					4-1734324-X
					2-1734324-X
					1734324-X
GROSS WEIGHT	NET WEIGHT	PCS /TRAY	TRAY /BOX	PCS /BOX	PART NUMBER

NOTES:

1. MATERIAL:
TRAY: PVC.
BOX: CORRUGATED FIBER.
2. DIMENSION: SEE DRAWING
3. QUANTITY: SEE TABLE
4. WEIGHT: SEE TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± 1 PLC ±0.3 2 PLC ±0.2 3 PLC ±0.15 4 PLC ± ANGLES ±3°
MATERIAL	FINISH

DWN	—
CHK	—
APVD	—
PRODUCT SPEC	—
APPLICATION SPEC	—
WEIGHT	—
CUSTOMER DRAWING	—

STE

TE Connectivity

NAME					RESTRICTED TO
MODULAR JACK CONNECTOR RJ45 WITH LED, 8P8C, SHIELDED TAB DOWN, DIP TYPE, H=11.3mm					
SIZE	CAGE CODE	DRAWING NO			
A3	00779	C=1734324			—
			SCALE	SHEET	REV
			—	6 of 7	A5

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST

REVISIONS

P

LTR







DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1.



8.5KG	6.1KG	180	8	1440	6-1734324-5~8
					3-1734324-X
					1-1734324-X
GROSS WEIGHT	NET WEIGHT	PCS /REEL	REEL /BOX	PCS /BOX	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	± .
1 PLC	± 0.3
2 PLC	± 0.2
3 PLC	± 0.15
4 PLC	± .
ANGLES	± 3'

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

STE

TE Connectivity

NAME

MODULAR JACK CONNECTOR
RJ45 WITH LED, 8P8C, SHIELDED
TAB DOWN, DIP TYPE, H=11.3mm

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734324

SCALE

SHEET

7 of 7

REV A5

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9