

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	S1	ECR-13-014358	12SEP2013	XZ	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150252-2

FOR REPLACEMENT PARTS FOR APPLICATOR 466784
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
466784


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN X. ZHAO		 TE Connectivity			
DIMENSIONS:		CHK L. ZHANG					
		APVD L. ZHANG		NAME			
		PRODUCT SPEC		END FEED HDM APPLICATOR			
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				A3		©- 466784	
CUSTOMER DRAWING				SCALE	SHEET 1 OF 2	REV S1	




TERMINAL NAME: ULTRA-FAST FLAG									
-	520128	AMP TERMINAL - AMP CRIMP SPECS							
-	520386								
-	521164	PAD LTR	CRIMP HEIGHT			WIRE SIZE		Ø SOLDE	
-	-	A	.070±.002			18 OR (2)22		Ø .196	
-	-	B	.065±.002			22 OR 20		Ø .196	
-	-	C							
-	-	D							
-	-	CRIMP	SIZE		TYPE	RANGE			
-	-								
-	-		WIRE		.201	D	22-18		
		INSUL	-		-	.165 MAX			
WIRE STRIP LENGTH		TERM APPL SPEC		FEED	APPL INSTRUCTIONS		SET UP GAGE		LAYOUT
		114-2133		440	A1 8038		4386-38-2		

LOC		Q15T		REVISIONS					
A		66		P	LTR	DESCRIPTION	DATE	DWN	APVD
					S	ECR-07-003348	12FER2007	BW	TM

1. ONLY THE ITEMS WITH QUANTITIES SPECIFIED ON PARTS LIST ARE USED ON THIS APPLICATOR.
2. GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN AMP-O-ELECTRIC PRESS.
3. RECOMMENDED SPARE PARTS.
4. LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. GREASE LIGHTLY.
6. TO CHECK CRIMP HEIGHT, CRIMP SOLDER (3/16 DIA 60/40 SOLID CORE) AND MEASURE AT CENTER OF SLUG.



7. ITEMS WITH A QTY OF REF SPECIFIED
ARE USED ON ITEM 48.
- 8 CUT TO LENGTH AT ASSEMBLY.
- 9 SPARE TOOLING KIT (7-466784-7)

[illegible]

2	2	-	21022-2	NUT, HEX, SELF-LOCKING, THIN, 8-32	126
1	1	-	4-21010-6	SET SCREW, SOCKET HD, FLAT POINT	124
1	1	-	21078-8	SET SCREW, SOCKET HD, OVAL POINT	123
1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	122
2	2	-	21017-1	SCREW, DRIVE	120
1	1	-	461264-1	PLATE, IDENTIFICATION	119
2	2	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	118
2	2	-	2-21002-1	SCR, BTN SKT HD CAP 8-32 X .375	117
2	2	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	116
REF	REF	-	2-21002-9	SCR, BTN SKT HD CAP 10-32 X .750	115
1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	114
4	4	-	3-21002-3	SCR, BTN SKT HD CAP 1/4-20 X .500	113
REF	REF	-	17177-1	SCR, BTN HD SKT CAP (1/4-20x.62)	112
2	2	-	3-21000-3	SCR, SKT HD CAP 8-32 X 1.500	110
1	1	-	23030-1	SCR, SKT HD CAP, S-LOCK, 6-32 X .25	109
4	4	-	2-21000-0	SCR, SKT HD CAP 6-32 X .500	107
1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	106
2	2	-	3-21000-9	SCR, SKT HD CAP 10-32 X 1.000	102
1	REF	-	455750-7	GUARD ASSEMBLY	79
1	1	-	460277-3	AIR FEED ASSY	75
-	1	-	692655-7	AIR FEED VALVE ASSEMBLY	74
1	-	-	692655-5	AIR FEED VALVE ASSEMBLY	73
1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	72
REF	REF	-	467284-1	CAP, RAM	59
REF	REF	-	683742-1	HOUSING, APPLICATOR	58
1	1	-	1-460680-2	FEED FINGER ASSEMBLY	53
1	1	-	690686-2	CRIMPER, BOLT SPECIAL	49
1	1	-	816186-1	APPLICATOR, BASIC SUB-ASSY	48
1	1	-	22480-5	WASHER, WAVE SPRING	46
1	1	-	690191-1	PLUG,NYLON	45
1	1	-	683741-1	RAM	44
1	1	-	690125-1	SHIM SUB-ASSY	43
1	1	-	690124-1	WASHER, RAM (.115)	42
1	1	-	690124-5	WASHER, RAM (.062)	41
1	1	-	23241-6	BALL, STEEL	40
1	1	-	690170-1	SPRING, COMPRESSION	39
1	1	-	462426-1	DISC, SPRING	38
1	1	-	462425-1	WIRE DISC	37
2	2	-	5-22278-1	SPRING, COMPRESSION	36
1	1	-	690212-1	POST, RAM	35
8	8	-	2-22280-5	SPRING, COMPRESSION	34
1	1	-	690455-3	STRIPPER, FRONT CASTING	27
REF	REF	-	467286-2	PLATE, BASE	26
1	1	-	467285-1	PLATE, GUIDE, STRIP	24
2	2	-	2-22280-9	SPRING, COMPRESSION	22
1	1	-	467283-1	DRAW	20
1	1	-	683736-1	GUIDE, STRIP, REAR	19
1	1	-	683737-1	FRONT STRIP GUIDE	18
1	1	-	4-22280-7	SPRING, COMPRESSION	14
1	1	-	467281-1	RETAINER, SHEAR, FLOATING	13
1	1	-	467500-1	SHEAR, FLOATING	12
1	1	-	467501-1	HOLDER, SHEAR, FLOATING	11
1	1	-	467341-1	ANVIL, RIGHT HAND	8
1	1	-	467499-2	SHEAR DEPRESSOR	6
1	1	-	238009-1	BLOCK, FL CRIMPER SPACER	4
1	1	-	467282-1	STABILIZER	3
1	1	-	462842-1	SPACER	2
1	1	-	467342-1	CRIMPER, RIGHT HAND	1
-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO

THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE MANUFACTURE OF THE PRODUCT SPECIFIED HEREON. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION. IT SHOULD BE CONTROLLED FOR THE LATEST VERSION.		OWN B. WEAVER CHG ELBIN APD ELBIN	31 JAN 2007 31 JAN 2007 31 JAN 2007	 Tyco Electronics Harrisburg, PA 17105-3608	170
DIMENSIONS: IN		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME END FEED HDM APPLICATOR	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE A	CASE CODE 00779
MATERIAL FINISH		WEIGHT -		DRAWING NO C-466784	RESTRICTED TO -
CUSTOMER DRAWING				SCALE 2.5	SHEET 1 OF 1
				REV C	

3.4	1	1	3
CUSTOMER VIEWABLE ASSEMBLY			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9