



SIZE	Part Number	Jack Screw Thread	Packing
25	8655MH2501LF	UNC 4-40	bulk : Qty 60
	8655MH2511LF		individual set 50 sets/carton
	8655MH2502LF	M3	bulk : Qty 60
	8655MH2512LF		individual set 50 sets/carton



NOTE:RoHS INFORMATIONS

-The LF product meets European union Directives and other country regulations as described in GS-22-009
 -The product is not intended to be exposed to a manufacturing solder process
 -Packaging spec:see GS-14-920



JACKSCREW
THREAD

M3



SCALE 1:1

NOTES : for every sizes

Material and finish : Zinc die-cast
 nickel plated
 Cable strain relief : Zinc die-cast
 Jackscrew : Steel,nickel plated
 UNC 4-40 or M3 (see tables)
 Temperature range : -55°C to +125 °C
 Attenuation factor : >40 dB between 10 MHz

Other size details : see on next pages.



Copyright FCI.

rev	ecn no	dr	date
A	LS08-0058	MPE	2008/02/21
B	F11-0066	APA	2011/05/30

www.fciconnect.com			surface - 		tolerance std ISO 1302 ISO 406 ISO 1101		projection 		 mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size A3	Scale 3:2		
Eng	M PESSON	2008/02/19			0.XX	±/				
Chr	P LEGARE	2008/02/19			0.XXX	±/				
Appr	P LEGARE	2008/02/19	Product family				-	Spec ref		
			title STRAIGHT METAL HOODS WITH 2 METAL CLAMPS				dwg no C-8655-1685C		Rev B	
			catalog no				-	CUSTOMER		sheet 1 of 4



REV C - 2006-03-28

PDM: Rev:B

STATUS:Released


Printed: Jun 14, 2011

SIZE	Part Number	Jack Screw Thread	Packing
09	8655MH0901LF	UNC 4-40	bulk : Qty 80
	8655MH0911LF		individual set 50 sets/carton
	8655MH0902LF	M3	bulk : Qty 80
	8655MH0912LF		individual set 50 sets/carton



PRODUCT WITH
M3 THREAD
JACKSCREWS

SIZE	Part Number	Jack Screw Thread	Packing
15	8655MH1501LF	UNC 4-40	bulk : Qty 80
	8655MH1511LF		individual set 50 sets/carton
	8655MH1502LF	M3	bulk : Qty 80
	8655MH1512LF		individual set 50 sets/carton





www.fciconnect.com			surface ISO 1302		- ✓ tolerance std ISO 406 ISO 1101		projection 		mm 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size	A3	Scale 3/2	
Eng	M PESSON	2008/02/19			0.XX	±/				
Chr	P LEGARE	2008/02/19	0° ±/°		0.XXX	±/	ECN		F11-0066	
Appr	P LEGARE	2008/02/19	Product family				-	Spec ref		
	title	STRAIGHT METAL HOODS					dwg no	C -8655-1685C		Rev. B
		WITH 2 METAL CLAMPS								
		catalog no								
					-	CUSTOMER		sheet 2 of 4		





Copyright FCI.

SIZE	Part Number	Jack Screw Thread	Packing
37	8655MH3701LF	UNC 4-40	bulk : Qty 40
	8655MH3711LF		individual set 50 sets/carton
	8655MH3702LF	M3	bulk : Qty 40
	8655MH3712LF		individual set 50 sets/carton



SIZE	Part Number	Jack Screw Thread	Packing
50	8655MH5001LF	UNC 4-40	bulk : Qty 40
	8655MH5011LF		individual set 50 sets/carton
	8655MH5002LF	M3	bulk : Qty 40
	8655MH5012LF		individual set 50 sets/carton



www.fciconnect.com			surface ISO 1302		- ✓	tolerance std ISO 406 ISO 1101		projection 	mm 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size	Scale		
Eng	M PESSON	2008/02/19			0.XX	±/	A3	3/2		
Chr	P LEGARE	2008/02/19			0° ±°	0.XXX	±/	ECN	F11-0066	
Appr	P LEGARE	2008/02/19	Product family						-	Spec ref
	title STRAIGHT METAL HOODS WITH 2 METAL CLAMPS					dwg no	C -8655-1685C		Rev. B	
	catalog no	-	CUSTOMER			sheet 3 of 4				

REV C - 2006-03-28


PDM: Rev:B

STATUS:Released

Printed: Jun 14, 2011


CABLING INSTRUCTIONS

1- Strip the cable and solder or crimp the wires




SCALE 3:2

2-Put the connector into a half hood and tighten the jacket with a metal clamp




SCALE 3:2

3-To get the electrical continuity between the cable outer conductor and the hood tighten the outer conductor with the other metal clamp as shown



SCALE 3:2

4-Mount the jackscrews, the other half hood and tighten with 2 screws



Copyright FCI.

www.fciconnect.com			surface ISO 1302	- ✓	tolerance std ISO 406 ISO 1101	projection ⊕	mm ↔
			TOLERANCES UNLESS OTHERWISE SPECIFIED				size A3
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	Scale 3:2
Eng	M PESSON	2008/02/19			0.XX	±/	
Chr	P LEGARE	2008/02/19	0° ±/°		0.XXX	±/	ECN F11-0066
Appr	P LEGARE	2008/02/19	Product family		-	Spec ref	
Title STRAIGHT METAL HOODS WITH 2 METAL CLAMPS			dwg no C-8655-1685C			Rev. B	
catalog no			CUSTOMER			sheet 4 of 4	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9