

10

9

8

7

6

5

4

3

2




1

注記:

NOTES:

1. 適合リセプタクルハウジング: 3191-04R*
TO BE MATED WITH RECEPTACLE HOUSING :
3191-04R*

2. ASSEMBLIES MAY CONTAIN SOLID OR SWAGED (HOLLOW) PINS.



基板取付穴推奨寸法

RECOMMENDED P.C. BOARD HOLE DIMENSIONS

5219-04A-201	39-28-7048	NYLON66,94V-0
5219-04A	15-31-1046	NYLON66,94V-2
ENG. NO.	EDP NO.	ハウジングの材質 MATERIAL

ADD NOTE 2 EC NO: UCP2012-0046 DRWN: AELHAG CHKD: JBELL APPR: FSMITH	DESCRIPTION 2011/07/08 2011/07/15 2011/09/02	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY K. KOHAMA	DATE '00/05/29	TITLE NEW INTERNATIONAL CONN 4 POS. HEADER		
		10 OVER 30 UNDER	± 0.25	CHECKED BY M. FUKUSHIMA	DATE '00/05/29			
		30 OVER	± 0.3	APPROVED BY M. FUKUSHIMA	DATE '00/05/29			
		ANGULAR ±3 °	MATERIAL NO.		DOCUMENT NO. SD-5219-003		SHEET NO. 1 OF 1	
N	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		MOLEX INCORPORATED		
				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9

8

7

6

5



4

3

2




10 9 8 7 6 5 4 3 2 1

CIRCUITS	EDP NO.	ENGINEERING NO.
4	15-31-1046	5219-04A



RECOMMENDED P.C.B. HOLE DIM.

- NOTES:
- 1) MATERIAL:
HOUSING: NYLON 6/6, UL94V-2, COLOR: NATURAL
TERMINAL: C2700W BRASS
 - 2) FINISH: 0.000003/(.0000001) MIN. TIN OVERALL OVER
0.000001/(.00000004) MIN. NICKEL OVERALL
 - 3) PRODUCT SPECIFICATION: NONE
 - 4) PACKAGING: NONE
 - 5) MATES WITH: 3191-04R SERIES
 - 6) PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
 - 7) ASSEMBLIES MAY CONTAIN SOLID OR SWAGED (HOLLOW) PINS.



ADD NOTE 7 EC NO: UCP2012-0046 DRW:WJLHAG 2011/07/08 CHKD:JBELL 2011/07/15 APPR:FSM/TH 2011/09/02 K2	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .010 1 PLACE ± 0.25 ± --- ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE IN/MM DRAWN BY DATE A.ASO 1979/04/08 CHECKED BY DATE MENOMOTO 1979/04/10 APPROVED BY DATE	SCALE 2:1 TITLE NEW INTERNATIONAL CONN. HEADER AND ASSY	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	MOLEX INCORPORATED	MATERIAL NO. 15-31-1046	DOCUMENT NO. SD-5219-04A*	SHEET NO. 1 OF 1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9