



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER			SIGNAL						POWER		
		E1	P1	P2	1	2	3	4	5	6	P3	P4	E2
51730-216-- NOTE 3	D C B A		PA	PA	UUUUUU	TTTGGTT	SSFFSS	RRRRRR			PA	PA	



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER
HA	[N/A]	HOLD-DOWN
G	[5.59]	SIGNAL
F	[5.59]	SIGNAL

mat'l code				SEE NOTE				tolerances unless otherwise specified				CUSTOMER				 www.fciconnect.com					
ltr		ecn no.		dr		date		linear		0.X ± 0.5				COPY				title 2P + 24S + 2P RIGHT ANGLE SOLDER HEADER			
A		DG09-0317		WD		10/12/09				0.XX ± 0.25				projection							
										0.XXX ± 0.1											
								angles		0° ± 2°								product family PwrBlade			
								dr		Warren Du				10/06/09				code			
								enrg		Warren Du				10/06/09				213			
								chr		PM ZHENG				10/06/09				sheet			
								appd		JOSEPH HSIA				10/06/09				1 of 4			
sheet index		revision sheet		A		A		A		A											
				1		2		3		4											




cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51730-216--
NOTE: 3



mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date			linear	0.X ±0.5	COPY		www.fciconnect.com	
A						linear	0.XX ±0.25	projection		title 2P + 24S + 2P	
						angles	0.XXX ±0.1			RIGHT ANGLE SOLDER HEADER	
						angles	0° ±2°			product family PwrBlade	
						dr	Warren Du 10/06/09			code 213	
						enr	Warren Du 10/06/09			size dwg no	
						chr	PM ZHENG 10/06/09			sheet 2 of 4	
						appd	JOSEPH HSIA 10/06/09			A 51730-216	
sheet index	revision sheet							scale 1:1		cage code 22526	

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010



B



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51730-216-- NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51730-216 AND 51730-216LF RESPECTIVELY.
- MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON THIS SURFACE. THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- PACKAGED IN TRAYS.

PCB NOTES:

- ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm .07$ HOLE.
- "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecr no.	dr	date					COPY		www.fciconnect.com	
A				linear		$0.X \pm 0.5$		projection		title	
						$0.XX \pm 0.25$				2P + 24S + 2P	
				angles		$0.XXX \pm 0.1$				RIGHT ANGLE SOLDER HEADER	
						$0^\circ \pm 2^\circ$					
				dr	Warren Du	10/06/09		MIM		product family	PwrBlade
				enrg	Warren Du	10/06/09				size	213
				chr	PM ZHENG	10/06/09		scale		dwg no	sheet
				appd	JOSEPH HSIA	10/06/09		1:1		51730-216	4 of 4
sheet index	revision sheet										

cage code 22526

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9