





PRODUCT NUMBER SEE SHEET 2




|               |  |                                       |  |        |  |                |  |             |  |            |  |                        |  |                |  |           |  |                  |  |     |  |   |  |
|---------------|--|---------------------------------------|--|--------|--|----------------|--|-------------|--|------------|--|------------------------|--|----------------|--|-----------|--|------------------|--|-----|--|---|--|
| spec ref      |  | *                                     |  | dr     |  | Rainbow Zhan   |  | 2015/04/07  |  | projection |  | MM                     |  | size           |  | A3        |  | scale            |  | 3:2 |  |   |  |
| tolerance std |  | TOLERANCES UNLESS OTHERWISE SPECIFIED |  | eng    |  | Zhen-Hua Liu   |  | 2015/04/14  |  |            |  |                        |  | ecn no         |  | -         |  |                  |  |     |  |   |  |
| ASME Y14.5    |  |                                       |  | chr    |  | Fancy Zhang    |  | 2015/04/14  |  |            |  |                        |  | rel level      |  | Released  |  |                  |  |     |  |   |  |
|               |  |                                       |  | appr   |  | Pei-Ming Zheng |  | 2015/04/14  |  |            |  |                        |  | product family |  | PwrBlade+ |  |                  |  |     |  |   |  |
| surface       |  |                                       |  | linear |  | 0.X            |  | ±0.5        |  |            |  | title                  |  | 4HP            |  | dwg no    |  | 10106125-4000002 |  | rev |  | A |  |
|               |  |                                       |  | 0.XX   |  | ±0.25          |  |             |  |            |  |                        |  |                |  |           |  |                  |  |     |  |   |  |
|               |  |                                       |  | 0.XXX  |  | ±0.10          |  |             |  |            |  |                        |  |                |  |           |  |                  |  |     |  |   |  |
| ASME Y14.5    |  | angular                               |  | 0°     |  | ±2°            |  | www.fci.com |  | cat. no.   |  | Product - Customer Drw |  | sheet 1 of 3   |  |           |  |                  |  |     |  |   |  |



Copyright FCI.

| PRODUCT NO.        | ROWS             | HIGH POWER |    |    |    |    |    |
|--------------------|------------------|------------|----|----|----|----|----|
|                    |                  | E1         | P1 | P2 | P3 | P4 | E2 |
| 10106125-4000002LF | D<br>C<br>B<br>A |            | HE | HE | HE | HE |    |



| CODE | DESCRIPTION                   |
|------|-------------------------------|
| HE   | STD HIGH POWER CONTACT (3.05) |

|             |                |                        |                                   |                           |           |                  |       |     |
|-------------|----------------|------------------------|-----------------------------------|---------------------------|-----------|------------------|-------|-----|
| dr          | Rainbow Zhan   | 2015/04/07             | <div>projection</div> <div></div> | <div>MM</div> <div></div> | size      | A3               | scale | 3:2 |
| eng         | Zhen-Hua Liu   | 2015/04/14             |                                   |                           | ecn no    | -                |       |     |
| chr         | Fancy Zhang    | 2015/04/14             |                                   |                           | rel level | Released         |       |     |
| appr        | Pei-Ming Zheng | 2015/04/14             | product family                    |                           | PwrBlade+ |                  |       |     |
|             | title          | 4HP<br>RA PF HEADER    |                                   |                           | dwg no    | 10106125-4000002 |       | rev |
|             |                |                        |                                   |                           |           |                  |       |     |
| www.fci.com | cat. no.       | Product - Customer Drw |                                   |                           |           | sheet 2 of 3     |       |     |

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.  
APPLICATION SPECIFICATION : GS-20-141.  
PACKAGE SPECIFICATION : GS-14-1502(PRODUCT PACKAGED IN TRAYS).



Copyright FCI.

|             |                |            |                                   |                           |                |                        |       |     |           |
|-------------|----------------|------------|-----------------------------------|---------------------------|----------------|------------------------|-------|-----|-----------|
| dr          | Rainbow Zhan   | 2015/04/07 | <div>projection</div> <div></div> | <div>MM</div> <div></div> | size           | A3                     | scale | 3:2 |           |
| eng         | Zhen-Hua Liu   | 2015/04/14 |                                   |                           | ecn no         |                        |       |     | -         |
| chr         | Fancy Zhang    | 2015/04/14 |                                   |                           | rel level      |                        |       |     | Released  |
| appr        | Pei-Ming Zheng | 2015/04/14 |                                   |                           | product family |                        |       |     | PwrBlade+ |
| <div></div> |                |            | title                             |                           |                | rev                    |       |     |           |
|             |                |            | 4HP                               |                           |                | 10106125-4000002       |       |     |           |
|             |                |            | RA PF HEADER                      |                           |                | A                      |       |     |           |
| www.fci.com |                |            | cat. no.                          |                           |                | Product - Customer Drw |       |     |           |
|             |                |            |                                   |                           |                | sheet 3 of 3           |       |     |           |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9