






DETAIL "D"

NOTES

1. RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
2. NUMBER OF CONNECTORS : 8000 PCS/REEL.
3. LEAD TAPE LENGTH.




4. TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3
5. MATERIAL
CARRER TAPE :POLYSTYRENE
TOP TAPE :PET , OTHER
REEL :POLYSTYRENE(PS)(RECYCLE MATERIAL CONTAINED)

$\triangle 6$ ONLY 6 CIRCUIT IS DIFFERENT IN THIS DIMENSION.

MODEL NO. 505070-**42

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED			molex 0.35 BB CONN. H=0.6 SSB6 RP PLUG ASSY				
mm		1:5									
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 1.0° 4 PLACES ± 0.01 3 PLACES ± 0.03 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2				EC NO: 612826							
				DRWN: GSHARMA			2019/02/22				
				CHK'D: MSASAO			2019/02/27				
				APPR: MSASAO			2019/02/27				
				INITIAL REVISION:							
				DRWN: TNISHIDA02			2017/03/28				
				APPR: TKUSUHARA01			2017/04/03				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
				5050700000		PSD		008		C	
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
				A3-SIZE		505070				GENERAL	
										SHEET NUMBER	
										1 OF 3	



16	0.64	1.14	21.4	17.4	6.68	505070-3042	○	---	30
					5.63	505070-2442	○	---	24
					5.28	505070-2242	○	---	22
					4.93	505070-2042	○	---	20
					4.58	505070-1842	---	---	18
					4.23	505070-1642	○	---	16
					3.88	505070-1442	○	---	14
					3.53	505070-1242	○	---	12
					3.18	505070-1042	○	---	10
					2.78	505070-0842	○	---	8
	0.66	1.16			2.43	505070-0642	○	---	6
キャリアテープ幅 CARRIER TAPE WIDTH	(E)	(D)	C	B	(A)	MATERIAL No.	HIGH VOL. TOOL	LOW VOL. TOOL	CIRCUIT
							SAMPLE PREPARATION		

DIMENSION UNITS

mm

SCALE

2:1

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ± 0.01

3 PLACES ± 0.03

2 PLACES ± 0.05

1 PLACE ± 0.1

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

505070

CURRENT REV DESC: REVISED

EC NO: 612826

DRWN: GSHARMA 2019/02/22

CHK'D: MSASAO 2019/02/27

APPR: MSASAO 2019/02/27

INITIAL REVISION:

DRWN: TNISHIDA02 2017/03/28

APPR: TKUSUHARA01 2017/04/03

molex

0.35 BB CONN. H=0.6 SSB6 RP PLUG ASSY

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

5050700000

DOC TYPE

PSD

DOC PART

008

REVISION

C


MATERIAL NUMBER

CUSTOMER

GENERAL

SHEET NUMBER

2 OF 3



24	29.4	25.4	12.63	505070-6442	---	---	64
			11.93	505070-6042	---	---	60
			10.88	505070-5442	○	---	54
			10.18	505070-5042	○	---	50
			9.83	505070-4842	○	---	48
			9.48	505070-4642	---	---	46
			8.78	505070-4242	○	---	42
			8.43	505070-4042	○	---	40
			7.38	505070-3442	○	---	34
			7.03	505070-3242	---	---	32
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	MATERIAL No.	HIGH VOL TOOL	LOW VOL TOOL	CIRCUIT
					SAMPLE PREPARATION		

DIMENSION UNITS

mm

SCALE

2:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ± 0.01

3 PLACES ± 0.03

2 PLACES ± 0.05

1 PLACE ± 0.1

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

SERIES

CURRENT REV DESC: REVISED

EC NO: 612826

DRWN: GSHARMA 2019/02/22

CHK'D: MSASAO 2019/02/27

APPR: MSASAO 2019/02/27

INITIAL REVISION:

DRWN: TNISHIDA02 2017/03/28

APPR: TKUSUHARA01 2017/04/03

5050700000

DOCUMENT NUMBER

PSD

008

C

DOC TYPE

DOC PART

REVISION

0.35 BB CONN. H=0.6 SSB6 RP PLUG ASSY

PRODUCT CUSTOMER DRAWING

GENERAL


SHEET NUMBER


3 OF 3

505070

MATERIAL NUMBER


CUSTOMER






RECOMENDED P.W.BOARD PATTERN LAYOUT(REFFRECE)

$\triangle 6$ PROHIBITED AREA OF PATTERN WIRING AND SOLDER.
(FOR EACH AREA, THE WIRING THAT TOUCHES ON THE SOLDER
CAN BE ATTACHED, THEN COVERED WITH A FILM TO KEEP SOLDER OUT.)




MATED CONDITION



RECOMENDED METAL MASK LAYOUT(REFFRECE)

RECOMMENDED THICKNESS OF METAL MASK : $t=0.08$ MM
RECOMMENDED OPEN APERTURE RATIO OF METAL MASK : 80%

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex 0.35 BB CONN. SSB6 RP PLUG ASSY	
mm		20:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL		± 1.0 °							
4 PLACES		± 0.01		EC NO: 612826					
3 PLACES		± 0.03		DRWN: GSHARMA 2019/02/22					
2 PLACES		± 0.05		CHK'D: MSASAO 2019/02/27					
1 PLACE		± 0.1		APPR: MSASAO 2019/02/27					
0 PLACES		± 0.2		INITIAL REVISION:					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SHEET NUMBER	
						A3-SIZE		2 OF 2	
				SERIES		MATERIAL NUMBER		CUSTOMER	
				505070		5050701000		GENERAL	
						DOCUMENT NUMBER		DOC TYPE	
						5050701000		PSD	
								020	
								C	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9