

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


-,-

© COPYRIGHT - By -

ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	H	REVISED PER ECO-17-013991	22SEP2017	RG	SH






FOR 50 AND 130 POSITIONS ONLY

FOR 40, 60, 68, 80, 100, 120, 140, 160, 180 AND 200 POSITIONS ONLY



SECTION D-D
SCALE 8:1



NOTE:

- MATERIAL:
HOUSING: LCP, UL 94V-0, BLACK COLOR.
CONTACTS: BRASS.
BOARDLOCKS: BRASS.
- FINISH:
CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA,
3.81µm [150µ"] MIN. MATTE-TIN ON SOLDER TAIL, OVER
1.27µm [50µ"] MIN. NICKEL UNDERPLATED.
BOARDLOCKS: 3.81µm [150µ"] MIN. TIN-Cu OVER
1.27µm [50µ"] MIN. UNDERPLATED.
- WAVE SOLDER CAPABLE TO 265°C PER TEST SPEC.
109-202, CONDITION B.
- G, J, H INDICATE NUMBER OF POSITION MARKED ON ASSEMBLY.
ALSO SEE TABLE.
- GOLD FLASH OVER
0.762µm [30µ"] MIN. PALLADIUM-NICKEL PLATED.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ± -
	1 PLC ± 0.25
	2 PLC ± 0.2
	3 PLC ± -
	4 PLC ± -
	ANGLES ± -
MATERIAL	FINISH
SEE NOTE	SEE NOTE

DWN	31MAR2009
F. YANG	
CHK	31MAR2009
S. CHIEN	
APVD	31MAR2009
W. KODAMA	
PRODUCT SPEC	
108-57876	
APPLICATION SPEC	
—	
WEIGHT	0
CUSTOMER DRAWING	



TE Connectivity

PLUG ASSEMBLY, R/A,
BTB, CHAMP .050, SERIES I



SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1734099	—
SCALE	—	SHEET	1 OF 5
REV	H		

THIS DRAWING IS UNPUBLISHED.




RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



SECTION D-D
SCALE 8:1



30	60	31	GOLD FLASH	9-1734099-6	
			0.381um[15u"]	8-1734099-6	60
			Δ	7-1734099-6	
G	A	J	H	GOLD PLATED	PART NUMBER
					POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN F. YANG	31MAR2009	TE Connectivity	
DIMENSIONS: mm		CHK S. CHIEN	31MAR2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. KODAMA	31MAR2009	NAME	
0 PLC ± -		PRODUCT SPEC	108-57876	PLUG ASSEMBLY, R/A, BTB, CHAMP .050, SERIES I	
1 PLC ± 0.25		APPLICATION SPEC	-	SIZE	CAGE CODE
2 PLC ± 0.2		WEIGHT	-	A3	00779
3 PLC ± -		CUSTOMER DRAWING		DRAWING NO	
4 PLC ± -		SCALE		RESTRICTED TO	
ANGLES ± -		SHEET		REV	
MATERIAL SEE NOTE		FINISH SEE NOTE		2 of 5	
				H	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


- , -

© COPYRIGHT - By -


ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




FOR 50, AND 130
POSITIONS ONLY




RECOMMENDED PC BOARD
MOUNTING DIMENSIONS
COMPONENT SIDE

FOR 40, 60, 68, 80, 100, 120, 140, 160, 180, AND 200
POSITIONS ONLY



RIGHT ANGLE RECEPTACLE ASSEMBLY MATED
TO RIGHT ANGLE PLUG ASSEMBLY




RIGHT ANGLE RECEPTACLE ASSEMBLY MATED
TO VERTICAL PLUG ASSEMBLY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH

MATERIAL

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-



TE Connectivity

NAME			
PLUG ASSEMBLY, R/A, BTB, CHAMP .050, SERIES I			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1734099	-
CUSTOMER DRAWING		SCALE	SHEET
		-	3 of 5
		REV	H

D

C

B

A



D

C

B

A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—



100	21	16	336	2.60	3.44	5-1734099-0
						3-1734099-0
						1-1734099-0
80	21	16	336	2.15	3.00	4-1734099-8
						2-1734099-8
						1734099-8
POS.	Q'TY/ TUBE	TUBE/ BOX	Q'TY/ BOX	N/W (KG)	G/W (KG)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± —
1 PLC ± —
2 PLC ± —
3 PLC ± —
4 PLC ± —
ANGLES ± —
MATERIAL —
FINISH —

DWN —
CHK —
APVD —
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

PLUG ASSEMBLY, R/A,
BTB, CHAMP .050, SERIES I

SIZE A3 CAGE CODE 00779 DRAWING NO C-1734099 RESTRICTED TO —

CUSTOMER DRAWING SCALE — SHEET 4 of 5 REV H

1470-19 (1/15)

4

3

2

1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—

D

D

C


C

B

B

A

A



E1	OBSOLETE							5-1734099-8
			10	10	100	1.40	2.35	3-1734099-8
		200						1-1734099-8
E1	OBSOLETE	160	10	10	100	1.18	2.13	5-1734099-6
								3-1734099-6
								1-1734099-6
E1	OBSOLETE	140	15	10	150	1.59	2.46	5-1734099-4
								3-1734099-4
								1-1734099-4
E1	OBSOLETE	120	15	10	150	1.20	2.15	5-1734099-2
								3-1734099-2
								1-1734099-2
E1	OBSOLETE	68	30	10	300	1.69	2.64	4-1734099-7
								2-1734099-7
								1734099-7
E1	OBSOLETE	60	30	10	300	1.53	2.48	4-1734099-6
								2-1734099-6
								1734099-6
E1	OBSOLETE	50	35	10	350	1.58	2.56	4-1734099-5
								2-1734099-5
								1734099-5
E1	OBSOLETE	40	45	10	450	1.71	2.66	4-1734099-4
								2-1734099-4
								1734099-4
	POS.	Q'TY/ TRAY	TRAY/ BOX	Q'TY/ BOX	N/W (KG)	G/W (KG)	PART NUMBER	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9