

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0751170538

Status:

Active

Overview:

[vhdm](#)

Description:

2.00mm (.0779") Pitch VHDM® Board-to-Board Stacker Guided Receptacle, Vertical, 400 Circuits, 0.76µm (30µ") Gold (Au)




image - Reference only

Series

Documents:

- [Packaging Specification \(PDF\)](#)
- [Drawing \(PDF\)](#)
- [Product Specification PS-74031-999 \(PDF\)](#)
- [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Backplane Connectors
Series	75117
Application	Daughtercard
Application Tooling Documents	Tooling Manual
Comments	Stack Height 18mm (.708")
Component Type	PCB Receptacle
Overview	vhdm
Product Name	VHDM®
Style	N/A

Physical

Circuits (Loaded)	400
Circuits (maximum)	400
Color - Resin	Black
Durability (mating cycles max)	200
First Mate / Last Break	No
Guide to Mating Part	Yes
Keying to Mating Part	None
Material - Metal	Copper-Nickel-Silicon, High Performance Alloy (HPA)
Material - Plating Mating	Gold
Material - Plating Termination	Tin-Lead
Material - Resin	High Temperature Thermoplastic
Number of Columns	N/A
Number of Pairs	Open Pin Field
Number of Rows	8
Orientation	Vertical
PC Tail Length (in)	0.112 In
PC Tail Length (mm)	2.85 mm
PCB Locator	No
PCB Retention	None
PCB Thickness Recommended (in)	0.071 In
PCB Thickness Recommended (mm)	1.80 mm
Packaging Type	Tray
Pitch - Mating Interface (in)	0.079 In
Pitch - Mating Interface (mm)	2.00 mm
Pitch - Term. Interface (in)	0.039 In
Pitch - Term. Interface (mm)	1.00 mm
Plating min: Mating (µin)	30
Plating min: Mating (µm)	0.75
Plating min: Termination (µin)	30
Plating min: Termination (µm)	0.75
Polarized to PCB	Yes
Stackable	No
Surface Mount Compatible (SMC)	Yes

EU RoHS
RoHS Compliant by Exemption
REACH SVHC
Contains SVHC: No
Halogen-Free Status
Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[75117Series](#)

Mates With
VHDM® Board-to-Board Backplane
HeaderLink:74061, [74060](#)

Temperature Range - Operating

Termination Interface: Style

105°C

Through Hole - Compliant Pin

Electrical

Current - Maximum per Contact

Data Rate

Real Signals (per 25mm)

Shield Type

Shielded

Voltage - Maximum

1A

3.125 Gbps

100

Ground Plane Shield

Yes

120V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Packaging Specification

Product Specification

Sales Drawing

PK-70873-751


PS-74031-999

SD-75117-538

VHDM and Very High Density Metric are trademarks of Amphenol Corporation





This document was generated on 05/14/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



NOTES:

- MATERIALS:**
RETAINER HOUSING-LIQUID CRYSTAL POLYMER
30% GLASS FILLED, UL94 V-0, COLOR: BLACK
WAFER PLASTIC-LIQUID CRYSTAL POLYMER
30% GLASS FILLED, UL94 V-0, COLOR: BLACK (30u in Au) OR GRAY (50u in Au)
TERMINALS: HIGH PERFORMANCE COPPER ALLOY
- FINISHES:**
TERMINAL-SELECTIVE GOLD(Au) IN CONTACT AREA
THICKNESS, SELECTIVE TIN/LEAD (Sn/Pb) ON PCB TAILS, NICKEL (Ni)
UNDERPLATE OVERALL.
- PRODUCT SPECIFICATION:** PS-74031-999
- MATES WITH VDM 8-ROW BACKPLANE HEADER SERIES NO.** 74061 & 74060.
- PACKAGING SPECIFICATION:** PK-70873-0751.
- THIS PART CONFORMS TO MOLEX COSMETIC SPECIFICATION PS-75499-002 CLASS B.**



MODIFIED NOTES ECN NO. UC270008-0983 DRAWN BY MSANDBERG 2007/11/04 CHECKED BY INGHAM 2007/11/01 APPR. BY INGHAM 2007/11/01 A2	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION			
	▽=0	4 PLACES	±	±	DRAWN BY	DATE	VHDM 8-ROW DAUGHTERCARD STACKER 50 COLUMN W/ GUIDE SALES DRAWING  MOLEX INCORPORATED				
	▽=0	3 PLACES	±	±	CHECKED BY	DATE					
	▽=0	2 PLACES	±	±	JB INGHAM	2007/04/05					
	▽=0	1 PLACE	±	±	APPROVED BY	DATE					
	▽=0				RNELSON	2007/04/05					
		ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		75117-0538		SD-75117-538		1 OF 1			
				SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9