








SCALE 1:1

KEYING OPTION "B"
1438082-2 $\triangle_3$




△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

1. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE MANUFACTURE OF THE PARTS SPECIFIED HEREON. IT IS NOT TO BE REPRODUCED OR COPIED FOR ANY OTHER PURPOSE. IT IS TO BE KEPT IN THE COMPANY'S FILES FOR THE LIFE OF THE PART.		DWG NO. 01AUG2003 CHKD BY W. VESTAL APP'D BY D. STRAUSSER DATE 01AUG2003		 Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLOC ±.01 2 PLOC ±.03 3 PLOC ±.10 4 PLOC ±.05 ANGLES ±.5°		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		PRODUCT SPEC APPLICATION SPEC		SIZE A CAGE CODE 00779 DRAWING NO. C-1438082 RESTRICTED TO	
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT - CUSTOMER DRAWING	
				SCALE 4:1 SHEET 1 OF 5 REV	

LOC	DIST	REVISIONS			
FX	00	P	LYR	DESCRIPTION	DATE
		-	-	SEE SHEET 1	-

	45	43			39	37	36	35			31					24					18	17	16		14	13	12			9		7	6				2	1	9-1438082-7	2LIT-14A464-SD-051				
			42																	20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050				
			42																	20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049				
			42																	20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048			
								35						27																										9-1438082-3	2LIT-14A464-SD-047			
	45	43					36	35			32	31				24		21		19	18	17	16		14	12							7	6				1	9-1438082-1	2LIT-14A464-SD-046				
46											31																														9-1438082-0	2LIT-14A464-SD-045		
											31					24							16										8					3	2	8-1438082-9	2LIT-14A464-SD-044			
														27																											8-1438082-8	2LIT-14A464-SD-043		
	45	44	43	42		40	38	37	36		33	31		29		24	22	20		18	17	16	15							9	8					3				8-1438082-7	2LIT-14A464-SD-042			
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20	19	18	17	16	15							9	8		6			2				8-1438082-6	2LIT-14A464-SD-041		
46											31																					9			6			3				8-1438082-5	2LIT-14A464-SD-040	
			43	42		39	37												20	19	18							11	10	9								2	1			8-1438082-4	2LIT-14A464-SD-039	
			43								31		29								18																					8-1438082-3	2LIT-14A464-SD-038	
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15							9	8					2				8-1438082-0	2LIT-14A464-SD-037		
	45		43						36	35			31			24						16		14	12								7	6			2	1			7-1438082-9	2LIT-14A464-SD-036		
	45		43						36	35			31			24		21		19		16		14	12								7	6			2	1			7-1438082-8	2LIT-14A464-SD-035		
			43	42		39	38	37				32			28						19	18	17	16					10	9											7-1438082-5	2LIT-14A464-SD-034		
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15						9	8		6			2				7-1438082-4	2LIT-14A464-SD-033			
	45	44	43	42		40	38	37	36		33	31				24	22	21	20		18	17	16	15							9	8		6			2				7-1438082-3	2LIT-14A464-SD-032		
					40									29																		9									6-1438082-6	2LIT-14A464-SD-031		
																												12													6-1438082-3	2LIT-14A464-SD-030		
															27																										6-1438082-2	2LIT-14A464-SD-029		
															27																										6-1438082-1	2LIT-14A464-SD-028		
													29	28		25		21			18	16											6	5							5-1438082-6	2LIT-14A464-SD-027		
													29	28		25		21				16											6	5							5-1438082-5	2LIT-14A464-SD-026		
											30	29						21			18	16													5							5-1438082-2	2LIT-14A464-SD-025	
			43	42		39	37											20	19	18	17		15	14				11	10	9	8	7			4	3	2	1			5-1438082-0	2LIT-14A464-SD-024		
			42																				15	14					11	10	9	8	7			4	3				4-1438082-9	2LIT-14A464-SD-023		
			43	42		39	37											20	19	18	17							11	10	9								2	1			4-1438082-8	2LIT-14A464-SD-022	
			42																									11	10	9										1			4-1438082-7	2LIT-14A464-SD-021
			43	42		39	37									23		20	19	18	17							11	10	9								2				4-1438082-2	2LIT-14A464-SD-020	
	45	43					36	35			31					24					18	17	16		14	12								7	6			2	1			4-1438082-0	2LIT-14A464-SD-019	
		43	42		39	37										23		20	19	18	17		15	14				11	10	9	8	7			4	3	2				3-1438082-8	2LIT-14A464-SD-018		
			42													23							15	14				11	10	9	8	7			4	3					3-1438082-7	2LIT-14A464-SD-017		
		43	42		39	37										23		20	19	18	17	16						11	10	9								2				3-1438082-6	2LIT-14A464-SD-016	
			42													23													11	10	9											3-1438082-5	2LIT-14A464-SD-015	
	45	43			39	37	36	35			31					24		21		19	18	17	16		14	13	12				9		7	6			2	1			3-1438082-4	2LIT-14A464-SD-014		
	45	43			39	37	36	35		33	31				25	24		21		19	18	17	16		14	13	12				9		7	6			2	1			3-1438082-3	2LIT-14A464-SD-013		
	45	43					36	35			31					24		21		19	18	17	16		14	12							7	6				2	1			3-1438082-2	2LIT-14A464-SD-012	
			42																					15	14	13			10	9	8	7			4	3					3-1438082-1	2LIT-14A464-SD-011		
		43	42		39	37													20	19	18	17			13			10	9									2			3-1438082-0	2LIT-14A464-SD-010		
			42																																									

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET I	-	-	-

		44								35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086															
		44								35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085															
										35																											6-1438735-2	2LIT-14A464-SD-084														
			43	42		40	39	37					29						20	18		15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																
45		43						38	36			31				25	24				18	17	16	14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082																
45		43						38	36			31				25	24						16	14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081																
45		43						38	36			32	31			25	24		21	19	18	17	16	14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																	
45		43					39	38	37	36			31			25	24				18	17	16	14	13	12		9	7	6			2	1	4-1438735-7	2LIT-14A464-SD-079																
				42															20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078																
				42															20	18				13	11	10								1	3-1438735-7	2LIT-14A464-SD-077																
45		43					39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076																
45		43						38	36			31				25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075																
			43	42		40	39	37					29						20	18		15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074															
45		43					39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073																
45		43						38	36			31				25	24		21	20	19	18	17	16	14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072																
45		43					39	38	37	36			31			25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071																
45		43						38	36			31				25	24		21	20	19			16	14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070																
45		43					39	38	37	36			31			25	24		21	20	19			16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069																
45		43						38	36			31				25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068																
											33														13							6	5			2	1	2-1438735-5	2LIT-14A464-SD-067													
45	44	43	42		40			38	37	36		33	31				24	22	21	20		18	17	16	15				9	8				2		2-1438735-4	2LIT-14A464-SD-066															
		43										31		29							18								8					2		2-1438735-1	2LIT-14A464-SD-065															
45		43						38		36	35		31			25	24		21					16	14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064															
45		43					39	38	37	36	35		31			25	24				18	17	16	14	13	12		9	7	6				2	1	1-1438735-9	2LIT-14A464-SD-063															
45		43						38		36	35		32	31			25	24		21	19	18	17	16	14	12			7	6				1	1-1438735-8	2LIT-14A464-SD-062																
45		43						38		36	35		31			25	24							16	14	12			7	6				2	1	1-1438735-7	2LIT-14A464-SD-061															
45		43						38		36	35		31			25	24		21	19			16	14	12			7	6				2	1	1-1438735-6	2LIT-14A464-SD-060																
45		43						38		36	35		31			25	24				18	17	16	14	12			7	6				2	1	1-1438735-5	2LIT-14A464-SD-059																
45		43					39	38	37	36	35		31			25	24		21	19	18	17	16	14	13	12		9	7	6				2	1	1-1438735-4	2LIT-14A464-SD-058															
45		43						38		36	35		31			25	24		21	19	18	17	16	14	12			7	6					2	1	1-1438735-3	2LIT-14A464-SD-057															
				42					37										20	18		15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056															
45		43								36	35		31				24		21	19			16	14	12				7	6				1	1-1438735-1	2LIT-14A464-SD-055																
										35						27																		3		1-1438735-0	2LIT-14A464-SD-054															
				43								31		29							18							9	8					2		1438735-9	2LIT-14A464-SD-053															
										35						27													7							1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A" 																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST REVISION.		DWN R. VESTAL 01AUG2003	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK D. STRAUSSER 01AUG2003	NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		APVD D. STRAUSSER 01AUG2003	RESTRICTED TO -	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±0.10 5 PLC ±. 4 PLC ±. ANGLES ±°		PRODUCT SPEC APPLICATION SPEC	SIZE A	
MATERIAL -		WEIGHT -	DRAWING NO 00779	
FINISH -		CUSTOMER DRAWING		SCALE 4:1
		SHEET 3 OF 5		REV S 11

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9