

CMXD3003TO

**SURFACE MOUNT
TRIPLE ISOLATED OPPOSING
LOW LEAKAGE
SILICON SWITCHING DIODES**



www.centrasemi.com

SUPERmini™



SOT-26 CASE

DESCRIPTION:

The CENTRAL SEMICONDUCTOR CMXD3003TO consists of three (3) Isolated Low Leakage Silicon Switching Diodes arranged in an alternating configuration in a SUPERmini SOT-26 surface mount package, and is designed for low leakage switching applications. This device can be configured as a 540V switching diode. See optional mounting pad configuration.

MARKING CODE: C03TO

APPLICATIONS:

- Voltage Multiplier
- Steering Diode Array
- General Purpose Switching

MAXIMUM RATINGS: (T_A=25°C)

Continuous Reverse Voltage

Average Forward Current

Continuous Forward Current

Peak Repetitive Forward Current

Peak Forward Surge Current, tp=1.0μs

Peak Forward Surge Current, tp=1.0s

Power Dissipation

Operating and Storage Junction Temperature

Thermal Resistance

SYMBOL

V_R

I_O

I_F

I_{FRM}

I_{FSM}

I_{FSM}

P_D

T_J, T_{stg}

θ_{JA}

180

200

600

700

2.0

1.0

350

-65 to +150

357

UNITS

V

mA

mA

mA

A

A

mW

°C

°C/W

ELECTRICAL CHARACTERISTICS PER DIODE: (T_A=25°C unless otherwise noted)


SYMBOL	TEST CONDITIONS	MIN	MAX	UNITS
I _R	V _R =125V		1.0	nA
I _R	V _R =125V, T _A =150°C		3.0	μA
I _R	V _R =180V		10	nA
I _R	V _R =180V, T _A =150°C		5.0	μA
BV _R	I _R =5.0μA	200		V
V _F	I _F =1.0mA	0.62	0.72	V
V _F	I _F =10mA	0.72	0.83	V
V _F	I _F =50mA	0.80	0.89	V
V _F	I _F =100mA	0.83	0.93	V
V _F	I _F =200mA	0.87	1.10	V
V _F	I _F =300mA	0.90	1.15	V
C _T	V _R =0, f=1.0MHz		4.0	pF

R1 (26-July 2011)

CMXD3003TO
SURFACE MOUNT
TRIPLE ISOLATED OPPOSING
LOW LEAKAGE
SILICON SWITCHING DIODES




SOT 26 CASE - MECHANICAL OUTLINE



SYMBOL	INCHES		MILLIMETERS	
	MIN	MAX	MIN	MAX
A	0.004	0.007	0.11	0.19
B	0.016	-	0.40	-
C	-	0.004	-	0.10
D	0.039	0.047	1.00	1.20
E	0.074	0.075	1.88	1.92
F	0.037	0.038	0.93	0.97
G	0.102	0.118	2.60	3.00
H	0.059	0.067	1.50	1.70
I	0.016		0.41	
J	0.110	0.118	2.80	3.00

SOT-26 (REV: R2)

PIN CONFIGURATION




LEAD CODE:

- 1) Anode D1
- 2) Cathode D2
- 3) Anode D3
- 4) Cathode D3
- 5) Anode D2
- 6) Cathode D1

MARKING CODE: C03TO

OPTIONAL MOUNTING PADS
For 540V Series Configuration
 (Dimensions in mm)



R0

OUTSTANDING SUPPORT AND SUPERIOR SERVICES



PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- Inventory bonding
- Consolidated shipping options
- Custom bar coding for shipments
- Custom product packing

DESIGNER SUPPORT/SERVICES

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2nd day air)
- Online technical data and parametric search
- SPICE models
- Custom electrical curves
- Environmental regulation compliance
- Customer specific screening
- Up-screening capabilities
- Special wafer diffusions
- PbSn plating options
- Package details
- Application notes
- Application and design sample kits
- Custom product and package development

CONTACT US

Corporate Headquarters & Customer Support Team

Central Semiconductor Corp.
145 Adams Avenue
Hauppauge, NY 11788 USA
Main Tel: (631) 435-1110
Main Fax: (631) 435-1824
Support Team Fax: (631) 435-3388
www.centralsemi.com

Worldwide Field Representatives:
www.centralsemi.com/wwreps

Worldwide Distributors:
www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: www.centralsemi.com/terms

www.centralsemi.com

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9