

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E1	ECR-15-001613	30JAN2015	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150496-1

FOR REPLACEMENT PARTS FOR APPLICATOR 466264-1
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
466264-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME			
		PRODUCT SPEC		MINIATURE QUICK CHANGE			
		APPLICATION SPEC		APPLICATOR END FEED(.250 FASTON)			
MATERIAL		WEIGHT		SIZE A 3	CAGE CODE	DRAWING NO C- 466264-1	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV E1

THIS DRAWING IS A CONTROLLED DOCUMENT.

16 FEB 1977

RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED.

1999

© COPYRIGHT

NOTES

1. ONLY THE ITEMS WITH QUANTITIES SPECIFIED ON PARTS LIST ARE USED ON THIS APPLICATOR.

2. USED IN PLACE OF ITEM 38 WHEN INSULATION CRIMP IS NOT USED.

3. GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN AMP-O-LECTRIC PRESS.

4. ITEMS WITH QTY. OF REF. SPECIFIED (EXCEPT ITEM 79) ARE USED ON ITEM 32.


KEY:

RECOMMENDED SPARE PARTS.

LUBRICATE DAILY USING NO. 20 MACHINE OIL.

GREASE LIGHTLY

LUBRICATOR REQUIRED FOR SILVER PLATED TERMINALS.



REF	21045-3	RING, RETAINING 'C' (.187 DIA) FEED PIN	145	REF	454220-1	CAP, RAM	99
REF	5-21028-1	PIN, SLOT SPG (.12 DIA X .50) FD ADJ ROD	144	REF	453736-1	HOUSING	98
			143				97
			142				96
REF	1-21030-7	PIN, DOWEL (.187 DIA X 1.50) HOUSING	141	REF	240624-1	PIN, FEED FINGER	95
REF	1-21030-1	PIN, DOWEL (.187 DIA X .50) LEVER	140	REF	691499-1	SPRING, FEED FINGER	94
			139	REF	240635-1	FINGER, FEED	93
			138	REF	240634-3	LEVER, TERMINAL	92
			137				91
			136				90
REF	21024-5	WASHER, LOCK (NO 10) FEED ADJ PLATE	135	1	7-21002-9	BOLT, CRIMPER	49
2	21024-5	WASHER, LOCK (NO 10) SHEAR PLATES	134	1	690501-4	CAM, POST FEED 1 1/8 STROKE	48
REF	21024-5	WASHER, LOCK (NO 10) FEED ROD GUIDE	133				47
5	21024-4	WASHER, LOCK (NO 8) STRIP GUIDE	132				46
2	21024-4	WASHER, LOCK (NO 8) SHEAR BLADE	131	1	690191-1	PLUG, NYLON	45
			130	1	455674-1	RAM	44
			129	1	690125-1	WASHER, LAMINATED	43
			128	1	690124-9	WASHER, RAM	42
			127			SPACER, DISC	41
			126	2	23241-6	BALL, STEEL	40
			125	2	690170-1	SPRING, COMPRESSION	39
			124	1	690142-1	DISC, INSULATION	38
			123	1	7-692155-9	DISC, WIRE	37
			122	1	22480-5	WASHER, SPRING	36
			121	1	690212-1	POST, RAM	35
			120				34
			119				33
			118	1	458980-2	APPLICATOR, BASIC (SUB ASSY)	32
			117				31
			116				30
			115				29
REF	2-21002-2	SCR, BTN HD SKT CAP (8-32 X .50) STRIPPER	114	1	3-690451-2	SPACER, STRIPPER	28
	2-21002-9	SCR, BTN HD SKT CAP (10-32 X .75) HSG CAP	113	1	240639-1	STRIPPER	27
1	2-2733-8	SCR, BTN HD SKT CAP (8-32 X .38) (LOC-WEL) ANVIL	112	REF	455676-1	PLATE, BASE	26
4	3-21002-3	SCR, BTN HD SKT CAP (1/4-20 X .50) STR GDE PL	111	2	22354-8	DRAG, STUD	25
REF	2-2733-9	SCR, BTN HD SKT CAP (1/4-20 X .75) BASE PL	110	1	455678-1	PLATE, STRIP GUIDE	24
			109	1	240825-2	PLATE, STRIP HOLD	23
			108	2	4-22281-1	SPRING, DRAG	22
			107	1	240636-1	LEVER, DRAG	21
			106	1	454177-1	DRAG, STOCK	20
			105	1	454204-3	GUIDE, STRIP (REAR)	19
REF	3-21000-7	SCR, SKT HD CAP (10-32 X .75) FD ROD GUIDE	104	1	454204-3	GUIDE, STRIP (FRONT)	18
	3-21000-9	SCR, SKT HD CAP (10-32 X 1.00) DRAG SPRING	103	REF	454178-1	GUIDE, FEED ROD	17
REF	3-21000-6	SCR, SKT HD CAP (10-32 X .62) FD ADJ PLATE	102	REF	4-22284-9	SPRING, FEED RETURN	16
REF	3-21000-4	SCR, SKT HD CAP (10-32 X .38) PIVOT BLK	101			ADAPTER, DRAG	15
2	3-21000-8	SCR, SKT HD CAP (10-32 X .88) SHEAR PLATE	100				14
REF	455745-1	GUARD, WINDOW	79				13
1	465184-9	LUBRICATOR ASSY	78				12
	455985-1	OIL, LUBRICATING	77	1	23846-1	SPRING, HOLD DOWN	11
	454406-1	SPACER, LUB BRACKET	76	1	240644-1	PLATE, REAR SHEAR	10
			75			SPACER, SHEAR PLATE	9
			74	1	690495-6	PLATE, FRONT SHEAR	8
REF	458109-1	WASHER, FLAT (SPECIAL)	73	1	7-240655-0	ANVIL	7
2	690603-1	SPRING, ASSIST	72	1	690474-4	BLADE, SLUG	6
REF	690517-1	SPACER	71	1	1-455892-1	HOLD DOWN, TERMINAL	5
	22594-8	NUT, HEX	70	1	240641-5	SPACER, SHEAR BLADE	4
	240628-1	PLATE, ADJ	69	1	238009-1	SPACER, TUBULAR	3
	240626-1	SHAFT, PIVOT	68	1	1-456134-2	CRIMPER, INSULATION	2
	240633-1	BUSHING	67	1	455888-7	SPACER, INSULATION	1
	455680-1	LEVER, INTERMEDIATE	66	1	456421-2	CRIMPER, WIRE	
	240629-1	BLOCK, PIVOT	65				
	240632-2	SCREW, ADJ	64				
	240659-3	PIN, CAM ROLLER	63				
	240658-1	CAM, ROLLER	62				
REF	454398-1	ROD, FEED	61				
			60				
QTY	PART NO	DESCRIPTION	ITEM NO	QTY	PART NO	DESCRIPTION	ITEM NO

CRIMPING DATA					APPLICATOR WILL APPLY	
PAD LTR	CRIMP HEIGHT	WIRE SIZE	STRIP LENGTH			
A	.071	14		160465-3		
B	.067	16		11-9		
C	.065	18		1-160465-0		
D	NOT USED			1-11-1		
CRIMP	SIZE	TYPE	FEED	1-11-2		
WIRE	100	F	.845	5-11-1		
INSUL	155	F		5-11-2		
WIRE RANGE	18-14	120-120		5-11-6		
REMARKS	AMPOMATOR					5-11-7
					5-11-9	
					6-11-0	
					6-11-1	
					6-11-4	

REMARKS	NO	REV
TO APPLY TERMINAL		
APPL USED ON MACHINE PART NO	MACH SERIAL NO	DISTRIBUTION
CUSTOMER NAME	APPL SERIAL NO	ORIGINAL
ADDRESS	PURCHASE ORDER	CUSTOMER COPY
CITY	ENG APP	FIELD ENG COPY

DATE	TIME	BY	DESCRIPTION	DATE	TIME	BY	DESCRIPTION
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17	7-99	INITIALS	01-05-90	08:17	7-99	INITIALS
01-05-90	08:17</						

466264-1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9