

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-003076	01MAR2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151499-5

FOR REPLACEMENT PARTS FOR APPLICATOR 2034061
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
2034061

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
		CHK	RAGHAVENDRA				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	RAGHAVENDRA		
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC			
				APPLICATION SPEC			
				WEIGHT			
				CUSTOMER DRAWING			
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				A3		©- 2034061	
				SCALE	SHEET 1 OF 2	REV	A1

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

28

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP
2034061-1	A	CUTS CARRIER	8-2034061-1
2034061-6	A	CONTINUOUS CARRIER	8-2034061-6
7-2034061-1	A	-1 AND SPARE PARTS	9-2034061-1
7-2034061-6	A	-6 AND SPARE PARTS	9-2034061-6
7-2034061-7	A	SPARE PARTS KIT	-

APPLICATOR DATA

CRIMP	SIZE	TYPE
WIRE	2.39mm [.094]	F
INSUL	4.27mm [.168]	O

APPL INSTRUCTIONS

408-10135

TERMINAL DATA: DELPHI TERMINAL TYCO ELECTRONICS CRIMP SPEC

TERMINAL NAME: MALE WEATHER PACK I

WIRE STRIP LENGTH

5.2-6.0 mm [.204-.236 IN]

INSULATION DIAMETER RANGE

1.60-2.15mm [.062-.084 IN]

TERMINAL APPL SPEC

DELPHI DATA SHEET

TERMINALS APPLIED

TE TERMINAL	DELPHI TERMINAL	TE SEAL	DELPHI SEAL
1949091-1	12089040	1949092-1	15324985

WIRE SIZE	CRIMP HEIGHT	REF SETTING
1mm ²	1.20±.05 [.047±.002]	B5
0.8mm ²	1.15±.05 [.045±.002]	B9
0.5mm ²	1.10±.05 [.043±.002]	C3

5 REF

57 REF

.078

[1.98]

SHEAR DEPRESSOR DETAIL

37

38

39

44

45

63

177

1

176

175

174

52

51

50

135

2

33

24

30

29

32

31

46

34

54

60

8

54

66

67

60

20

22

19

9

12

11

10

13

54

177 REF

.125±.020

[3.18±0.5]

.589

[14.97]

ITEM 30 LOCATED AT REAR HOLES

29 REF

30 REF

8 REF

34 REF

FEED TRACK POSITION GUIDE BY INS. BARREL

TERMINAL SUPPORT LOCATION

HOLDDOWN SET-UP

* WARNING

ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN. REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

-

1

1

1

1

1

1-993111-6

PIN, SLOTTED SPRING 3.0 X 30.0

177

-

2

2

2

2

2

3-22280-7

SPRING, COMPRESSION

176

-

1

1

1

1

1

1752353-1

GUIDE PIN,HOLDDOWN

175

-

1

1

1

1

1

1901680-1

GUIDE PIN,HOLDDOWN

174

-

REF

REF

REF

REF

REF

SEE TABLE

MEMORY CHIP, PROGRAMMED

135

-

1

1

1

1

1

1633565-1

DOCUMENTATION PACKAGE SIII

71

-

1

1

1

1

1

1976552-1

TAG,IDENTIFICATION

67

-

2

2

2

2

2

21017-1

SCREW, DRIVE

66

-

1

1

1

1

1

3-18031-0

SCR, SET, CUP POINT M6 X 6.0

63

-

2

2

2

2

2

1655785-1

SCR, BTN SKT HD CAP (M4 X 8)

60

-

1

1

1

1

1

985575-3

SCR, FLT SKT HD CAP M3 X 10.0

57

-

4

4

4

4

4

1655783-3

SCR, CAP, SOC HD, LOW HEAD, M4 X 12

54

-

1

1

1

1

1

1-18030-0

NUT, HEX, REG M3.5

52

-

1

1

1

1

1

1901681-1

HOLDDOWN, TERMINAL

51

-

1

1

1

1

1

2-1752354-0

STANDOFF,HOLD-DOWN

50

-

1

1

1

1

1

1752300-1

SF SYSTEM III APPLICATOR

46

-

1

1

1

1

1

690191-1

PLUG,NYLON

45

-

1

1

1

1

1

1901069-1

RAM ASSEMBLY, SYSTEM III RETROFIT

44

-

1

1

1

1

1

2-1655785-3

SCR, BTN SKT HD CAP (M8 X 25)

41

-

1

1

1

1

1

690125-1

SHIM SUB-ASSY

39

-

1

1

1

1

1

469367-8

SHIM

38

-

1

1

1

1

1

879103-2

FINE ADJUST HEAD ASSEMBLY

37

-

1

1

1

1

1

1752356-1

SUPPORT, TERMINAL

34

-

2

2

2

2

2

3-1655785-3

SCR, BTN SKT HD CAP (M4 X 20)

33

-

1

1

1

1

1

18028-3

WASHER, FLAT, REG M5

32

-

1

1

1

1

1

5-1655316-3

SCR, SKT HD CAP, M5 X 10.0

31

-

1

1

1

1

1

1320908-2

SPACER, STRIP GUIDE

30

-

1

1

1

1

1

1901087-1

ASSEMBLY, STRIP GUIDE

29

-

1

1

1

1

1

455888-3

SPACER, CRIMPER

28

-

1

1

1

1

1

1320928-3

PLATE, STRIP GUIDE

24

-

1

1

1

1

1

1976045-1

STRIPPER

22

-

1

1

1

1

1

18028-2

WASHER, FLAT, REG M4

20

-

REF

REF

REF

REF

REF

1752311-1

STRIPPER

19

-

1

1

1

1

1

1338684-2

SHEAR HOLDER, FRONT

13

-

1

1

1

1

1

3-22280-3

SPRING, COMPRESSION

12

-

1

1

1

1

1

356885-5

STOP, SHEAR

11

-

1

1

1

1

1

1-1320921-0

SHEAR HOLDER, FRONT, CUT

10

-

1

1

1

1

1

318707-3

FLOATING SHEAR, FRONT

9

-

1

2

2

1

1

5-1633138-7

ANVIL, COMBINATION

8

-

1

1

1

1

1

1338680-2

DEPRESSOR, SHEAR

5

-

1

1

1

1

1

238011-2

BLOCK, CRIMPER SPACER

4

-

1

2

2

1

1

1633589-1

CRIMPER, INSUL O

3

-

1

1

1

1

1

455888-7

SPACER, CRIMPER

2

-

1

2

2

1

1

1-568176-1

CRIMPER, WIRE

1

-77

-76

-71

-6

-1

PART NO

DESCRIPTION

ITEM NO

TYCO ELECTRONICS CORPORATION

250CT2008

B HIGMAN

250CT2008

T ELBIN

250CT2008

N DEMING

250CT2008

PRODUCT SPEC

SEE TABLE

WEIGHT

CUSTOMER DRAWING

DIMENSIONS (INCHES[mm])

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

HOLES

FINISH

MATERIAL

SCALE 3:5

SHEET 1 OF 1

REV A

TYCO Electronics

Tyco Electronics

Harrisburg, PA 17105-3608

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

00779

C=2034061

CUSTOMER ACCESSIBLE PRODUCTION DRAWING

CUSTOMER DRAWING

DRAWING NUMBER - 2034061

SHEET 2 OF 2

REV. A1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9