





Copyright FCI.

PRODUCT NO.	ROWS	SIGNAL					POWER					E1	
		E2	5	4	3	2	1	P5	P4	P3	P2		P1
51915-401-- NOTE 3	D C B A		H	H	H	H	H	PA	X	PC	X	PC	
			G	G	G	G	G						
			F	F	F	F	F						
			E	E	E	E	E						

CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	[1.07]	POWER
PC	[2.34]	POWER
H	[N/A]	SIGNAL
G	[N/A]	SIGNAL
F	[N/A]	SIGNAL
E	[N/A]	SIGNAL
X	[N/A]	OMITTED




spec ref		SEE NOTES			dr		Ruan MT	2013/05/02			size		A4	scale		1:1	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Ruan MT	2013/05/20			ecn no		-				
SEE NOTES					chr		-				-						
					appr		Pei-Ming Zheng	2013/05/20	product family		PwrBlade		rel level		Released		
surface 		linear	0.X		±0.50			title 5DCP + 20S R/A SOLDER RECEPTACLE				dwg no		51915-401		rev A	
			0.XX		±0.25												
			0.XXX		±0.10												
		angular	0°		±2°		www.fci.com		cat. no.		Product - Customer Drw				sheet 1 of 4		


PrintE File - REV C - 2009-06-09

PRODUCT NUMBER


51915-401--
NOTE 3




BROKEN-OUT SECTION A-A
SCALE 2:1




BROKEN-OUT SECTION B-B
SCALE 2:1




SECTION C-C

dr	Ruan MT	2013/05/02	projection 	MM 	size	A4	scale	1:1	
eng	Ruan MT	2013/05/20			ecn no				-
chr	-	-							
appr	Pei-Ming Zheng	2013/05/20	product family		PwrBlade	rel level	Released		
	title 5DCP + 20S R/A SOLDER RECEPTACLE				dwg no	51915-401			rev A
www.fci.com	cat. no.		Product - Customer Drw				sheet 2 of 4		

PRODUCT NUMBER

51915-401--
NOTE 3

dr	Ruan MT	2013/05/02	projection 	MM 	size	A4	scale	1:1				
eng	Ruan MT	2013/05/20			ecn no	-						
chr	-	-			rel level	Released						
appr	Pei-Ming Zheng	2013/05/20	product family		PwrBlade							
		title			5DCP + 20S			dwg no	51915-401	rev	A	
		R/A SOLDER RECEPTACLE										
www.fci.com		cat. no.			Product - Customer Drw				sheet 3 of 4			



Copyright FCI.

PRODUCT NUMBER																																																	
51915-401-- NOTE 3																																																	
NOTES:																																																	
1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.																																																	
CONNECTOR NOTES:																																																	
(2.) HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY																																																	
3. SEE ITEM 5 & 6 IN PRINT 10064183 FOR PLATING SPEC OF 51915-401 AND 51915-401LF RESPECTIVELY.																																																	
(4.) MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.																																																	
5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.																																																	
6. PACKAGED IN TRAYS.																																																	
PCB NOTES:																																																	
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.																																																	
(8.) MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.																																																	
(9.) $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm .07$ HOLE.																																																	
(10.) CONNECTOR KEEP-OUT ZONE.																																																	
11. THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.																																																	
<table><tr><td>dr</td><td>Ruan MT</td><td>2013/05/02</td><td rowspan="3"> projection </td><td rowspan="3"> MM </td><td>size</td><td>A4</td><td>scale</td><td>1:1</td></tr><tr><td>eng</td><td>Ruan MT</td><td>2013/05/20</td><td>ecn no</td><td>-</td></tr><tr><td>chr</td><td>-</td><td>-</td><td colspan="2"></td></tr><tr><td>appr</td><td>Pei-Ming Zheng</td><td>2013/05/20</td><td>product family</td><td>PwrBlade</td><td>rel level</td><td colspan="2">Released</td></tr><tr><td colspan="2"> </td><td colspan="3">title</td><td colspan="2">5DCP + 20S</td><td>dwg no</td><td>51915-401</td><td>rev</td><td>A</td></tr><tr><td colspan="2">www.fci.com</td><td colspan="3">cat. no.</td><td colspan="3">Product - Customer Drw</td><td colspan="2">sheet 4 of 4</td></tr></table>		dr	Ruan MT	2013/05/02	projection	MM	size	A4	scale	1:1	eng	Ruan MT	2013/05/20	ecn no	-	chr	-	-			appr	Pei-Ming Zheng	2013/05/20	product family	PwrBlade	rel level	Released				title			5DCP + 20S		dwg no	51915-401	rev	A	www.fci.com		cat. no.			Product - Customer Drw			sheet 4 of 4	
dr	Ruan MT	2013/05/02	projection	MM			size	A4	scale	1:1																																							
eng	Ruan MT	2013/05/20					ecn no	-																																									
chr	-	-																																															
appr	Pei-Ming Zheng	2013/05/20	product family	PwrBlade	rel level	Released																																											
		title			5DCP + 20S		dwg no	51915-401	rev	A																																							
www.fci.com		cat. no.			Product - Customer Drw			sheet 4 of 4																																									

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9