

PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION

**Part Number:** [0736430000](#)  
**Status:** **Active**  
**Overview:** [hdm](#)  
**Description:** 2.00mm (.079") Pitch HDM® Board-to-Board Backplane Header, Vertical, Press-Fit, Closed End, 72 Circuits

**Documents:**

[3D Model](#) [Drawing \(PDF\)](#)  
[Test Summary \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

**Agency Certification**


CSA LR19980  
UL E29179

**General**

Product Family Backplane Connectors  
Series [73643](#)  
Application Backplane  
Comments Standard Press-Fit  
Component Type PCB Header  
Overview [hdm](#)  
Product Name HDM®  
Style N/A

**Physical**

Circuits (Loaded) 72  
Circuits (maximum) 72  
Color - Resin Black, Natural  
Durability (mating cycles max) 250  
First Mate / Last Break No  
Flammability 94V-0  
Guide to Mating Part No  
Keying to Mating Part None  
Material - Metal Phosphor Bronze  
Material - Plating Mating Gold  
Material - Plating Termination Gold  
Material - Resin High Temperature Thermoplastic  
Number of Columns 12  
Number of Pairs Open Pin Field  
Number of Rows 6  
Orientation Vertical  
PC Tail Length (in) 0.138 In  
PC Tail Length (mm) 3.50 mm  
PCB Locator No  
PCB Retention None  
PCB Thickness Recommended (in) 0.062 In  
PCB Thickness Recommended (mm) 1.60 mm  
Packaging Type Tube  
Pitch - Mating Interface (in) 0.079 In  
Pitch - Mating Interface (mm) 2.00 mm  
Pitch - Term. Interface (in) 0.079 In  
Pitch - Term. Interface (mm) 2.00 mm  
Plating min: Mating (µin) 30  
Plating min: Mating (µm) 0.75  
Plating min: Termination (µin) 2  
Plating min: Termination (µm) 0.05



**EU RoHS**

**ELV and RoHS  
Compliant**  
**REACH SVHC**  
**Contains SVHC: No**  
**Halogen-Free  
Status**

**China RoHS**



**Need more information on product  
environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of  
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any  
non-product compliance questions.

**Search Parts in this Series**

[73643Series](#)

**Mates With**

[73632](#) HDM PLUS® Board-to-Board  
Daughtercard Receptacle. [73780](#) HDM®  
Board-to-Board Daughtercard Receptacle

**Application Tooling | FAQ**

*Tooling specifications and manuals are  
found by selecting the products below.  
Crimp Height Specifications are then  
contained in the Application Tooling  
Specification document.*

**Global**

| Description           | Product #                  |
|-----------------------|----------------------------|
| Flat Rock Tooling for | <a href="#">0622013700</a> |
| Pneumatic Press       |                            |
| HDM® Backplane        | <a href="#">0621001400</a> |
| Insertion Signal      |                            |
| Contact Tool          |                            |
| Extraction Tool       | <a href="#">0621001000</a> |

|                                |                              |
|--------------------------------|------------------------------|
| Polarized to PCB               | No                           |
| Stackable                      | Yes                          |
| Surface Mount Compatible (SMC) | Yes                          |
| Temperature Range - Operating  | -55°C to +105°C              |
| Termination Interface: Style   | Through Hole - Compliant Pin |

**Electrical**

|                               |          |
|-------------------------------|----------|
| Current - Maximum per Contact | 1A       |
| Data Rate                     | 1.0 Gbps |
| Real Signals (per 25mm)       | 75       |
| Voltage - Maximum             | 250V AC  |

**Material Info**

**Reference - Drawing Numbers**

|                         |                |
|-------------------------|----------------|
| Packaging Specification | PK-70873-0818  |
| Sales Drawing           | SDA-73643-**** |



HDM and High Density Metric are trademarks of Amphenol Corporation

This document was generated on 05/14/2010

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

NOTES:

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP), GLASS-FILLED, UL94V-0, COLOR: BLACK, TERMINAL - PHOSPHOR BRONZE.
2. FINISHES: SELECTIVE GOLD (Au) IN CONTACT AREA, 0.00076mm MINIMUM THICKNESS; NICKEL (Ni) AND GOLD FLASH OVERALL SELECTIVE GOLD (Au) IN CONTACT AREA, 0.00076mm MINIMUM THICKNESS; SELECTIVE TIN/LEAD (Sn/Pb) IN TAIL AREA; NICKEL (Ni) OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-73670-9999.
4. FOR MIXED CONTACT MATING LENGTHS, CONSULT FACTORY FOR AVAILABILITY.
5. DIMENSIONS ARE IN MILLIMETERS.
6. PACKAGE PER PK-70873-0818.
7. PARTS MARKED WITH PART NUMBER AND DATE CODE, ON EITHER SIDE, APPROXIMATELY WHERE SHOWN.



PCB LAYOUT: COMPONENT SIDE  
RECOMMENDED PCB THICKNESS: 2.50 MIN

|    |     |
|----|-----|
| 2  | C   |
| I  | I   |
| SH | REV |

|      |                                                 |      |                                                 |      |                                                           |
|------|-------------------------------------------------|------|-------------------------------------------------|------|-----------------------------------------------------------|
| I    | REVISED<br>ECR UCP2003-2260<br>THOMAS 03/04/25  | F    | REVISED<br>ECR UDT1999-0476<br>BINGHAM 98/12/21 | C    | REVISED<br>PER ECR #U81357<br>BINGHAM 97/12/15            |
| H    | REVISED<br>ECR UDT2000-0348<br>BINGHAM 99/10/12 | E    | REVISED<br>ECR UDT1999-0243<br>BINGHAM 98/09/29 | B    | REVISED<br>PER ECR #U70950<br>BINGHAM 97/02/14            |
| G    | REVISED<br>ECR UDT1999-0662<br>BINGHAM 99/05/18 | D    | REVISED<br>ECR UDT1998-0240<br>BINGHAM 98/05/06 | A    | RELEASED FOR PROD<br>PER ECR # U70371<br>BINGHAM 96/12/18 |
| LTR. | REVISIONS                                       | LTR. | REVISIONS                                       | LTR. | REVISIONS                                                 |

|                                                          |       |              |       |
|----------------------------------------------------------|-------|--------------|-------|
| DIMENSIONS SHOWN (METRIC) INCH                           |       |              |       |
| UNLESS OTHERWISE SPECIFIED,<br>TOLERANCES: ANGULAR: 1/2° |       |              |       |
|                                                          | INCH  | METRIC       |       |
| 3 PLACE                                                  | ± N/A | ---          |       |
| 2 PLACE                                                  | ± N/A | ± 0.05       |       |
| 1 PLACE                                                  | ---   | ± 0.10       |       |
| DRAFT WHERE APPLICABLE MUST<br>REMAIN WITHIN DIMENSIONS  |       |              |       |
| DRWG.<br>BY                                              | JRR   | CHK'D.<br>BY | SMF   |
| APP'D.<br>BY                                             | CAB   | SCALE        | 2 : 1 |

|                                                                                                                                     |  |                                                                                                                           |  |                           |                                                                                            |      |
|-------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------|--|---------------------------|--------------------------------------------------------------------------------------------|------|
|  = 0                                           |  |  = 0                                 |  | REVISE ONLY ON CAD SYSTEM |                                                                                            |      |
| TITLE                                                                                                                               |  |                                                                                                                           |  |                           |                                                                                            |      |
| SALES ASSY, HDM BACKPLANE<br>MODULE, END WALL OPTION                                                                                |  |                                                                                                                           |  |                           |                                                                                            |      |
|  MOLEX INCORPORATED<br>LITSE,ILL. 60532 U.S.A. |  | SHEET NO.<br>1 OF 2                                                                                                       |  | DATE<br>96/12/18          |                                                                                            |      |
| PART NO.                                                                                                                            |  | DRAWG. NO.                                                                                                                |  |                           |                                                                                            |      |
| SEE SHEET 2                                                                                                                         |  | SDA-73643-*****                                                                                                           |  |                           |                                                                                            |      |
| FILE NAME<br>573643X1                                                                                                               |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO<br>MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |  |                           | DIV.  | SIZE |

|   |    |   |   |   |   |   |   |   |   |   |
|---|----|---|---|---|---|---|---|---|---|---|
|   | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
| F |    |   |   |   |   |   |   |   |   |   |
| E |    |   |   |   |   |   |   |   |   |   |
| D |    |   |   |   |   |   |   |   |   |   |
| C |    |   |   |   |   |   |   |   |   |   |
| B |    |   |   |   |   |   |   |   |   |   |
| A |    |   |   |   |   |   |   |   |   |   |

| MATERIAL NUMBER | NUMBER OF SIGNAL CONTACTS | PLATING                           | DIM "A" | DIM "B" | DIM "M" |
|-----------------|---------------------------|-----------------------------------|---------|---------|---------|
| 73643-0000      | 72                        | SELECTIVE GOLD/GOLD FLASH         | 27.60   | 22.00   | 5.00    |
| 73643-0100      | 72                        | SELECTIVE GOLD/GOLD FLASH         | 27.60   | 22.00   | 5.50    |
| 73643-0200      | 72                        | SELECTIVE GOLD/GOLD FLASH         | 27.60   | 22.00   | 6.00    |
| 73643-1000      | 144                       | SELECTIVE GOLD/GOLD FLASH         | 51.60   | 46.00   | 5.00    |
| 73643-1100      | 144                       | SELECTIVE GOLD/GOLD FLASH         | 51.60   | 46.00   | 5.50    |
| 73643-1200      | 144                       | SELECTIVE GOLD/GOLD FLASH         | 51.60   | 46.00   | 6.00    |
| 73643-2000      | 72                        | SELECTIVE GOLD/SELECTIVE TIN-LEAD | 27.60   | 22.00   | 5.00    |
| 73643-2100      | 72                        | SELECTIVE GOLD/SELECTIVE TIN-LEAD | 27.60   | 22.00   | 5.50    |
| 73643-2200      | 72                        | SELECTIVE GOLD/SELECTIVE TIN-LEAD | 27.60   | 22.00   | 6.00    |
| 73643-3000      | 144                       | SELECTIVE GOLD/SELECTIVE TIN-LEAD | 51.60   | 46.00   | 5.00    |
| 73643-3100      | 144                       | SELECTIVE GOLD/SELECTIVE TIN-LEAD | 51.60   | 46.00   | 5.50    |
| 73643-3200      | 144                       | SELECTIVE GOLD/SELECTIVE TIN-LEAD | 51.60   | 46.00   | 6.00    |

|      |           |      |             |
|------|-----------|------|-------------|
|      |           |      |             |
|      |           |      |             |
|      |           | C    | SEE SHEET I |
| LTR. | REVISIONS | LTR. | REVISIONS   |

|                                                       |     |           |        |
|-------------------------------------------------------|-----|-----------|--------|
| DIMENSIONS SHOWN (METRIC) INCH                        |     |           |        |
| UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2° |     |           |        |
|                                                       |     | INCH      | METRIC |
| 3 PLACE                                               | ±   | N/A       | ---    |
| 2 PLACE                                               | ±   | N/A       | ± 0.05 |
| 1 PLACE                                               | --- |           | ± 0.10 |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS  |     |           |        |
| DRWG. BY                                              | JRR | CHK'D. BY | SMR    |
| APP'D. BY                                             | CAB | SCALE     | NO*NE  |

|                                                                                   |  |                                                                                                                           |                  |
|-----------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------|------------------|
| <div>▽ = 0</div> <div>▽ = 0</div>                                                 |  | REVISE ONLY ON CAD SYSTEM                                                                                                 |                  |
| TITLE                                                                             |  |                                                                                                                           |                  |
| SALES ASSY, HDM BACKPLANE<br>MODULE, END WALL OPTION                              |  |                                                                                                                           |                  |
| <div>molex</div> <div>MOLEX INCORPORATED</div> <div>LISLE,ILL. 60532 U.S.A.</div> |  | SHEET NO.<br>2                                                                                                            | DATE<br>97/12/15 |
| PART NO.<br>SEE CHART                                                             |  | DRWG. NO.<br>SDA-73643-*****                                                                                              |                  |
| FILE NAME<br>S73643X2<br>DGN                                                      |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO<br>MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                  |
|                                                                                   |  | DIV.<br>DA                                                                                                                | SIZE<br>B        |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9