

Light Duty (RCBS Series)

Table Top



Light Gray (Textured)



Black (Textured)



[For complete drawing information link here to our website covering this series.](#)

FEATURES

- Welded, 16-gauge steel construction
- Light duty - economy 19" rack mount - table top cabinet
- Choice of three depths - 13" (330 mm), 17.5" (445 mm) and 24.5" (622 mm)
- Rails are fixed both front and rear, round hole punched for 10-32 clip-nuts to full EIA hole centers (5/8 - 5/8 - 1/2 inch spacing)
- Recommended maximum weight (RCBS1901417 tested) - 600 pounds (273 kg)
- Includes rubber feet, two lifting handles, a starter pack of 10-32 clip nuts & matching quantity of 1421ABK black screws
- Overall width 21" (533 mm)
- Overall height 2" (51 mm) additional over panel height
- Rugged textured powder paint finish
- Stocked in Black & Light Gray (RAL7035)

4



CANADA

Guelph, Ontario (519) 822-2960
St. Laurent, Quebec (514) 343-9010

USA

Cheektowaga, NY (716) 630-7030



EUROPE

Basingstoke, UK 01256 812812

AUSTRALIA

Queenstown SA, Australia 61-8-8240-2244

Light Duty (RCBS Series)

13" (330 mm) Deep

| Part Number | | Panel Height | | Overall Dimensions | | | Number of Clip Nuts Included | Weight |
|----------------|---------------------|--------------|-------|--------------------|----------------|----------------|------------------------------|---------------|
| Black Textured | Light Gray Textured | Inches | Units | Height | Width | Depth | | |
| RCBS1900313BK1 | RCBS1900313LG1 | 3.50 | 2U | 5.50" (140 mm) | 21.0" (533 mm) | 13.0" (330 mm) | 8 | 18# (8.2 kg) |
| RCBS1900513BK1 | RCBS1900513LG1 | 5.25 | 3U | 7.25" (184 mm) | 21.0" (533 mm) | 13.0" (330 mm) | 8 | 18# (8.2 kg) |
| RCBS1900713BK1 | RCBS1900713LG1 | 7.00 | 4U | 9.00" (229 mm) | 21.0" (533 mm) | 13.0" (330 mm) | 8 | 19# (8.6 kg) |
| RCBS1900813BK1 | RCBS1900813LG1 | 8.75 | 5U | 10.75" (273 mm) | 21.0" (533 mm) | 13.0" (330 mm) | 16 | 20# (9.1 kg) |
| RCBS1901013BK1 | RCBS1901013LG1 | 10.50 | 6U | 12.50" (318 mm) | 21.0" (533 mm) | 13.0" (330 mm) | 16 | 21# (9.5 kg) |
| RCBS1901213BK1 | RCBS1901213LG1 | 12.25 | 7U | 14.25" (362 mm) | 21.0" (533 mm) | 13.0" (330 mm) | 16 | 23# (10.5 kg) |
| RCBS1901413BK1 | RCBS1901413LG1 | 14.00 | 8U | 16.00" (406 mm) | 21.0" (533 mm) | 13.0" (330 mm) | 16 | 24# (10.9 kg) |

Table Top

17.5" (444 mm) Deep

| Part Number | | Panel Height | | Overall Dimensions | | | Number of Clip Nuts Included | Weight |
|----------------|---------------------|--------------|-------|--------------------|----------------|----------------|------------------------------|---------------|
| Black Textured | Light Gray Textured | Inches | Units | Height | Width | Depth | | |
| RCBS1900317BK1 | RCBS1900317LG1 | 3.50 | 2U | 5.50" (140 mm) | 21.0" (533 mm) | 17.5" (444 mm) | 8 | 22# (10 kg) |
| RCBS1900517BK1 | RCBS1900517LG1 | 5.25 | 3U | 7.25" (184 mm) | 21.0" (533 mm) | 17.5" (444 mm) | 8 | 24# (10.9 kg) |
| RCBS1900717BK1 | RCBS1900717LG1 | 7.00 | 4U | 9.00" (229 mm) | 21.0" (533 mm) | 17.5" (444 mm) | 8 | 25# (11.4 kg) |
| RCBS1900817BK1 | RCBS1900817LG1 | 8.75 | 5U | 10.75" (273 mm) | 21.0" (533 mm) | 17.5" (444 mm) | 16 | 27# (12.3 kg) |
| RCBS1901017BK1 | RCBS1901017LG1 | 10.50 | 6U | 12.50" (318 mm) | 21.0" (533 mm) | 17.5" (444 mm) | 16 | 28# (12.7 kg) |
| RCBS1901217BK1 | RCBS1901217LG1 | 12.25 | 7U | 14.25" (362 mm) | 21.0" (533 mm) | 17.5" (444 mm) | 16 | 28# (12.7 kg) |
| RCBS1901417BK1 | RCBS1901417LG1 | 14.00 | 8U | 16.00" (406 mm) | 21.0" (533 mm) | 17.5" (444 mm) | 16 | 30# (13.6 kg) |

24.5" (622 mm) Deep

| Part Number | | Panel Height | | Overall Dimensions | | | Number of Clip Nuts Included | Weight |
|----------------|---------------------|--------------|-------|--------------------|----------------|----------------|------------------------------|---------------|
| Black Textured | Light Gray Textured | Inches | Units | Height | Width | Depth | | |
| RCBS1900324BK1 | RCBS1900324LG1 | 3.50 | 2U | 5.50" (140 mm) | 21.0" (533 mm) | 24.5" (622 mm) | 8 | 30# (13.6 kg) |
| RCBS1900524BK1 | RCBS1900524LG1 | 5.25 | 3U | 7.25" (184 mm) | 21.0" (533 mm) | 24.5" (622 mm) | 8 | 32# (14.5 kg) |
| RCBS1900724BK1 | RCBS1900724LG1 | 7.00 | 4U | 9.00" (229 mm) | 21.0" (533 mm) | 24.5" (622 mm) | 8 | 33# (15 kg) |
| RCBS1900824BK1 | RCBS1900824LG1 | 8.75 | 5U | 10.75" (273 mm) | 21.0" (533 mm) | 24.5" (622 mm) | 16 | 33# (15 kg) |
| RCBS1901024BK1 | RCBS1901024LG1 | 10.50 | 6U | 12.50" (318 mm) | 21.0" (533 mm) | 24.5" (622 mm) | 16 | 39# (17.7 kg) |
| RCBS1901224BK1 | RCBS1901224LG1 | 12.25 | 7U | 14.25" (362 mm) | 21.0" (533 mm) | 24.5" (622 mm) | 16 | 39# (17.7 kg) |
| RCBS1901424BK1 | RCBS1901424LG1 | 14.00 | 8U | 16.00" (406 mm) | 21.0" (533 mm) | 24.5" (622 mm) | 16 | 41# (18.6 kg) |

UNIVERSAL ACCESSORIES

- Rack panels [Page 84](#)
- Ventilated rack panels [Page 86](#)
- Panel mount doors & chassis [Page 88](#)
- Shelves & slides [Page 89](#)
- Drawers [Page 95](#)
- Cable management [Page 96](#)
- Cooling [Page 99](#)
- Rack mount outlet strips [Page 104](#)
- Hardware [Page 121](#)
- Visit our web site for our most [recent accessories](#)

For complete drawings [link here to our RCBS series on-line.](#)

EUROPE

Basingstoke, UK 01256 812812

AUSTRALIA

Queenstown SA, Australia 61-8-8240-2244



CANADA

Guelph, Ontario (519) 822-2960
St. Laurent, Quebec (514) 343-9010

USA

Cheektowaga, NY (716) 630-7030



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9