

FEATURES:

- HB LEDs
- Instant On
- Low Profile
- Mercury Free
- Narrow Beam
- Lead Free
- Built-in Dimmer
- No UV

The Coastline series delivers high brightness performance in a very low-profile aluminum housing, making concealed placement a breeze. This track compatible luminaire is available with 2', 3', and 4' tracks and can easily be extended to longer lengths and at 90° angles for corner mounting.

SPECIFICATIONS

Color Temperature	Lumen Output	Efficacy (lm/W)	Color Rendering Index (CRI)
Cool (C) - 6500K	390	77	74
Neutral (N) - 4750K	365	77	82
Warm (W) - 3100K	365	63	84

Rated Life	50,000 hours
Beam Angle	35°
Power Consumption	5 Watts
Operating Temperature	0°C ~+40°C
Voltage Input	24VDC, Constant Voltage
Controls	On/Off, Dimming
Rotation	90°
Maximum Fixture Run Length	Max 7 fixtures/40W Power
Housing	Extruded Aluminum, Black Polycarbonate Lens, Clear
Weight (g)	92
Dimensions	W .83" (21mm) H .79" (20.1mm) L 12" (304.8mm) **


**not including mounts

Compliance



Restriction of Hazardous Substances Directive (RoHS) implements EU Directive 2002/95 which bans placing electrical and hazardous equipment that contains more than agreed levels of hazardous substances on the EU market. For a list of these substances, visit www.rohs.gov.uk.

DIMENSIONS



COASTLINE SERIES

C5400 Track (TR)

ORDERING INFORMATION – Choose the option that best suits your needs and write its corresponding code on the appropriate line to form the product code.

MODEL	COLOR	TYPE	EXAMPLE
C5400	C – 6500K N – 4750K W – 3100K	TR – Track	C5400-C-TR

All luminaires are easily customizable. Please contact us to inquire on customizing a luminaire to fill your needs.

Order track accessories as separate catalog numbers from the Accessories section below.

ACCESSORIES




24VDC, 12W Power Supply (with stripped wires for hardwiring)
24VDC, 40W Power Supply (with stripped wires for hardwiring)

Califa Lighting Part # PS-1032
Califa Lighting Part # PS-1033

2' Track (indicate Black or White)
3' Track (indicate Black or White)
4' Track (indicate Black or White)
Track Mini Connector
Track Live End Feeder
Track 90° L-Type Connector
Track Conduit Feeder
Track Live End Connector with Canopy
Track In-line On/Off Switch

Califa Lighting Part # CTR-24
Califa Lighting Part # CTR-36
Califa Lighting Part # CTR-48
Califa Lighting Part # CTR-ET01
Califa Lighting Part # CTR-EN01
Califa Lighting Part # CTR-EL01
Califa Lighting Part # CTR-CF01
Califa Lighting Part # CTR-CP01
Califa Lighting Part # SW-1002

PHOTOMETRY CHARACTERISTICS



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9