





LOC	DIST	REVISIONS						
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			C1	REV PER ECR-11-022334	03NOV2011	CZ	SZ	
			C3	REVISED 1-8	16JAN2014	CZ	SZ	
			C5	ADDING NOTE FOR 1-8	10SEP2015	CZ	SZ	
			C6	REVISED 1-0 BY CUSTOMER	05MAY2016	CZ	SZ	

- 1 "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA
OF POWER AND SIGNAL CONTACTS
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB- ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453±.0010 DRILLED HOLES WITH .0003 MIN Sn OVER
.001 TO .003 Cu PLATING TO ACHIEVE A .040±.003 DIA HOLE.
- 8 VARIABLE DIMENSIONS SHOWN ON VIEW (SHEET 3)
- 9 FOR DETAIL DIMENSION PLEASE REFER TO TABLE



3.750	.200	3.800	.450	4.100	17P	1-6450123-8
1.150	.300	1.200	.450	1.500	3ACP	1-6450123-6
1.725	.375	1.775	.475	2.075	4P	1-6450123-5
2.700	.300	2.750	.475	3.050	8ACP	1-6450123-4
1.300	.200	1.350	.425	1.650	5HDP	1-6450123-2
5.550	.200	5.600	.450	5.900	26P	1-6450123-1
1.750	.200	1.800	.450	2.100	7HDP	1-6450123-0
2.300	.250	2.350	.450	2.650	8P	6450123-8
1.700	8	1.750	.425	2.050	6P	6450123-7
1.550	.250	1.600	.450	1.900	5P	6450123-6
2.050	.250	2.100	.450	2.400	7P	6450123-5
.800	.250	.850	.450	1.150	2P	6450123-4
1.200	.300	1.250	.475	1.550	3ACP	6450123-3
1.300	.250	1.350	.450	1.650	4P	6450123-2
1.050	.250	1.100	.450	1.400	3P	6450123-1
DIM U	DIM S	DIM D	DIM K	DIM L	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL
: 2

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH

3

DWN R.GRZYBOWSKI
CHK M.PERCHEKKE
APVD M.PERCHEKKE

PRODUCT SPEC
108-1973
APPLICATION SPEC
114-13038

WEIGHT
-

CUSTOMER DRAWING

10FEB05
10FEB05

NAME
RIGHT ANGLE HEADER ASSEMBLY W/GUIDES
MULTI-BEAM XL

SIZE
A1

CAGE CODE
00779

DRAWING NO
6450123

RESTRICTED TO
-


SCALE
4:1


SHEET
1


OF
8

REV
C6

PART NUMBER	ROWS	POWER		
		P1	P2	P3
6450123-3	D C B A			
3ACP				



PART NUMBER	ROWS		POWER		
			P1	P2	
6450123-4	D C B A				
2P					




PA	.090
PM	.135
CODE	TAIL LENGTH
POWER CONTACT	


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWA R. GRZYBOWSKI		10FEB05		 TE Connectivity	
		CHP M. PERCHERKE		10FEB05			
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME		RIGHT ANGLE HEADER ASSEMBLY W/GUIDES	
		0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020		APVD M. PERCHERKE		MULTI-BEAM XL	
		FINISH		PRODUCT SPEC		-	
		MATERIAL		APPLICATION SPEC		SIZE	
		114-13038		DRAWING NO		RESTRICTED TO	
		WEIGHT		A100779		C6450123	
		CUSTOMER DRAWING		SCALE		4:1	
				SHEET		2 of 8	
				REV		C6	

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-


PART NUMBER	ROWS		POWER							
			P1	P2	P3	P4	P5	P6	P7	
6450123-5	D C B A	HD	PA	PA	PA	PA	PA	PA	PA	HD
7P										




PART NUMBER	ROWS		POWER					
			P1	P2	P3	P4	P5	
6450123-6	D C B A	HD	PM	PM	PM	PM	PM	HD
5P								




PART NUMBER	ROWS		POWER						
			P1	P2	P3	P4	P5	P6	
6450123-7	D C B A	HD	PM	PM	PM	PM	PM	PM	HD
6P									




PART NUMBER	ROWS		POWER								
			P1	P2	P3	P4	P5	P6	P7	P8	
6450123-8	D C B A	HD	PM	PM	PM	PM	PM	PM	PM	PM	HD
8P											



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI	10FEB05	 TE Connectivity	
DIMENSIONS:		CHK M. PERCHERKE	10FEB05		
INCHES		APVD M. PERCHERKE	-	NAME	
		PRODUCT SPEC		RIGHT ANGLE HEADER ASSEMBLY W/GUIDES MULTI-BEAM XL	
		108-1973			
		APPLICATION SPEC			
		114-13038			
MATERIAL		WEIGHT		SIZE	
-		-		A100779	
FINISH		CUSTOMER DRAWING		CAGE CODE	
-		-		C=6450123	
				RESTRICTED TO	
				-	
				SCALE	
				4:1	
				SHEET	
				3 of 8	
				REV	
				C6	



-NO LOADING CONTACT



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWA R. GRZYBOWSKI	10FEB05			TE Connectivity		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CMP M. PERCHERKE	10FEB05					
INCHES				M. PERCHERKE	APVD M. PERCHERKE	NAME	RIGHT ANGLE HEADER ASSEMBLY W/GUIDES			
		0 PLC ± .01		PRODUCT SPEC		MULTI-BEAM XL				
		2 PLC ± .01		108-1973						
		3 PLC ± .005		APPLICATION SPEC						
		4 PLC ± .0020		114-13038						
ANGLES		FINISH		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
-		-		-		A1	100779	C=6450123	-	
MATERIAL				CUSTOMER DRAWING		SCALE		4:1	SHEET 4 OF 8	REV C6



-NO CONTACTS LOADED4805 (3/11)

Technical drawing of a rectangular plate with dimensions and tolerances. The drawing includes the following features:


- Overall Dimensions:**
 - Length: 3.08 MIN
 - Width: .660 MIN
- Internal Features:**
 - A central rectangular area with a dashed line indicating a different material or section.
 - A series of holes arranged in a grid pattern within the central area.
 - Two circular holes on the left and right sides of the central area.
- Dimensions and Tolerances:**
 - Top left corner: .250
 - Top center: .300 (7 PLC)
 - Top right corner: $\varnothing .040 \pm .003$ (64 PLC), $\varnothing .004$ (V U), $\varnothing .098 \pm .020$ (2 PLC), $\varnothing .004$ (M V U)
 - Right side: .300
 - Bottom right corner: .165
 - Bottom center: .100 (8 PLC)
 - Bottom left corner: .100 TYP.
- Surface Finish:**
 - Surface 4: $\Delta 4$
 - Surface 5: $\Delta 5$
 - Surface 6: $\Delta 6$
 - Surface 7: $\Delta 7$
- Other Labels:**
 - BSC (Basic)
 - U-

4805 (3/11)


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-		SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
I-6450123-5	D C B A						
							
4P							

PART NUMBER	ROWS		POWER			
			P1	P2	P3	
I-6450123-6	D C B A					
						
3ACP						



(C1)



4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9