





LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
		A		INITIAL RELEASE	14JUN2019	AJ	SH
		B		REVISED PER ECO-19-012481	07AUG2019	AJ	SH





2342934-1 AS SHOWN
SCALE 3:1



1. MATERIAL:
CAGE MATERIAL : 0.25 THICK STAINLESS STEEL.
SPRING MATERIAL: COPPER ALLOY
CLIP MATERIAL: STAINLESS STEEL
HEAT SINK: ALUMINUM
2. FINISH:
SPRING: NICKEL PLATING
HEAT SINK: NICKEL PLATING
3. DIMENSION APPLIES WITH MODULE INSTALLED IN THE CAGE TO TOP OF HEAT SINK.
4. REFERENCE APPLICATION SPEC 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.
6. MINIMUM PC BOARD THICKNESS : SINGLES SIDED: 1.57 MIN
DOUBLE SIDED: 3.00 MIN
7. DATUM **-A-** IS TOP SURFACE OF THE HOST BOARD.
8. DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN
9. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.



2342934-1 AS SHOWN
SCALE 4:1




DETAIL A
SCALE 8:1


23.00	0	NETWORKING	1-2342934-3
16.00	0	SAN	1-2342934-2
13.70	0	PCI	1-2342934-1
23.00	2	NETWORKING	2342934-3
16.00	2	SAN	2342934-2
13.70	2	PCI	2342934-1
DIM A	# REAR PINS	APPLICATION (HEAT SINK OPTION)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ARTHUR JIN 30AUG2018	TE Connectivity	
DIMENSIONS: mm		CHK: SEAN HAN 29AUG2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
0 PLC	±0.25	PRODUCT SPEC: 108-60122	SIZE: A1	
1 PLC	±0.25	APPLICATION SPEC: 114-60025	CAGE CODE: C=2342934	
2 PLC	±0.20	FINISH: -	RESTRICTED TO: -	
3 PLC	±0.10	WEIGHT: -	SCALE: 2:1	
4 PLC	±	CUSTOMER DRAWING	SHEET 1 OF 5	
ANGLES	±		REV B	


LOC		DIST		REVISIONS			
				REV	DATE	BY	APPV
-	-	-	-	-	-	-	-
-	-	-	-	-	SEE SHEET 1	-	-




2342934-1 AS SHOWN
 WITH PCI HEAT SINK
 SCALE 4:1




2342934-2 AS SHOWN
 WITH SAN HEAT SINK
 SCALE 4:1




2342934-3 AS SHOWN
 WITH NETWORKING HEAT SINK
 SCALE 4:1



1-2342934-1 AS SHOWN
 SAME AS -1 EXCEPT W/O REAR PINS
 SCALE 4:1







1-2342934-2 AS SHOWN
 SAME AS -2 EXCEPT W/O REAR PINS
 SCALE 4:1



1-2342934-3 AS SHOWN
 SAME AS -3 EXCEPT W/O REAR PINS
 SCALE 4:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: ARTHUR JLN 30AUG2018	TE Connectivity
		CHK: SEAN HAN 29AUG2018	
DIMENSIONS:		APVD: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK SIZE: A1 CAGE CODE: - DRAWING NO: C=2342934 RESTRICTED TO: -
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC: 108-60122	
mm		APPLICATION SPEC: 114-60025	
0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ±0.25 4 PLC ±0.10 ANGLES ±° FINISH -		WEIGHT: -	
MATERIAL: -		FINISH: -	SCALE: 2:1
		CUSTOMER DRAWING	SHEET 2 OF 5 REV B

LOC		DIST		REVISIONS			
				DESCRIPTION	DATE	DMN	APVD
-	-	-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: ARTHUR JLN 30AUG2018	TE Connectivity
DIMENSIONS: mm		CHK: SEAN HAN 29AUG2018	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSPF-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK PRODUCT SPEC: 108-60122 APPLICATION SPEC: 114-60025
0 PLC ±0.25		RESTRICTED TO:	
1 PLC ±0.25		SIZE: A1	
2 PLC ±0.20		SCALE: 2:1	
3 PLC ±0.10		SHEET: 3 OF 5	
4 PLC ±		REV: B	
ANGLES ±°			
FINISH			
MATERIAL		CUSTOMER DRAWING	

LOC		DIST		REVISIONS			
				DESCRIPTION	DATE	OWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-



DETAIL C
SCALE 8:1

RECOMMENDED PCB LAYOUT
 BELLY TO BELLY TYPE OF 2 REAR HOLES OF LEGS
 PCB TOLERANCE: ± 0.05
 SCALE 6:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: ARTHUR JIH 30AUG2018	TE Connectivity
DIMENSIONS: mm		CHK: SEAN HAN 29AUG2018	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP'D: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSPF-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK
0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± 0.20 4 PLC ± 0.10 ANGLES \pm		PRODUCT SPEC: 108-60122	SIZE: A1
MATERIAL: FINISH:		APPLICATION SPEC: 114-60025	RESTRICTED TO: -
		WEIGHT: -	CAGE CODE: 2342934
		CUSTOMER DRAWING	SCALE: 2:1 SHEET 5 OF 5 REV B

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9