





REVISIONS				
P	LTH	DESCRIPTION	DATE	APVD
A		INITIAL RELEASE	15NOV2017	LL SH



- 1 MATERIALS:  
 HOUSING: GLASS FILLED THERMOPLASTIC, 94V-0  
 CONTACTS: HIGH PERFORMANCE COPPER ALLOY  
 SHIELD: STAINLESS STEEL.
- 2 FINISH:  
 CONTACTS: 0.00076 MIN GOLD ON CONTACT AREA, 0.00254 MIN TIN ON SOLDER TAILS, ALL OVER 0.002 MIN NICKEL UNDERPLATE ON ENTIRE CONTACT.  
 SHIELD: MATTE TIN OVER 0.00127 MIN. NICKEL.
- 3 PART NUMBER AND DATE CODE MARKED IN APPROXIMATE AREA AS SHOWN.
- 4 SOLDER TAIL COPLANARITY IS 0.10 MAX.




80 CIRCUIT TH ASSEMBLY  
 PART NUMBER: 2308577-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: WINDY LIU 08FEB2017	PART NUMBER: 2308577-1	
DIMENSIONS: mm		CHK: SEAN HAN 08FEB2017	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: SEAN HAN 08FEB2017	NAME: NANO PITCH I/O FIXED RIGHT ANGLE, 8X	
0 PLC ±	1 PLC ±0.25	PRODUCT SPEC	SIZE: A1	
2 PLC ±0.13	3 PLC ±	APPLICATION SPEC	CAGE CODE: -	
4 PLC ±	ANGLES ±	114-60024	DRAWING NO: C=2308577	
MATERIAL: SEE NOTES	FINISH: SEE NOTES	WEIGHT: -	RESTRICTED TO: -	
CUSTOMER DRAWING		SCALE: 4:1	SHEET 1 OF 5 REV A	


REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



SCALE 10:1



SCALE 10:1






80 CIRCUIT SMT ASSEMBLY  
 PART NUMBER: 2308577-2

PART NUMBER 2308577-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: WINDY LIU 08FEB2017	 TE Connectivity
DIMENSIONS: mm		CHK: SEAN HAN 08FEB2017	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP'D: SEAN HAN 08FEB2017	
0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		NAME: NANO PITCH I/O FIXED RIGHT ANGLE, 8X PRODUCT SPEC: 108-60018 APPLICATION SPEC: 114-60024 WEIGHT: - CUSTOMER DRAWING	
MATERIAL: SEE NOTES	SEE NOTES	SIZE: A1	RESTRICTED TO: -
		SCALE: 4:1	SHEET: 2 OF 5
		REV: A	

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APP'D
-	-	SEE SHEET 1	-	-

# 80 CIRCUIT TAIL RECOMMENDED FOOTPRINT




- NOTES:
1. MINIMUM RECOMMENDED SPACING IS 26.75MM.
  2. MINIMUM RECOMMENDED PCB THICKNESS: 1.57MM.
  3. CONNECTOR KEEP OUT AREA.
  4. DATUM -A- ESTABLISHED FROM TOP SURFACE OF PCB.

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: VINDY LIU 08FEB2017	 TE Connectivity
DIMENSIONS: mm		CHK: SEAN HAN 08FEB2017	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP'D: SEAN HAN 08FEB2017	NAME: NANO PITCH I/O FIXED RIGHT ANGLE, 8X
0 PLC ±0.25	1 PLC ±0.13	PRODUCT SPEC: 108-60018	APPLICATION SPEC: -
2 PLC ±0.13	3 PLC ±0.13	SIZE: 114-60024	CAGE CODE: -
4 PLC ±0.13	ANGLES ±0.13	WEIGHT: -	RESTRICTED TO: -
MATERIAL: SEE NOTES	FINISH: SEE NOTES	CUSTOMER DRAWING	SCALE: 4:1 SHEET 3 OF 5 REV A

REVISIONS				
P.	LTH	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

# 80 CIRCUIT SMT RECOMMENDED FOOTPRINT




- NOTES:
1. MINIMUM RECOMMENDED SPACING IS 26.75MM.
  2. MINIMUM RECOMMENDED PCB THICKNESS: 1.57MM.
  3. CONNECTOR KEEP OUT AREA.
  4. DATUM -A- ESTABLISHED FROM TOP SURFACE OF PCB.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: WINDY LIU 08FEB2017 CHK: SEAN HAN 08FEB2017 APVD: SEAN HAN 08FEB2017	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±	NAME: NANO PITCH I/O FIXED RIGHT ANGLE, 8X PRODUCT SPEC: 108-60018 APPLICATION SPEC: 114-60024	
MATERIAL: SEE NOTES	FINISH: SEE NOTES	SIZE: A1 CAGE CODE: - DRAWING NO: C=2308577 WEIGHT: - CUSTOMER DRAWING	RESTRICTED TO: - SCALE: 4:1 SHEET: 4 OF 5 REV: A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APP'D.
-	-	SEE SHEET 1	-	-

# 80 CIRCUIT PANEL OPENING



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: WINDY LIU 08FEB2017	 TE Connectivity
DIMENSIONS: mm		CHK: SEAN HAN 08FEB2017	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: SEAN HAN 08FEB2017	NAME: NANO PITCH I/O FIXED RIGHT ANGLE, 8X
0 PLC ±	1 PLC ±0.25	PRODUCT SPEC	SIZE: A1
2 PLC ±0.13	3 PLC ±	108-60018	CAGE CODE: -
4 PLC ±	ANGLES ±	APPLICATION SPEC	DRAWING NO: C=2308577
FINISH ±	WEIGHT	114-60024	RESTRICTED TO: -
MATERIAL: SEE NOTES	SEE NOTES	CUSTOMER DRAWING	SCALE: 4:1 SHEET 5 OF 5 REV A

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9